



GROHE SPA

SPECIFIERS' CATALOGUE **2023**



GROHE

TABLE OF CONTENTS

SPA Bath Taps	Taps and Ceramics	Allure Brilliant Icon 3D / Atrio Icon 3D	24	
		Atrio	25	
		Atrio Private Collection	39	
		Allure	46	
		Allure Brilliant	58	
		Grandera	72	
		Glass module	83	
		SPA Showers	Showers and Thermostats	Aquasymphony
F-digital Deluxe	87			
Rainshower Aqua ceiling showers	90			
Rainshower Aqua head showers	91			
Rainshower Aqua body sprays	94			
Rainshower Aqua hand showers	95			
Rainshower Aqua trigger sprays	97			
SPA shower accessories	98			
SPA thermostats	100			
Bath Taps	Single Lever Mixers			Lineare
		Eurocube Joy	135	
		Eurocube	141	
		GROHE Plus	152	
		Europlus	164	
		Essence	165	
		Eurodisc Joy	180	
		Eurodisc Cosmopolitan	183	
		Concetto	190	
		Eurostyle Cosmopolitan	199	
		Eurostyle	206	
		Eurosmart Cosmopolitan	216	
		Eurosmart	227	
		Eurosmart Care	238	
		BauEdge	243	
		BauLoop	249	
		BauFlow	255	
		Two Handle fittings	Costa L	257
		Universal	Universal	261

GROHE TABLE OF CONTENTS

	Bath Sets	Talentofill	262
	Accessories	Selection	264
		Selection Cube	270
		Essentials	273
		Essentials Cube	281
		BauCosmopolitan	285
		Essentials Authentic	288
Thermostats	Grohtherm	Grohtherm SmartControl	307
		Grohtherm 2 handle trim sets	320
		Grohtherm 2000	327
		Grohtherm Cube	333
		Grohtherm 1000 Cosmopolitan	337
		Grohtherm 1000	339
		Grohtherm 1000 Performance	343
		Grohtherm 800 Cosmopolitan	347
		Grohtherm 800	350
		Grohtherm 500	352
Concealed Solutions		GROHE Rapido SmartBox	364
		GROHE Rapido	366
		GROHE Rapido C / stop valves	367
Showers	GROHE Digital	F-digital Controllers	378
	Shower Systems	Rainshower System SmartControl	379
		Rainshower SmartActive System	383
		Rainshower System	386
		Euphoria SmartControl System	389
		Euphoria Shower System	392
		Tempesta System	401
		Shower System Accessories	406
	Head Showers	Head Showers	408
		Side showers	429
	Showers	Rainshower SmartActive	430
		Rainshower	437
		Relaxa	439
		Euphoria	441
		Tempesta	450

GROHE TABLE OF CONTENTS

		Tempesta-F Trigger Sprays	466	
		Shower Hoses	468	
		Shower hoses available until 06/2023	472	
		Shower Accessories	476	
Kitchen Fittings	Water Systems	GROHE Blue Professional	509	
		GROHE Blue Home	515	
		GROHE Blue Pure	524	
		GROHE Blue Accessories	529	
		GROHE Red	534	
		Waste separation systems	538	
		Premium Lines	K7	539
			Foot Control	540
			Minta / Minta SmartControl / Minta Touch	541
			Zedra / Zedra SmartControl / Zedra Touch	546
			Essence	548
			Eurocube	551
		Competence Lines	Eurodisc Cosmopolitan	552
			Eurodisc	553
			Concetto	554
			Eurostyle Cosmopolitan	557
			Eurosmart Cosmopolitan	559
			Eurosmart	562
			Euroeco / Euroeco Special	565
			Costa	566
			Bau Lines	568
			Soap dispensers	571
		Kitchen sinks	Stainless steel sinks	572
			Composite sinks	579
	Commercial Fittings	Electronic Fittings	Eurocube E	594
			Essence E	597
			Bluetooth monitoring	600
Europlus E			609	
Eurosmart Cosmopolitan E			611	
Euroeco Cosmopolitan E			620	
Bau Cosmopolitan E			624	

GROHE

TABLE OF CONTENTS

	Special Thermostats	Grohtherm Micro	627
		Grohtherm Special	628
		Grohtherm XL	632
	Single-Lever Mixers	Eurosmart Care	633
		Vertica Eurostyle Cosmopolitan	638
		Commercial Showers	639
		Euroeco Special	642
		Hospita	646
		Euroeco Single Sequential	647
	Self-Closing Taps	Eurodisc SE	649
		Eurosmart Cosmopolitan T	650
		Euroeco Cosmopolitan T	651
Shower Toilet		GROHE Sensia Arena	658
		Manual bidet seat	661
Ceramics		Essence	670
		Cube Ceramic	675
		Euro Ceramic	678
		BauEdge Ceramic	684
		Bau Ceramic	686
		Acrylic shower trays	695
Installation Systems	Rapid SLX	Rapid SLX	700
	Rapid SL	Rapid SL for WC	702
		Rapid SL for Urinal	713
		Rapid SL for Wash Basin and Bidet	715
		Rapid SL for the Disabled	718
		Rapid SL Fitting Supports	720
		Rapid SL Accessories	721
Flushing Systems	WC	Flushing Cisterns	726
		Accessories for Flushing Cisterns	729
		WC Flush Valves	735
		Electronic Actuators for WC	737
	Urinal	Electronic Actuators for Urinal	742
		Urinal Flush Valves	747
Actuations	WC	Flush Plates for WC	752
		GROHE Fresh	760

GROHE

TABLE OF CONTENTS

	Flush Plates for WC Flush Valves	761
	Urinal	762
Connection and Security Technology	Angle Valves	766
	WAS valves	770
	Safety Systems	771
Spare Parts and Accessories	Cartridges	774
	Thermo elements and thermostatic cartridges	776
	Aquadimmer	779
	Head parts	780
	Spare parts for two-handle taps	783
	Extension sets	784
	Unions	785
	Outlets and spouts	786
	Flow straighteners	787
	Waste sets and traps	789
	Connections and non-return valves	792
	Spare parts for electronics	793
	Diverter	794
	Hoses	795
	Spare parts for kitchen taps	796
	Spare parts for showers	797
	Miscellaneous	799
	Special tools	800
	Cleaning and care	801
	Spare parts for sanitary systems	802
Spare parts for shower toilet	804	
Spare parts for Ceramics	805	
Survey of Contents		806
Replacement Products		826
Packaging Index		829
LIXIL makes better homes a reality for everyone, everywhere		842

IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)




Fig 4

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service

No matter what issues or questions you may have, you can find the right contact person for you.

Order management

(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

Customer Service

(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.





SPECIFIERS'
CATALOGUE
2023
EDITION FOR PROFESSIONALS



GROHE SPA

**SALUS PER AQUAM
HEALTH THROUGH WATER**

Nothing compares to the power of water –
it is cleansing, invigorating and healing.

A true elixir of life, water gives us precious moments of indulgent bliss. By harnessing these positive effects, we can switch off from the noise of the outside world to find peace for body, mind and soul. By immersing ourselves in soothing water rituals, we can inspire the senses to find equilibrium and hidden strength. Guided by the underlying belief that water is the source of vital energy, GROHE has revitalized GROHE SPA as a timeless sub-brand. A decade after GROHE SPA was first launched, our passion for water is tangible in every detail of every product.

Aimed at architects, designers and specifiers, as well as high-end showrooms, GROHE SPA represents the apex of what we can achieve. We are redefining what is possible to lift innovation, technology and precision to uncharted levels. We curate only the most exclusive, luxurious products to create exquisite places of retreat. Progressive designs are fused with carefully selected colors, materials and finishes. Versatile customization options transform the bathroom into a home spa, impeccably tailored to individual preferences.

GROHE SPA bathes us in blissful new multisensory experiences. Soothing, memorable and distinctive – just like the calming sound of water.

MEETING THREE MACROTRENDS

URBANISATION

EASY TO USE & INTUITIVE -
GENDER NEUTRAL &
INCLUSIVE HOSPITALITY



HEALTH & WELLBEING

CRAFTING WELLNESS -
MINIMALIST DESIGN -
HYGIENE



SUSTAINABILITY

SUSTAINABLE ARCHITECTURE -
USE OF UNIVERSAL COMPONENTS -
MATERIAL REDUCTION



THREE PILLARS AS ENABLERS


EXCLUSIVITY

FOR DEDICATED
DISTRIBUTORS



EXPERIENCE

THE
FIVE SENSES




NEW LUXURY

BESPOKE
SOLUTIONS



GROHE SPA AS OPPORTUNITY FOR GROHE PARTNERS TO INCREASE
THEIR ATTRACTIVENESS AND MAXIMIZE THE PERFORMANCE



GROHE SPA WAS CREATED
FOR TWO REASONS


01

Support GROHE premium partners with the offer of exclusive products
conceived for high-end showrooms and A&D

02

Enable GROHE partners to stand out on the market thanks to unique products
that bring to the highest expression GROHE key values of Design, Technology,
Quality and Sustainability.

TO MEET THE NEEDS OF VIP ENDCONSUMERS AND A&D
GROHE HAS CONCEIVED TAILOR-MADE PRODUCTS AND SERVICES



GROHE SPA has been conceived to bring to the highest expression the key values of GROHE and LIXIL thanks to the sophistication of SPA designs, cutting-edge new technologies, innovative sustainability concepts and the GROHE high quality promise.

SPA partners implementing the shop-in-shop SPA flagship concept will be supported for launch events, sharing of project specifications and presence on the new SPA website as the where to buy point of sales for the new Sub-brand. SPA comprises a dedicated portfolio of products that are not sold by GROHE to DIY & e-Com. Such products are clearly identified with SPA logo in the relevant pricebook section.





GROHE
SPA BATH TAPS











**CONTENTS**

Allure Brilliant Icon 3D / Atrio Icon 3D	24
Atrio	25
Atrio Private Collection	39
Allure	46
Allure Brilliant	58
Grandera	72
Glass module	83



GROHE SPA

ALLURE BRILLIANT ICON 3D / ATRIO ICON 3D


	Ref. No.	Colour	EAN
 	20 635 SD0	stainless steel	4005176759642
	<p>Allure Brilliant 3-hole wall-mount basin mixer GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts pressure-proof, flexible connection hoses between spout and side valves projection 256 mm</p> <p>technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C</p>		
 	20 634 SD0	stainless steel	4005176759635
	<p>Allure Brilliant 3-hole deck-mount basin mixer GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts Push-open waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p> <p>technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply flow rate at 3 bar flow pressure: approx. 5 l/min max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C</p>		
 	20 664 SD0	stainless steel	4005176763243
	<p>Atrio Icon 3D 3-hole deck-mount basin mixer open spout for pure laminar water flow red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts Push-open waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p> <p>technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply flow rate at 3 bar flow pressure: approx. 5 l/min max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C</p>		
 	20 665 SD0	stainless steel	4005176763250
	<p>Atrio Icon 3D 3-hole wall-mount basin mixer open spout for pure laminar water flow red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts pressure-proof, flexible connection hoses between spout and side valves projection 235 mm</p> <p>technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply flow rate at 3 bar flow pressure: approx. 5 l/min max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C</p>		



GROHE SPA


GROHE
ATRIO

SPA BATH
TAPS




Ref. No.	Colour	EAN
24 363 000	Chrome	4005176762215
24 363 DC0	supersteel	4005176760914
24 363 GL0	cool sunrise	4005176760921
24 363 DA0	warm sunset	4005176760907
24 363 AL0	brushed hard graphite	4005176760891

Atrio
Basin mixer 1/2"
M-Size
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular C-spout with mousseur
 stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses



Ref. No.	Colour	EAN
24 362 000	Chrome	4005176760846
24 362 DC0	supersteel	4005176760877
24 362 GL0	cool sunrise	4005176760884
24 362 DA0	warm sunset	4005176760860
24 362 AL0	brushed hard graphite	4005176760853

Atrio
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular C-spout with mousseur
 stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses




Ref. No.	Colour	EAN
24 365 000	Chrome	4005176760976
24 365 DC0	supersteel	4005176761003
24 365 GL0	cool sunrise	4005176761010
24 365 DA0	warm sunset	4005176760990
24 365 AL0	brushed hard graphite	4005176760983

Atrio
Basin mixer 1/2"
XL-Size
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular C-spout with mousseur
 stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses



Ref. No. Colour EAN

29 410 000	Chrome	4005176762680
29 410 DC0	supersteel	4005176763427
29 410 GL0	cool sunrise	4005176763434
29 410 DA0	warm sunset	4005176763410
29 410 AL0	brushed hard graphite	4005176763403




Atrio
Two-hole basin mixer joystick
 wall mounted
without concealed body
 set for final installation for 23 429 000
 GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 centre distance 110 mm
 projection 185 mm



29 406 000	Chrome	4005176762727
29 406 DC0	supersteel	4005176762758
29 406 GL0	cool sunrise	4005176762765
29 406 DA0	warm sunset	4005176762741
29 406 AL0	brushed hard graphite	4005176762734

ditto, projection 221 mm


23 429 000 4005176993695



Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
without finishing trim set
 GROHE FeatherControl Joystick cartridge
 wall installation
 installation device
 DR-brass
 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve




24 364 000	Chrome	4005176762222
24 364 DC0	supersteel	4005176760952
24 364 GL0	cool sunrise	4005176760969
24 364 DA0	warm sunset	4005176760945
24 364 AL0	brushed hard graphite	4005176760938




Atrio
Bidet mixer 1/2"
M-Size
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 rapid installation system
 tubular C-spout with ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses



24 366 000	Chrome	4005176762239
24 366 DC0	supersteel	4005176761041
24 366 GL0	cool sunrise	4005176761058
24 366 DA0	warm sunset	4005176761034
24 366 AL0	brushed hard graphite	4005176761027




Atrio
Single-lever shower mixer 1/2"
 wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 shower bottom outlet 1/2" with
 integrated non return-valve
 covered S-unions
 protected against backflow



Ref. No.	Colour	EAN
24 367 000	Chrome	4005176762246
24 367 DC0	supersteel	4005176761089
24 367 GL0	cool sunrise	4005176761096
24 367 DA0	warm sunset	4005176761072
24 367 AL0	brushed hard graphite	4005176761065

Aerio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow




Ref. No.	Colour	EAN
24 354 000	Chrome	4005176762062
24 354 DC0	supersteel	4005176761591
24 354 GL0	cool sunrise	4005176761607
24 354 DA0	warm sunset	4005176761584
24 354 AL0	brushed hard graphite	4005176761577

Aerio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with GROHE FastFixation
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	




Ref. No.	Colour	EAN
24 355 000	Chrome	4005176762079
24 355 DC0	supersteel	4005176761638
24 355 GL0	cool sunrise	4005176761645
24 355 DA0	warm sunset	4005176761621
24 355 AL0	brushed hard graphite	4005176761614

Aerio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with GROHE FastFixation
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



Ref. No.	Colour	EAN
24 356 000	Chrome	4005176762086
24 356 DC0	supersteel	4005176761164
24 356 GL0	cool sunrise	4005176761171
24 356 DA0	warm sunset	4005176761669
24 356 AL0	brushed hard graphite	4005176761652

Atrio

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,


outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



24 357 000	Chrome	4005176762093
24 357 DC0	supersteel	4005176761201
24 357 GL0	cool sunrise	4005176761218
24 357 DA0	warm sunset	4005176761195
24 357 AL0	brushed hard graphite	4005176761188

Atrio

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



GROHE SPA



GROHE
ATRIO

SPA BATH
TAPS

Ref. No.	Colour	EAN
----------	--------	-----



24 358 000	Chrome	4005176762109
24 358 DC0	supersteel	4005176761362
24 358 GL0	cool sunrise	4005176761379
24 358 DA0	warm sunset	4005176761355
24 358 AL0	brushed hard graphite	4005176761348



Atrio

Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min



without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



24 359 000	Chrome	4005176762116
24 359 DC0	supersteel	4005176761409
24 359 GL0	cool sunrise	4005176761416
24 359 DA0	warm sunset	4005176761393
24 359 AL0	brushed hard graphite	4005176761386



Atrio

Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:


outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set




35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



Ref. No.	Colour	EAN
24 368 000	Chrome	4005176761102
24 368 DC0	supersteel	4005176761133
24 368 EN0	brushed nickel	4005176761140
24 368 GL0	cool sunrise	4005176761157
24 368 DA0	warm sunset	4005176761126
24 368 AL0	brushed hard graphite	4005176761119


Atrio
Single-lever bath mixer, floor mounted
 set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur projection 301 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Rainshower Aqua Stick (26 866) Silverflex shower hose 1250 mm protected against backflow

45 984 001		4005176992056
Rough-in set 1/2" for floor-mounted mixers/spouts		




Ref. No.	Colour	EAN
20 658 000	Chrome	4005176763007
20 658 DC0	supersteel	4005176763038
20 658 GL0	cool sunrise	4005176763045
20 658 DA0	warm sunset	4005176763021
20 658 AL0	brushed hard graphite	4005176763014

Atrio
Pillar tap 1/2" XS-Size
 headpart 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system mousseur fixed spout with lever handle




Ref. No.	Colour	EAN
21 145 000	Chrome	4005176763311
21 145 DC0	supersteel	4005176763359
21 145 GL0	cool sunrise	4005176763366
21 145 DA0	warm sunset	4005176763342
21 145 AL0	brushed hard graphite	4005176763335

Atrio
Basin mixer, 1/2" L-Size
 ceramic headparts 1/2", 90°
GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with lever handles
 Two different sets of caps included. One set with „H" and „C" marking, one set without marking.




Ref. No.	Colour	EAN
21 144 000	Chrome	4005176763267
21 144 DC0	supersteel	4005176763298
21 144 GL0	cool sunrise	4005176763304
21 144 DA0	warm sunset	4005176763281
21 144 AL0	brushed hard graphite	4005176763274

Atrio
Basin mixer, 1/2" L-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with cross handles
 Two different sets of caps included. One set with „H" and „C" marking, one set without marking.




Ref. No.	Colour	EAN
21 149 000	Chrome	4005176762017
21 149 DC0	supersteel	4005176761249
21 149 GL0	cool sunrise	4005176761256
21 149 DA0	warm sunset	4005176761232
21 149 AL0	brushed hard graphite	4005176761225

Atrio Basin mixer, 1/2" XL-Size
 for free-standing basins
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




Ref. No.	Colour	EAN
20 649 000	Chrome	4005176762949
20 649 DC0	supersteel	4005176762987
20 649 GL0	cool sunrise	4005176762994
20 649 DA0	warm sunset	4005176762970
20 649 AL0	brushed hard graphite	4005176762963

Atrio Three-hole basin mixer 1/2" M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses between spout and side valves
 with lever handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



Ref. No.	Colour	EAN
20 643 000	Chrome	4005176762871
20 643 DC0	supersteel	4005176762925
20 643 GL0	cool sunrise	4005176762932
20 643 DA0	warm sunset	4005176762918
20 643 AL0	brushed hard graphite	4005176762901



Atrio Three-hole basin mixer 1/2" M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.







Ref. No.	Colour	EAN
20 662 000	Chrome	4005176763168
20 662 DC0	supersteel	4005176763205
20 662 GL0	cool sunrise	4005176763212
20 662 DA0	warm sunset	4005176763199
20 662 AL0	brushed hard graphite	4005176763182



Atrio Three-hole basin mixer 1/2" S-Size
 wall mounted
 set for final installation for 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 centre distance 200 mm
 projection 180 mm
 with lever handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




	Ref. No.	Colour	EAN
	20 661 000	Chrome	4005176763090
	20 661 DC0	supersteel	4005176763137
	20 661 EN0	brushed nickel	4005176763144
	20 661 GL0	cool sunrise	4005176763151
	20 661 DA0	warm sunset	4005176763120
	20 661 AL0	brushed hard graphite	4005176763113
	<p>Atrio 3-hole basin mixer wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>		

	29 025 002		4005176519895
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		



	24 353 000	Chrome	4005176761300
	24 353 DC0	supersteel	4005176761331
	24 353 GL0	cool sunrise	4005176761560
	24 353 DA0	warm sunset	4005176761324
	24 353 AL0	brushed hard graphite	4005176761317
		<p>Atrio Bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>	

	26 895 000	Chrome	4005176762185
	26 895 DC0	supersteel	4005176760792
	26 895 GL0	cool sunrise	4005176760808
	26 895 DA0	warm sunset	4005176760785
	26 895 AL0	brushed hard graphite	4005176760778
		<p>Atrio Shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>	




Ref. No.	Colour	EAN
25 268 000	Chrome	4005176762147
25 268 DC0	supersteel	4005176761461
25 268 GL0	cool sunrise	4005176761478
25 268 DA0	warm sunset	4005176761454
25 268 AL0	brushed hard graphite	4005176761447

Aerio
Bath / shower mixer 1/2"
 wall mounted
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 tubular spout
 with stop restriction
 mousseur
 covered S-unions
 protected against backflow
 without shower set
 with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




Ref. No.	Colour	EAN
25 272 000	Chrome	4005176762154
25 272 DC0	supersteel	4005176761508
25 272 EN0	brushed nickel	4005176761515
25 272 GL0	cool sunrise	4005176761522
25 272 DA0	warm sunset	4005176761492
25 272 AL0	brushed hard graphite	4005176761485

Aerio
Bath / shower mixer 1/2"
 floor-mounted installation
 with high pillar unions (765 mm)
 set for final installation for 45 984 001
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with mousseur
 projection 301 mm
 integrated non-return valve
 in the shower outlet 1/2"
 hand shower Rainshower Aqua Stick (26 866)
 with shower holder
 Silverflex shower hose 1250 mm (28 362)
 protected against backflow, with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



45 984 001	4005176992056
------------	---------------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material




Ref. No.	Colour	EAN
29 397 000	Chrome	4005176754111
29 397 DC0	supersteel	4005176754142
29 397 GL0	cool sunrise	4005176754159
29 397 DA0	warm sunset	4005176754135
29 397 AL0	brushed hard graphite	4005176754128

Aerio
Concealed stop-valve trim
 for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with lever handle





	Ref. No.	Colour	EAN
--	----------	--------	-----



29 396 000	Chrome	4005176754067
29 396 DC0	supersteel	4005176754098
29 396 GL0	cool sunrise	4005176754104
29 396 DA0	warm sunset	4005176754081
29 396 AL0	brushed hard graphite	4005176754074


Atrio
Concealed stop-valve trim
 for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with cross handle

	35 028 000		4005176908316
--	------------	--	---------------



GROHE Rapido C
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 body of DR brass
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 installation depth 70 - 95 mm


	Ref. No.	Colour	EAN
--	----------	--------	-----



29 407 000	Chrome	4005176762772
29 407 DC0	supersteel	4005176762802
29 407 GL0	cool sunrise	4005176762819
29 407 DA0	warm sunset	4005176762796
29 407 AL0	brushed hard graphite	4005176762789

Atrio
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 Consisting of:
 pre-assembled spout fixing
 with lever handles
 bath spout with mousseur and diverter bath/shower
 hand shower Rainshower Aqua Stick 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

	Ref. No.	Colour	EAN
--	----------	--------	-----



29 408 000	Chrome	4005176762826
29 408 DC0	supersteel	4005176762857
29 408 GL0	cool sunrise	4005176762864
29 408 DA0	warm sunset	4005176762840
29 408 AL0	brushed hard graphite	4005176762833

Atrio
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 Consisting of:
 pre-assembled spout fixing
 with cross handles
 bath spout with mousseur and diverter bath/shower
 hand shower Rainshower Aqua Stick 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.




GROHE SPA

GROHE
ATRIO


SPA BATH
TAPS

Ref. No. Colour EAN

29 037 002 4005176519918




**4/5-hole bath combination (optional)
baseframe for installation
under tiled surround**
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve
caps to cover screw fixations always come in chrome color



13 487 000 Chrome 4005176761683
13 487 DC0 supersteel 4005176761720
13 487 GL0 cool sunrise 4005176761737
13 487 DA0 warm sunset 4005176761713
13 487 AL0 brushed hard graphite 4005176761706



Atrio
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 171 mm



37 624 000 Chrome 4005176416095
37 624 DC0 supersteel 4005176416125
37 624 GL0 cool sunrise 4005176529054
37 624 DA0 warm sunset 4005176529061
37 624 AL0 brushed hard graphite 4005176529115







Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)
colours BE and EN available until 31 March 2023





	Ref. No.	Colour	EAN
	40 884 000	Chrome	4005176754326
	40 884 DC0	supersteel	4005176752926
	40 884 EN0	brushed nickel	4005176752933
	40 884 GL0	cool sunrise	4005176752940
	40 884 DA0	warm sunset	4005176752919
	40 884 AL0	brushed hard graphite	4005176752902
	<p>Atrio Glass/soap dish holder fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>		

	40 886 000	Chrome	4005176754012
	40 886 DC0	supersteel	4005176754531
	40 886 EN0	brushed nickel	4005176754548
	40 886 GL0	cool sunrise	4005176754555
	40 886 DA0	warm sunset	4005176754524
	40 886 AL0	brushed hard graphite	4005176754517
	<p>Soap dispenser material: glass / metal filling quantity 160 ml fits holder Atrio 40 884 xx0 (please order separately) GROHE Long-Life Shine durable sparkling sheen</p>		

	40 882 000	Chrome	4005176754494
	<p>Glass material: glass fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)</p>		
			

	40 885 000	Chrome	4005176752957
	40 885 DC0	supersteel	4005176753985
	40 885 EN0	brushed nickel	4005176753992
	40 885 GL0	cool sunrise	4005176754005
	40 885 DA0	warm sunset	4005176753978
	40 885 AL0	brushed hard graphite	4005176753961
	<p>Atrio Glass/soap dish holder fits soap dish 40 883 000 or hair dryer inlet 40 964 001 (please order separately) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>		

	40 883 000	Chrome	4005176755262
	<p>Soap dish material: glass fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately</p>		
			











	40 964 001	black	4005176531019
	<p>Allure Hair dryer inlet material: plastic fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately</p>		
			




GROHE SPA

GROHE
ATRIO

SPA BATH
TAPS

		Ref. No.	Colour	EAN
		40 887 000	Chrome	4005176754562
		40 887 DC0	supersteel	4005176754593
		40 887 EN0	brushed nickel	4005176754609
		40 887 GL0	cool sunrise	4005176754616
		40 887 DA0	warm sunset	4005176754586
		40 887 AL0	brushed hard graphite	4005176754579
		Atrio Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 888 000	Chrome	4005176754623
		40 888 DC0	supersteel	4005176754654
		40 888 EN0	brushed nickel	4005176754661
		40 888 GL0	cool sunrise	4005176754678
		40 888 DA0	warm sunset	4005176754647
		40 888 AL0	brushed hard graphite	4005176754630
		Atrio Towel bar material: metal 2 arms, not pivotable length 489 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 889 000	Chrome	4005176754685
		40 889 DC0	supersteel	4005176754715
		40 889 EN0	brushed nickel	4005176754722
		40 889 GL0	cool sunrise	4005176754739
		40 889 DA0	warm sunset	4005176754708
		40 889 AL0	brushed hard graphite	4005176754692
		Atrio Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 890 000	Chrome	4005176754746
		40 890 DC0	supersteel	4005176754777
		40 890 EN0	brushed nickel	4005176754784
		40 890 GL0	cool sunrise	4005176754791
		40 890 DA0	warm sunset	4005176754760
		40 890 AL0	brushed hard graphite	4005176754753
		Atrio Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 891 000	Chrome	4005176754807
		40 891 DC0	supersteel	4005176754838
		40 891 EN0	brushed nickel	4005176755088
		40 891 GL0	cool sunrise	4005176755095
		40 891 DA0	warm sunset	4005176754821
		40 891 AL0	brushed hard graphite	4005176754814
		Atrio Toilet roll holder material: metal concealed fastening without cover GROHE Long-Life Shine durable sparkling sheen		




GROHE SPA

Ref. No.	Colour	EAN
40 892 000	Chrome	4005176755101
40 892 DC0	supersteel	4005176755132
40 892 EN0	brushed nickel	4005176755149
40 892 GL0	cool sunrise	4005176755156
40 892 DA0	warm sunset	4005176755125
40 892 AL0	brushed hard graphite	4005176755118

Atrio
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen

40 791 001	white	4005176323409
40 791 KS1	velvet black	4005176336379

Spare Brush Head



GROHE SPA

30 609 000	Chrome	4005176762208
30 609 DC0	supersteel	4005176760839
30 609 AL0	brushed hard graphite	4005176760822

Atrio
Two handle sink mixer 1/2"
 C-spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 ceramic headparts 1/2", 90°
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 mousseur


30 362 000	Chrome	4005176496479
30 362 DC0	supersteel	4005176496486
30 362 AL0	brushed hard graphite	4005176497292

available until 30 September 2023, will be replaced by 30 609




GROHE SPA

ATRIO PRIVATE COLLECTION



Ref. No.	Colour	EAN
21 138 000	Chrome	4005176499081
21 138 DC0	supersteel	4005176510557
21 138 GL0	cool sunrise	4005176510496
21 138 DA0	warm sunset	4005176510571
21 138 AL0	brushed hard graphite	4005176510618

Aerio Private Collection
Basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 knobs with metal inlay
 can be combined with 48 456 000 or 48 457 000



21 142 000	Chrome	4005176510052
21 142 DC0	supersteel	4005176509957
21 142 GL0	cool sunrise	4005176509896
21 142 DA0	warm sunset	4005176509971
21 142 AL0	brushed hard graphite	4005176510014

Aerio Private Collection
Basin mixer, 1/2"
XL-Size
for free-standing basins
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 knobs with metal inlay
 can be combined with 48 456 000 or 48 457 000



48 456 000		4005176520778
------------	--	---------------

Aerio Private Collection
Inlays made from White Attica Caesarstone material
 can be combined with Aerio Private Collection:
 one-hole basin mixer L-Size 21 138
 one-hole basin mixer XL-Size 21 142
 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.





48 457 000		4005176520785
------------	--	---------------



Aerio Private Collection
Inlays made from Vanilla Noir Caesarstone material
 can be combined with Aerio Private Collection:
 one-hole basin mixer L-Size 21 138
 one-hole basin mixer XL-Size 21 142
 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



GROHE SPA

GROHE ATRIO PRIVATE COLLECTION

	Ref. No.	Colour	EAN
	20 589 000	Chrome	4005176511691
	20 589 DC0	supersteel	4005176511592
	20 589 GL0	cool sunrise	4005176503306
	20 589 DA0	warm sunset	4005176511615
	20 589 AL0	brushed hard graphite	4005176511653
	<p>Aerio Private Collection 3-hole basin mixer wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm knobs with metal inlay can be combined with 48 460 000 or 48 461 000</p>		
	29 025 002		4005176519895
	Rough-in set for 3-hole basin mixer		

	20 595 000	Chrome	4005176511233
	20 595 DC0	supersteel	4005176511158
	20 595 GL0	cool sunrise	4005176511110
	20 595 DA0	warm sunset	4005176511172
	20 595 AL0	brushed hard graphite	4005176511219
	<p>Aerio Private Collection Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves knobs with metal inlay can be combined with 48 460 000 or 48 461 000</p>		




	48 460 000		4005176523816
	<p>Aerio Private Collection Inlays made from White Attica Caesarstone material can be combined with Aerio Private Collection: three-hole basin mixer M-Size 20 595 three-hole basin mixer wall mounted 20 589 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p>		




	48 461 000		4005176523823
	<p>Aerio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Aerio Private Collection: three-hole basin mixer M-Size 20 595 three-hole basin mixer wall mounted 20 589 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p>		





GROHE SPA

ATRIO PRIVATE COLLECTION

	Ref. No.	Colour	EAN
			
	25 226 000	Chrome	4005176508554
	25 226 DC0	supersteel	4005176508455
	25 226 GL0	cool sunrise	4005176508394
	25 226 DA0	warm sunset	4005176508479
	25 226 AL0	brushed hard graphite	4005176508516
			
<p>Atrio Private Collection 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen Consisting of: pre-assembled spout fixing knobs with inlay, can be combined with 48 462 000 or 48 463 000 bath spout with mousseur and diverter bath/shower hand shower 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002</p>			
<p>29 037 002 baseframe for installation under tiled surround</p>			4005176519918

			
	25 229 000	Chrome	4005176507977
	25 229 DC0	supersteel	4005176507878
	25 229 GL0	cool sunrise	4005176507816
	25 229 DA0	warm sunset	4005176507892
	25 229 AL0	brushed hard graphite	4005176507939
			
<p>Atrio Private Collection Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 without roughing-in-set ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower with holder Silverflex shower hose 1250 mm (28 362) protected against backflow knobs with inlay, can be combined with 48 462 000 or 48 463 000</p>			

			
	48 462 000		4005176523830
<p>Atrio Private Collection Inlays made from White Attica Caesarstone material can be combined with Atrio Private Collection: tub filler 25 226 bath mixer 25 229 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p>			

			
	48 463 000		4005176523847
<p>Atrio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Atrio Private Collection: tub filler 25 226 bath mixer 25 229 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p>			



	Ref. No.	Colour	EAN
	24 396 000	Chrome	4005176786204
	24 396 DC0	supersteel	4005176786211
	24 396 GL0	cool sunrise	4005176786228
	24 396 DA0	warm sunset	4005176786235
	24 396 AL0	brushed hard graphite	4005176786242
	Atrio Private Collection Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve with knob chrome set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve knobs with metal inlay can be combined with 48 466 000 or 48 467 000 flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set		


	48 466 000		4005176523878
	Atrio Private Collection Inlays made from White Attica Caesarstone material can be combined with Atrio Private Collection: thermostatic shower mixer 24 396 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.		

	48 467 000		4005176523885
	Atrio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Atrio Private Collection: thermostatic shower mixer 24 396 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.		




GROHE SPA

ATRIO PRIVATE COLLECTION




Ref. No.	Colour	EAN
21 134 000	Chrome	4005176499067
21 134 DC0	supersteel	4005176510915
21 134 GL0	cool sunrise	4005176510854
21 134 DA0	warm sunset	4005176510939
21 134 AL0	brushed hard graphite	4005176510977

Atrio Private Collection
Basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately




Ref. No.	Colour	EAN
21 140 000	Chrome	4005176510458
21 140 DC0	supersteel	4005176510359
21 140 GL0	cool sunrise	4005176510298
21 140 DA0	warm sunset	4005176510373
21 140 AL0	brushed hard graphite	4005176510410

Atrio Private Collection
Basin mixer, 1/2"
XL-Size
for free-standing basins
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately




Ref. No.	Colour	EAN
20 587 000	Chrome	4005176512070
20 587 DC0	supersteel	4005176511974
20 587 GL0	cool sunrise	4005176511936
20 587 DA0	warm sunset	4005176511998
20 587 AL0	brushed hard graphite	4005176512032

Atrio Private Collection
3-hole basin mixer
 wall mounted
 set for final installation for 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 centre distance 200 mm
 projection 180 mm
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



Ref. No.	Colour	EAN
20 593 000	Chrome	4005176511516
20 593 DC0	supersteel	4005176511455
20 593 GL0	cool sunrise	4005176511417
20 593 DA0	warm sunset	4005176511479
20 593 AL0	brushed hard graphite	4005176499272

Atrio Private Collection
Three-hole basin mixer 1/2"
M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



Ref. No.	Colour	EAN
25 227 000	Chrome	4005176508356
25 227 DC0	supersteel	4005176508257
25 227 GL0	cool sunrise	4005176508196
25 227 DA0	warm sunset	4005176508271
25 227 AL0	brushed hard graphite	4005176508318

**Aerio Private Collection
Bath / shower mixer 1/2"**

floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001

without roughing-in-set
ceramic headparts 1/2", 90°

GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower with holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
for stick handles

to be combined with stick sets 48 464, 48 465 or 48 651, please order separately



48 458 000		4005176523793
48 458 DC0	supersteel	4005176787249
48 458 GL0	cool sunrise	4005176787256
48 458 DA0	warm sunset	4005176788468
48 458 AL0	brushed hard graphite	4005176788475

**Aerio Private Collection
Sticks made from White Attica Caesarstone material**

can be combined with Aerio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227

Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the
surface may vary and are unique.




48 459 000		4005176523809
48 459 DC0	supersteel	4005176788482
48 459 GL0	cool sunrise	4005176788499
48 459 DA0	warm sunset	4005176788505
48 459 AL0	brushed hard graphite	4005176788512


**Aerio Private Collection
Sticks made from Vanilla Noir Caesarstone material**

can be combined with Aerio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227


Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the
surface may vary and are unique.




	Ref. No.	Colour	EAN
	25 224 000	Chrome	4005176508950
	25 224 DC0	supersteel	4005176508851
	25 224 GL0	cool sunrise	4005176508790
	25 224 DA0	warm sunset	4005176508875
	25 224 AL0	brushed hard graphite	4005176508912




Atrio Private Collection
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 Consisting of:
 pre-assembled spout fixing for stick handles
 to be combined with stick sets 48 464, 48 465 or 48 651, please order separately
 bath spout with mousseur and diverter bath/shower hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose protected against backflow
 can be used with 29 037 002

	48 464 000		4005176523854
	48 464 DC0	supersteel	4005176788529
	48 464 GL0	cool sunrise	4005176788536
	48 464 DA0	warm sunset	4005176788543
	48 464 AL0	brushed hard graphite	4005176788550

Atrio Private Collection
Sticks made from White Attica Caesarstone material
 can be combined with Atrio Private Collection:
 tub filler 25 224
 bath mixer 25 227
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.
 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.


	48 465 000		4005176523861
	48 465 DC0	supersteel	4005176788567
	48 465 GL0	cool sunrise	4005176788574
	48 465 DA0	warm sunset	4005176788581
	48 465 AL0	brushed hard graphite	4005176788598

Atrio Private Collection
Sticks made from Vanilla Noir Caesarstone material
 can be combined with Atrio Private Collection:
 tub filler 25 224
 bath mixer 25 227
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.
 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.




Ref. No.	Colour	EAN
32 757 001	Chrome	4005176498589
32 757 GN1	brushed cool sunrise	4005176499326
32 757 DL1	brushed warm sunset	4005176499340
32 757 A01	hard graphite	4005176499357

Allure
Basin mixer 1/2"
M-Size
 monobloc installation
 swivelling spout
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 temperature limiter















Ref. No.	Colour	EAN
32 146 001	Chrome	4005176499388
32 146 GN1	brushed cool sunrise	4005176499425
32 146 DL1	brushed warm sunset	4005176499449
32 146 A01	hard graphite	4005176499456

Allure
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 swivelling spout
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 temperature limiter



Ref. No.	Colour	EAN
23 403 001	Chrome	4005176499487
23 403 GN1	brushed cool sunrise	4005176499524
23 403 DL1	brushed warm sunset	4005176499548
23 403 A01	hard graphite	4005176499555

Allure
Basin mixer 1/2"
XL-Size
 monobloc installation
 swivelling spout
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
 smooth body
GROHE AquaGuide adjustable slim air mousseur
 projection 185 mm
 height 377 mm
 push-to-open waste set
 flexible connection hoses
 temperature limiter

	Ref. No.	Colour	EAN
		23 856 001 Chrome	4005176499586
	23 856 GN1 brushed cool sunrise	4005176499623	
	23 856 DL1 brushed warm sunset	4005176499647	
	23 856 A01 hard graphite	4005176499654	
	Allure Single-lever basin mixer floor mounted monobloc installation for free-standing basins set for final installation for 45 984 001 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.7 l/min. flow limiter smooth body GROHE AquaGuide adjustable slim air mousseur projection 185 mm temperature limiter		
			
	45 984 001		4005176992056
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material		
			
		20 188 001 Chrome	4005176499685
	20 188 GN1 brushed cool sunrise	4005176499722	
	20 188 DL1 brushed warm sunset	4005176499746	
	20 188 A01 hard graphite	4005176499753	
	Allure Three-hole basin mixer 1/2" M-Size deck mounted ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.7 l/min. flow limiter GROHE AquaGuide adjustable slim air mousseur projection 143 mm pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4"		
			
		20 189 002 Chrome	4005176499784
	20 189 GN2 brushed cool sunrise	4005176499821	
	20 189 DL2 brushed warm sunset	4005176499845	
	20 189 A02 hard graphite	4005176499852	
	Allure Three-hole basin mixer 1/2" S-Size wall mounted, with lever handles without concealed body set for final installation for 29 025 000 valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.7 l/min. flow limiter Precision Control with haptic click feedback (optional) GROHE AquaGuide adjustable slim air mousseur projection 150 mm		
			
		20 193 002 Chrome	4005176499883
20 193 GN2 brushed cool sunrise	4005176499920		
20 193 DL2 brushed warm sunset	4005176499944		
20 193 A02 hard graphite	4005176499951		
projection 208 mm			
29 025 002			4005176519895
Rough-in set for 3-hole basin mixer			




	Ref. No.	Colour	EAN
	19 309 002	Chrome	4005176499982
	19 309 GN2	brushed cool sunrise	4005176514173
	19 309 DL2	brushed warm sunset	4005176514227
	19 309 A02	hard graphite	4005176514302
	Allure 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.7 l/min. flow limiter GROHE AquaGuide adjustable slim air mousseur centre distance 110 mm projection 154 mm		
	19 386 002	Chrome	4005176512995
	19 386 GN2	brushed cool sunrise	4005176512810
	19 386 DL2	brushed warm sunset	4005176512872
	19 386 A02	hard graphite	4005176512971
	ditto, projection 212 mm		
	23 429 000		4005176993695
Set for final installation for 2-hole basin mixer			
	24 160 001	Chrome	4005176596230
	24 160 GN1	brushed cool sunrise	4005176596278
	24 160 DL1	brushed warm sunset	4005176598692
	24 160 A01	hard graphite	4005176598708
	Allure Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		
	32 846 001	Chrome	4005176506895
	32 846 GN1	brushed cool sunrise	4005176506734
	32 846 DL1	brushed warm sunset	4005176506796
	32 846 A01	hard graphite	4005176506871
	Allure Single-lever shower mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve covered S-unions protected against backflow		
	32 826 001	Chrome	4005176507076
	32 826 GN1	brushed cool sunrise	4005176506918
	32 826 DL1	brushed warm sunset	4005176506970
	32 826 A01	hard graphite	4005176507052
	Allure Single-lever bath mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow		



GROHE SPA


GROHE
ALLURE

SPA BATH
TAPS



Ref. No.	Colour	EAN
18 968 001	Chrome	4005176514586
18 968 GN1	brushed cool sunrise	4005176514401
18 968 DL1	brushed warm sunset	4005176514463
18 968 A01	hard graphite	4005176514562

Allure
Shower and bath tray
 for installation with 32 846 001 and 32 826 001
 easy to click on and remove
 material: acrylic glass
 width 315 mm
 depth 136 mm




19 317 001	Chrome	4005176513756
19 317 GN1	brushed cool sunrise	4005176513572
19 317 DL1	brushed warm sunset	4005176513633
19 317 A01	hard graphite	4005176513732

Allure
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with GROHE FastFixation
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



19 315 001	Chrome	4005176514159
19 315 GN1	brushed cool sunrise	4005176513978
19 315 DL1	brushed warm sunset	4005176514036
19 315 A01	hard graphite	4005176514135

Allure
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with GROHE FastFixation
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No. Colour EAN



29 176 001	Chrome	4005176507779
29 176 GN1	brushed cool sunrise	4005176507618
29 176 DL1	brushed warm sunset	4005176507670
29 176 A01	hard graphite	4005176507755




Allure
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



19 380 002	Chrome	4005176513190
19 380 GN2	brushed cool sunrise	4005176513015
19 380 DL2	brushed warm sunset	4005176513077
19 380 A02	hard graphite	4005176513176



Allure
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 metal handles
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	



GROHE SPA


GROHE ALLURE

SPA BATH TAPS

Ref. No. Colour EAN



29 181 002	Chrome	4005176558993
29 181 GN2	brushed cool sunrise	4005176559037
29 181 DL2	brushed warm sunset	4005176559051
29 181 A02	hard graphite	4005176559068



Allure
Thermostat for concealed installation with 2-way diverter head shower/hand shower

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



19 446 002	Chrome	4005176512797
19 446 GN2	brushed cool sunrise	4005176512612
19 446 DL2	brushed warm sunset	4005176512674
19 446 A02	hard graphite	4005176512773



Allure
Thermostat for concealed installation with 2-way diverter hand shower/bath filler

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



25 221 001	Chrome	4005176509438
25 221 GN1	brushed cool sunrise	4005176509254
25 221 DL1	brushed warm sunset	4005176509315
25 221 A01	hard graphite	4005176509414



Allure
5-hole bath/shower combination

for installation under tiled surround
ceramic headparts 1/2", 90°

GROHE Long-Life Shine durable sparkling sheen

Consisting of:

pre-assembled spout fixing

with lever handles

bath spout with mousseur and diverter bath/shower

Sena hand shower 6.6 l/min









shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

optional baseframes for installation: 29 037 001/29 037 002


	Ref. No.	Colour	EAN		
		<p>GROHE SPA</p> <p>19 316 001 Chrome</p> <p>19 316 GN1 brushed cool sunrise</p> <p>19 316 DL1 brushed warm sunset</p> <p>19 316 A01 hard graphite</p>	<p>4005176513954</p> <p>4005176513770</p> <p>4005176513831</p> <p>4005176513930</p>		
	<p>Allure 4-hole single-lever bath combination for installation under tiled surround GROHE Long-Life Shine durable sparkling sheen single lever mixer operating element diverter bath/shower Sena hand shower 6.6 l/min shower hose 2000 mm optional baseframes for installation: 29 037 001/29 037 002</p>				
			<p>29 037 001</p> <p>4005176455490</p>	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>	
				<p>29 037 002</p> <p>4005176519918</p>	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color</p>
			<p>Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur projection 263 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena hand shower 6.6 l/min shower hose 1250 mm protected against backflow</p>		
		<p>25 222 001 Chrome</p> <p>25 222 GN1 brushed cool sunrise</p> <p>25 222 DL1 brushed warm sunset</p> <p>25 222 A01 hard graphite</p>	<p>4005176509230</p> <p>4005176509056</p> <p>4005176509117</p> <p>4005176509216</p>		
	<p>Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur projection 263 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena hand shower 6.6 l/min shower hose 1250 mm protected against backflow</p>				
	<p>45 984 001</p> <p>4005176992056</p>				
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>					





GROHE SPA


GROHE
ALLURE


SPA BATH
TAPS


	Ref. No.	Colour	EAN
	13 317 001	Chrome	4005176514869
	13 317 GN1	brushed cool sunrise	4005176514685
	13 317 DL1	brushed warm sunset	4005176514746
	13 317 A01	hard graphite	4005176514845
	Allure Cascade spout for bath and shower wall mounted with decorative glass cover plate GROHE Long-Life Shine durable sparkling sheen projection 169 mm		





	13 264 001	Chrome	4005176515149
	Allure Bath spout 3/4" wall mounted GROHE Long-Life Shine durable sparkling sheen projection 167 mm caché mousseur		





	19 590 001	Chrome	4005176512599
	19 590 GN1	brushed cool sunrise	4005176512414
	19 590 DL1	brushed warm sunset	4005176512476
	19 590 A01	hard graphite	4005176512575
	Allure 3-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE Long-Life Shine durable sparkling sheen		



	29 033 000		4005176845338
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass		





	19 334 001	Chrome	4005176513558
	19 334 GN1	brushed cool sunrise	4005176513374
	19 334 DL1	brushed warm sunset	4005176513435
	19 334 A01	hard graphite	4005176513534
	Allure Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle		






Ref. No. Colour EAN

35 028 000 4005176908316





GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm



29 032 000 4005176845277





Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass



	Ref. No.	Colour	EAN
	40 278 001	Chrome	4005176531545
	40 278 GN1	brushed cool sunrise	4005176531583
	40 278 DL1	brushed warm sunset	4005176531606
	40 278 A01	hard graphite	4005176531613
	Allure Glass/soap dish holder fits glass 40 882 000 or soap dispenser 40 306 xx3 (please order separately) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		













	40 886 000	Chrome	4005176754012
	40 886 DC0	supersteel	4005176754531
	40 886 EN0	brushed nickel	4005176754548
	40 886 GL0	cool sunrise	4005176754555
	40 886 DA0	warm sunset	4005176754524
	40 886 AL0	brushed hard graphite	4005176754517
	Soap dispenser material: glass / metal filling quantity 160 ml fits holder Atrio 40 884 xx0 (please order separately) GROHE Long-Life Shine durable sparkling sheen		

	40 882 000	Chrome	4005176754494
	Glass material: glass fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)		
			

	40 963 001	Chrome	4005176530913
	40 963 GN1	brushed cool sunrise	4005176530951
	40 963 DL1	brushed warm sunset	4005176530975
	40 963 A01	hard graphite	4005176530982
	Allure Glass/soap dish holder for soap dish 40 883 00 or hair dryer inlet 40 964 001 (please order separately) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		

	40 883 000	Chrome	4005176755262
	Soap dish material: glass fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately		
			

	40 964 001	black	4005176531019
	Allure Hair dryer inlet material: plastic fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately		
			


		Ref. No.	Colour	EAN
		40 284 001	Chrome	4005176531941
		40 284 GN1	brushed cool sunrise	4005176531989
		40 284 DL1	brushed warm sunset	4005176532009
		40 284 A01	hard graphite	4005176532016
		Allure Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 342 001	Chrome	4005176531644
		40 342 GN1	brushed cool sunrise	4005176531682
		40 342 DL1	brushed warm sunset	4005176531705
		40 342 A01	hard graphite	4005176531712
		Allure Double towel bar material: metal pivotable 90° length 460 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 341 001	Chrome	4005176531743
		40 341 GN1	brushed cool sunrise	4005176531781
		40 341 DL1	brushed warm sunset	4005176531804
		40 341 A01	hard graphite	4005176531811
		Allure Towel rail center distance 569 mm material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 339 001	Chrome	4005176531026
		40 339 GN1	brushed cool sunrise	4005176531064
		40 339 DL1	brushed warm sunset	4005176531088
		40 339 A01	hard graphite	4005176531095
		Allure Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 955 001	Chrome	4005176531842
		40 955 GN1	brushed cool sunrise	4005176531880
		40 955 DL1	brushed warm sunset	4005176531903
		40 955 A01	hard graphite	4005176531910
		Allure Grab rail material: metal concealed fastening center distance 269 mm GROHE Long-Life Shine durable sparkling sheen		
		40 279 001	Chrome	4005176532047
		40 279 GN1	brushed cool sunrise	4005176532085
		40 279 DL1	brushed warm sunset	4005176532108
		40 279 A01	hard graphite	4005176532115
		Allure Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		



GROHE SPA


GROHE
ALLURE

SPA BATH
TAPS




Ref. No.	Colour	EAN
40 956 001	Chrome	4005176532146
40 956 GN1	brushed cool sunrise	4005176532184
40 956 DL1	brushed warm sunset	4005176532207
40 956 A01	hard graphite	4005176532214

Allure
Spare toilet paper holder
 without cover
 material: metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




Ref. No.	Colour	EAN
40 340 001	Chrome	4005176532245
40 340 GN1	brushed cool sunrise	4005176532283
40 340 DL1	brushed warm sunset	4005176532306
40 340 A01	hard graphite	4005176532313

Allure
Toilet brush set
 wall mounted
 concealed fastening
 material: glass / metal
GROHE Long-Life Shine durable sparkling sheen




Ref. No.	Colour	EAN
40 965 001	Chrome	4005176531125
40 965 GN1	brushed cool sunrise	4005176531163
40 965 DL1	brushed warm sunset	4005176531187
40 965 A01	hard graphite	4005176531194

Allure
Shelf
 wall mounted
 material: glass / metal
 concealed fastening
 width 600 mm
 depth 100 mm
GROHE Long-Life Shine durable sparkling sheen



Ref. No.	Colour	EAN
40 966 001	Chrome	4005176531224
40 966 GN1	brushed cool sunrise	4005176531262
40 966 DL1	brushed warm sunset	4005176531286
40 966 A01	hard graphite	4005176531293

Allure
Shower basket
 wall mounted
 material: metal/plastic
 with draining function
 concealed fastening
 width 300 mm
 depth 100 mm
 height 66 mm
GROHE Long-Life Shine durable sparkling sheen



Ref. No.	Colour	EAN
40 967 001	Chrome	4005176531323
40 967 GN1	brushed cool sunrise	4005176531361
40 967 DL1	brushed warm sunset	4005176531385
40 967 A01	hard graphite	4005176531392

Allure
Beauty / shaving mirror
 wall mounted
 magnification: x 7
 material: glass / metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




	Ref. No.	Colour	EAN	
	GROHE SPA	24 341 000 24 341 DC0 24 341 AL0	Chrome supersteel brushed hard graphite	4005176759659 4005176759680 4005176759673
		Allure Brilliant Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses		
	GROHE SPA	24 342 000 24 342 DC0 24 342 AL0	Chrome supersteel brushed hard graphite	4005176759697 4005176759710 4005176759703
		ditto, smooth body		
	GROHE SPA	24 397 000 24 397 DC0 24 397 AL0	Chrome supersteel brushed hard graphite	4005176795541 4005176795558 4005176795565
		Allure Brilliant Private Collection basin mixer with knurled lever		
	GROHE SPA	24 398 000 24 398 DC0 24 398 AL0	Chrome supersteel brushed hard graphite	4005176795572 4005176795589 4005176795596
		Allure Brilliant Private Collection basin mixer with white Caesarstone inlay		
	GROHE SPA	24 399 000 24 399 DC0 24 399 AL0	Chrome supersteel brushed hard graphite	4005176794933 4005176794940 4005176794957
		Allure Brilliant Private Collection basin mixer with black Caesarstone inlay		
	GROHE SPA	24 344 000 24 344 DC0 24 344 AL0	Chrome supersteel brushed hard graphite	4005176759734 4005176759758 4005176759741
		Allure Brilliant Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses		
	GROHE SPA	24 345 000 24 345 DC0 24 345 AL0	Chrome supersteel brushed hard graphite	4005176759765 4005176759789 4005176759772
		ditto, smooth body		
	GROHE SPA	24 400 000 24 400 DC0 24 400 AL0	Chrome supersteel brushed hard graphite	4005176794964 4005176794971 4005176795428
	Allure Brilliant Private Collection basin mixer with knurled lever			
GROHE SPA	24 408 000 24 408 DC0 24 408 AL0	Chrome supersteel brushed hard graphite	4005176795435 4005176795442 4005176795459	
	Allure Brilliant Private Collection basin mixer with white Caesarstone inlay			
GROHE SPA	24 414 000 24 414 DC0 24 414 AL0	Chrome supersteel brushed hard graphite	4005176795466 4005176794056 4005176794865	
	Allure Brilliant Private Collection basin mixer with black Caesarstone inlay			



GROHE SPA

GROHE ALLURE BRILLIANT



Ref. No.	Colour	EAN
24 346 000	Chrome	4005176759796
24 346 DC0	supersteel	4005176759826
24 346 AL0	brushed hard graphite	4005176759819

Allure Brilliant Basin mixer 1/2" XL-Size
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove** temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
GROHE FastFixation installation system
 spout with integrated mousseur
 smooth body
 flexible connection hoses

Ref. No.	Colour	EAN
24 417 000	Chrome	4005176794872
24 417 DC0	supersteel	4005176794896
24 417 AL0	brushed hard graphite	4005176794902


Allure Brilliant Private Collection basin mixer with knurled lever

Ref. No.	Colour	EAN
24 418 000	Chrome	4005176794919
24 418 DC0	supersteel	4005176794926
24 418 AL0	brushed hard graphite	4005176795473

Allure Brilliant Private Collection basin mixer with white Caesarstone inlay








Ref. No.	Colour	EAN
24 419 000	Chrome	4005176795480
24 419 DC0	supersteel	4005176795497
24 419 AL0	brushed hard graphite	4005176795503



Allure Brilliant Private Collection basin mixer with black Caesarstone inlay






29 086 000	4005176935497
------------	---------------


Rough-in set 1/2"
 for floor-mounted tub spouts and mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug



	Ref. No.	Colour	EAN
	20 627 000	Chrome	4005176760167
	20 627 DC0	supersteel	4005176760198
	20 627 AL0	brushed hard graphite	4005176760181
Allure Brilliant Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			
	20 667 000	Chrome	4005176795510
	20 667 DC0	supersteel	4005176795527
	20 667 AL0	brushed hard graphite	4005176795534
Allure Brilliant Private Collection three-hole basin mixer with knurled trapeze handles			
	20 668 000	Chrome	4005176795008
	20 668 DC0	supersteel	4005176795015
	20 668 AL0	brushed hard graphite	4005176795022
Allure Brilliant Private Collection three-hole basin mixer with white Caesarstone trapeze handles			
	20 669 000	Chrome	4005176795039
	20 669 DC0	supersteel	4005176795046
	20 669 AL0	brushed hard graphite	4005176795053
Allure Brilliant Private Collection three-hole basin mixer with black Caesarstone trapeze handles			
	20 670 000	Chrome	4005176791680
	20 670 DC0	supersteel	4005176791697
	20 670 AL0	brushed hard graphite	4005176791703
Allure Brilliant Private Collection three-hole basin mixer with knurled knob handles			
	20 671 000	Chrome	4005176791710
	20 671 DC0	supersteel	4005176791727
	20 671 AL0	brushed hard graphite	4005176791734
Allure Brilliant Private Collection three-hole basin mixer with white Caesarstone knob handles			
	20 672 000	Chrome	4005176791741
	20 672 DC0	supersteel	4005176791758
	20 672 AL0	brushed hard graphite	4005176791963
Allure Brilliant Private Collection three-hole basin mixer with black Caesarstone knob handles			


















	Ref. No.	Colour	EAN
	20 628 000	Chrome	4005176760204
	20 628 DC0	supersteel	4005176760235
	20 628 AL0	brushed hard graphite	4005176760228
	<p>Allure Brilliant Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 29 025 002 valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur projection 161 mm</p>		
	20 629 000	Chrome	4005176760242
	20 629 DC0	supersteel	4005176759628
	20 629 AL0	brushed hard graphite	4005176759611
	<p>ditto, projection 210 mm</p>		

	29 025 002		4005176519895
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		


	29 402 000	Chrome	4005176760037
	29 402 DC0	supersteel	4005176760051
	29 402 AL0	brushed hard graphite	4005176760044
	<p>Allure Brilliant 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm</p>		

	Ref. No.	Colour	EAN	
	 29 403 000 29 403 DC0 29 403 AL0	Chrome supersteel brushed hard graphite	4005176760068 4005176760082 4005176760075	
	Allure Brilliant 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 210 mm min. recommended pressure 1.0 bar			
		 29 517 000 29 517 DC0 29 517 AL0	Chrome supersteel brushed hard graphite	4005176795060 4005176795077 4005176795084
	Allure Brilliant Private Collection two-hole basin mixer with knurled handle			
	 29 519 000 29 519 DC0 29 519 AL0	Chrome supersteel brushed hard graphite	4005176795091 4005176794988 4005176794995	
	Allure Brilliant Private Collection two-hole basin mixer with white Caesarstone handle			
	 29 521 000 29 521 DC0 29 521 AL0	Chrome supersteel brushed hard graphite	4005176795602 4005176795619 4005176795626	
	Allure Brilliant Private Collection two-hole basin mixer with black Caesarstone handle			
	<hr/>			
		23 200 000		4005176908354
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device				
				
<hr/>				
	23 200 002		4005176519901	
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
				
<hr/>				
	 24 347 000 24 347 DC0 24 347 AL0	Chrome supersteel brushed hard graphite	4005176759833 4005176759864 4005176759857	
Allure Brilliant Bidet mixer 1/2" M-Size 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses				
				



GROHE SPA

GROHE ALLURE BRILLIANT




Ref. No.	Colour	EAN
24 277 000	Chrome	4005176759918
24 277 DC0	supersteel	4005176759932
24 277 AL0	brushed hard graphite	4005176759925

Allure Brilliant
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 279 000	Chrome	4005176759949
24 279 DC0	supersteel	4005176759963
24 279 AL0	brushed hard graphite	4005176759956

Allure Brilliant
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



24 425 000	Chrome	4005176795220
24 425 DC0	supersteel	4005176795237
24 425 AL0	brushed hard graphite	4005176795244

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with knurled handle



24 426 000	Chrome	4005176795251
24 426 DC0	supersteel	4005176795268
24 426 AL0	brushed hard graphite	4005176795275

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with white Caesarstone handle



24 427 000	Chrome	4005176795282
24 427 DC0	supersteel	4005176795299
24 427 AL0	brushed hard graphite	4005176795305

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with black Caesarstone handle




35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



Ref. No. Colour EAN



24 340 000	Chrome	4005176759970
24 340 DC0	supersteel	4005176759994
24 340 AL0	brushed hard graphite	4005176759987




Allure Brilliant
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 154 000	Chrome	4005176481185
24 154 DC0	supersteel	4005176574238
24 154 AL0	brushed hard graphite	4005176585920

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



24 428 000	Chrome	4005176795343
24 428 DC0	supersteel	4005176795350
24 428 AL0	brushed hard graphite	4005176795367

Grohtherm Cube thermostatic shower mixer for 2 outlets with knurled handle



24 429 000	Chrome	4005176795374
24 429 DC0	supersteel	4005176795381
24 429 AL0	brushed hard graphite	4005176795398

Grohtherm Cube thermostatic shower mixer for 2 outlets with white Caesarstone handle







24 430 000	Chrome	4005176795404
24 430 DC0	supersteel	4005176795411
24 430 AL0	brushed hard graphite	4005176794889

Grohtherm Cube thermostatic shower mixer for 2 outlets with black Caesarstone handle




35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



	Ref. No.	Colour	EAN
	29 405 000	Chrome	4005176760105
	29 405 DC0	supersteel	4005176760129
	29 405 AL0	brushed hard graphite	4005176760112
	29 523 000	Chrome	4005176795633
	29 523 DC0	supersteel	4005176795640
	29 523 AL0	brushed hard graphite	4005176795657
	29 525 000	Chrome	4005176795107
	29 525 DC0	supersteel	4005176795114
	29 525 AL0	brushed hard graphite	4005176795121
	29 527 000	Chrome	4005176795138
	29 527 DC0	supersteel	4005176795145
	29 527 AL0	brushed hard graphite	4005176795152


Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.5 l/min
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000











Allure Brilliant Private Collection four-hole bath combination with knurled handle



Allure Brilliant Private Collection four-hole bath combination with white Caesarstone handle



Allure Brilliant Private Collection four-hole bath combination with black Caesarstone handle

	29 037 000		4005176865749
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>		



	Ref. No.	Colour	EAN
	 24 348 000 24 348 DC0 24 348 AL0	Chrome supersteel brushed hard graphite	4005176759871 4005176759901 4005176759895
	Allure Brilliant Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube+ metal shower hose 1250 mm protected against backflow		
		 24 348 001	Chrome ditto, hand shower with 6.5 l/min flow limiter
 24 422 000 24 422 DC0 24 422 AL0	Chrome supersteel brushed hard graphite	4005176795169 4005176795176 4005176795183	
 24 423 000 24 423 DC0 24 423 AL0	Chrome supersteel brushed hard graphite	4005176795312 4005176795329 4005176795336	
 24 424 000 24 424 DC0 24 424 AL0	Chrome supersteel brushed hard graphite	4005176795190 4005176795206 4005176795213	

		45 984 001	4005176992056
Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material			

		29 086 000	4005176935497
Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug			









GROHE SPA

GROHE ALLURE BRILLIANT

SPA BATH TAPS

		Ref. No.	Colour	EAN
		13 486 000	Chrome	4005176756634
		13 486 DC0	supersteel	4005176756658
		13 486 AL0	brushed hard graphite	4005176756641
		Allure Brilliant Cascade spout for bath and shower wall mounted GROHE Long-Life Shine durable sparkling sheen projection 180 mm		
		13 485 000	Chrome	4005176756603
		13 485 DC0	supersteel	4005176756627
		13 485 AL0	brushed hard graphite	4005176756610
		Allure Brilliant Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen projection 161 mm spout with integrated mousseur		
		29 399 000	Chrome	4005176754197
		29 399 DC0	supersteel	4005176754210
		29 399 AL0	brushed hard graphite	4005176754203
		Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 66 - 113 mm		
		29 033 000		4005176845338
		5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass		
		29 398 000	Chrome	4005176754166
		29 398 DC0	supersteel	4005176754180
		29 398 AL0	brushed hard graphite	4005176754173
		Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 43 - 91 mm		













	Ref. No.	Colour	EAN
	29 032 000		4005176845277
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>			
	35 028 000		4005176908316
<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>			
	26 858 000	Chrome	4005176759079
<p>Rainshower Aqua 230 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Allure 230 (26 877 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>			
	26 856 000	Chrome	4005176759031
<p>ditto, with non-restricted flow</p>			
	26 859 000	Chrome	4005176758836
<p>Rainshower Aqua 230 Head shower set ceiling 154 mm, 1 spray Consisting of: head shower Rainshower Allure 230 (26 877 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>			
	26 802 000 26 802 DC0 26 802 AL0	Chrome supersteel brushed hard graphite	4005176722776 4005176722899 4005176722905
<p>Rainshower Aqua Body spray cube 2 spray spray pattern: PureRain, ActiveJet including concealed body and compound seal 75 x 75 mm pivoting range ± 15° rotatable connection thread 1/2" throw distance 600 mm GROHE Water Saving 3.3 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system min. recommended pressure 1.0 bar not suitable for instantaneous heater</p>			



GROHE SPA

GROHE ALLURE BRILLIANT



















SPA BATH
TAPS

	Ref. No.	Colour	EAN
 	26 884 000	Chrome	4005176759307
<p>Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 1.0 bar</p>			
 	26 850 000 26 850 DC0 26 850 AL0	Chrome supersteel brushed hard graphite	4005176754456 4005176754470 4005176754463
<p>Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen</p>			
 	26 847 000 26 847 DC0 26 847 AL0	Chrome supersteel brushed hard graphite	4005176755057 4005176755071 4005176755064
<p>Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 564 000 40 564 DC0 40 564 AL0	Chrome supersteel brushed hard graphite	4005176912740 4005176491795 4005176491788
<p>Bottle trap for wash basin GROHE Long-Life Shine durable sparkling sheen brass body</p>			
 	40 565 000 40 565 DC0 40 565 AL0	Chrome supersteel brushed hard graphite	4005176912757 4005176491702 4005176491696
<p>Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life Shine durable sparkling sheen</p>			
 	38 732 000 38 732 DC0 38 732 AL0	Chrome supersteel brushed hard graphite	4005176836114 4005176431371 4005176339127
<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			



GROHE SPA

GROHE ALLURE BRILLIANT


		Ref. No.	Colour	EAN
		40 894 000	Chrome	4005176755170
		Allure Brilliant Holder with soap dispenser material: glass / metal filling quantity 150 ml concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 893 000	Chrome	4005176755163
		Allure Brilliant Holder with tumbler material: glass / metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 906 000	Chrome	4005176754388
		Allure Brilliant Shelf with tumbler material: glass / metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 907 000	Chrome	4005176754395
		Allure Brilliant Shelf with soap dish GROHE Long-Life Shine durable sparkling sheen		
		40 895 000	Chrome	4005176754333
		Allure Brilliant Towel bar 2 arms, not pivotable length 431 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 896 000	Chrome	4005176754340
		Allure Brilliant Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		



GROHE SPA

GROHE ALLURE BRILLIANT


	Ref. No.	Colour	EAN
--	----------	--------	-----



40 897 000 **Chrome** **4005176754357**

Allure Brilliant
Robe hook
 material: metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen


	Ref. No.	Colour	EAN
--	----------	--------	-----



40 898 000 **Chrome** **4005176754364**

Allure Brilliant
Toilet roll holder
 without cover
 material: metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen





	Ref. No.	Colour	EAN
--	----------	--------	-----









40 900 000 **Chrome** **4005176754371**




Allure Brilliant
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen



	Ref. No.	Colour	EAN
	 24 369 000	Chrome	4005176758089
	24 369 IGO	chrome/gold	4005176758119
	24 369 DAO	warm sunset	4005176758102
	Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" flexible connection hoses		
	 24 370 000	Chrome	4005176758133
	24 370 IGO	chrome/gold	4005176758157
	ditto, smooth body		

	 20 666 000	Chrome	4005176761546
	20 666 IGO	chrome/gold	4005176761553
	Grandera Two-handle basin mixer, 1/2" L-Size monobloc installation valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min swivel spout pop-up waste set 1 1/4" flexible connection hoses		
			

	 24 371 000	Chrome	4005176758164
	24 371 IGO	chrome/gold	4005176758171
	Grandera Basin mixer 1/2" XL-Size for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses		
			

	 20 624 000	Chrome	4005176758034
	20 624 IGO	chrome/gold	4005176758058
	Grandera Three-hole basin mixer 1/2" S-Size valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves		
			




GROHE SPA

GROHE GRANDERA


SPA BATH
TAPS

Ref. No. Colour EAN



20 619 000 Chrome 4005176757921
20 619 IGO chrome/gold 4005176757952
20 619 DA0 warm sunset 4005176757945

Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold
with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves





20 622 000 Chrome 4005176757976
20 622 IGO chrome/gold 4005176757990

Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm


20 623 000 Chrome 4005176758010
20 623 IGO chrome/gold 4005176758027
ditto, projection 234 mm

29 025 002 4005176519895



Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

29 416 000 Chrome 4005176757778
29 416 IGO chrome/gold 4005176757792
29 416 DA0 warm sunset 4005176757785



Grandera
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 319 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm

29 417 000 Chrome 4005176757815
29 417 IGO chrome/gold 4005176757822
ditto, projection 234 mm




GROHE SPA

GROHE GRANDERA

Ref. No. Colour EAN


23 319 000 4005176931192



Grandera
Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device




24 372 000 **Chrome** 4005176758195
24 372 IGO **chrome/gold** 4005176758218



Grandera
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses




24 373 000 **Chrome** 4005176758232
24 373 IGO **chrome/gold** 4005176758256







Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow










24 374 000 **Chrome** 4005176758263
24 374 IGO **chrome/gold** 4005176758287








Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow



	Ref. No.	Colour	EAN
	24 259 000	Chrome	4005176758348
	24 259 IGO	chrome/gold	4005176758355
	Grandera Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
		35 604 000 GROHE Rapido SmartBox universal rough-in box for concealed installation	4005176698774



	Ref. No.	Colour	EAN
	24 260 000	Chrome	4005176758362
	24 260 IGO	chrome/gold	4005176758386
	24 260 DAO	warm sunset	4005176758379
	Grandera Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
		35 604 000 GROHE Rapido SmartBox universal rough-in box for concealed installation	4005176698774



	Ref. No.	Colour	EAN
	29 418 000	Chrome	4005176757839
	29 418 IGO	chrome/gold	4005176757853
	Grandera 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7.6 l/min metal shower hose flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000		
			



	Ref. No.	Colour	EAN
	29 415 000	Chrome	4005176757693
	29 415 IGO	chrome/gold	4005176757754
	Grandera 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen Consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7.6 l/min metal shower hose flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000		
			

	Ref. No.	Colour	EAN
	29 037 000		4005176865749
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color		

	Ref. No.	Colour	EAN
	24 375 000 24 375 IGO	Chrome chrome/gold	4005176758300 4005176758317
	Grandera Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur projection 320 mm integrated non-return valves in the shower outlet 1/2" with shower holder Grandera hand shower 7.6 l/min Silverflex shower hose 1250 mm protected against backflow		

	Ref. No.	EAN
	45 984 001	4005176992056
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material	


	Ref. No.	Colour	EAN
	13 484 000 13 484 IGO 13 484 DA0	Chrome chrome/gold warm sunset	4005176757716 4005176757747 4005176757730
	Grandera Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur projection 177 mm		

	Ref. No.	Colour	EAN
	29 420 000 29 420 IGO 29 420 DA0	Chrome chrome/gold warm sunset	4005176757891 4005176757914 4005176757907
	Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 43 - 91 mm		





Ref. No. Colour EAN

29 032 000 4005176845277



Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass


35 028 000 4005176908316



GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm




26 852 000 Chrome 4005176758492
26 852 IGO chrome/gold 4005176758515



Grandera Stick Hand shower 1 spray Rain spray pattern material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses




26 901 000 Chrome 4005176757518
26 901 IGO chrome/gold 4005176757501



Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 852 xx0) wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system



26 901 00F Chrome 4005176757525



Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system



		Ref. No.	Colour	EAN
		GROHE SPA 26 853 000	Chrome	4005176758522
		GROHE SPA 26 853 IGO	chrome/gold	4005176758539
<p>Grandera Stick Shower rail set 1 spray Consisting of: Stick hand shower (26 852 xx0) shower rail 900 mm (27 785) Rotaflex Metal Long-Life TwistStop shower hose 1750 mm (28 025) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p>				
		GROHE SPA 26 854 000	Chrome	4005176758546
		GROHE SPA 26 854 ENO	brushed nickel	4005176758553
<p>Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>				
		GROHE SPA 26 898 000	Chrome	4005176758560
		GROHE SPA 26 898 IGO	chrome/gold	4005176758584
GROHE SPA 26 898 DA0	warm sunset	4005176758577		
<p>Grandera 210 Head shower 1 spray 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>				
		GROHE SPA 26 899 000	Chrome	4005176758607
		<p>Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen</p>		
		GROHE SPA 26 900 000	Chrome	4005176758614
		GROHE SPA 26 900 IGO	chrome/gold	4005176758638
GROHE SPA 26 900 DA0	warm sunset	4005176758621		
<p>Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen</p>				



GROHE SPA

GROHE GRANDERA

SPA BATH TAPS

		Ref. No.	Colour	EAN
		29 032 000		4005176845277
		Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass		
		29 802 000		4005176504853
		Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass		
		29 811 000		4005176062711
		Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass		
		26 854 000 26 854 EN0	Chrome brushed nickel	4005176758546 4005176758553
		Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
		26 897 000 26 897 IGO 26 897 DA0	Chrome chrome/gold warm sunset	4005176758447 4005176758461 4005176758454
		Grandera Shower outlet elbow, 1/2" material: metal male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen		
		26 896 000 26 896 IGO 26 896 DA0	Chrome chrome/gold warm sunset	4005176758416 4005176758430 4005176758423
		Grandera Wall hand Shower holder material: metal GROHE Long-Life Shine durable sparkling sheen		



GROHE SPA

GROHE
GRANDERA


Ref. No.

Colour

EAN

28 912 000 ★ Chrome

4005176266751



Bottle trap, 1 1/4"

for basins

brass

(screw-top for cleaning)

large sliding escutcheon

GROHE Long-Life Shine durable sparkling sheen





		Ref. No.	Colour	EAN
		40 910 000	Chrome	4005176754845
		40 910 IGO	chrome/gold	4005176754852
<p>Grandera holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE Long-Life Shine durable sparkling sheen</p>				
		40 909 000	Chrome	4005176754432
		40 909 IGO	chrome/gold	4005176754449
<p>Grandera holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>				
		40 923 000	Chrome	4005176754869
		40 923 IGO	chrome/gold	4005176754876
<p>Grandera soap dish with holder material: ceramic/metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>				
		40 929 000	Chrome	4005176754913
		40 929 IGO	chrome/gold	4005176754937
		40 929 EN0	brushed nickel	4005176754920
<p>Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>				
		40 928 000	Chrome	4005176754883
		40 928 IGO	chrome/gold	4005176754906
		40 928 EN0	brushed nickel	4005176754890
<p>Grandera Towel rail 600 mm GROHE Long-Life Shine durable sparkling sheen</p>				
		40 930 000	Chrome	4005176754944
		40 930 IGO	chrome/gold	4005176754968
<p>Grandera Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>				





GROHE SPA

GROHE GRANDERA

	Ref. No.	Colour	EAN
	40 960 000	Chrome	4005176754999
	40 960 IGO	chrome/gold	4005176755019
	40 960 ENO	brushed nickel	4005176755002
	Grandera Bath grip material: metal length 385 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen		

	Ref. No.	Colour	EAN
	40 908 000	Chrome	4005176754401
	40 908 IGO	chrome/gold	4005176754425
	40 908 ENO	brushed nickel	4005176754418
	Grandera Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		

	Ref. No.	Colour	EAN
	40 946 000	Chrome	4005176754975
	40 946 IGO	chrome/gold	4005176754982
	Grandera Toilet brush set material: ceramic GROHE Long-Life Shine durable sparkling sheen		



GROHE SPA

GROHE GLASS MODULE

Ref. No.

Colour


EAN



39 980 KS0

velvet black

4005176770647



Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

Set for noise protection


including accessory for mounting glass plate and WC ceramic



39 980 LS0

moon white

4005176754487



Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

Set for noise protection

including accessory for mounting glass plate and WC ceramic

GROHE SPA
SPA SHOWERS





CONTENTS

Aquasymphony	86
F-digital Deluxe	87
Rainshower Aqua ceiling showers	90
Rainshower Aqua head showers	91
Rainshower Aqua body sprays	94
Rainshower Aqua hand showers	95
Rainshower Aqua trigger sprays	97
SPA shower accessories	98
SPA thermostats	100

Ref. No.	Colour	EAN
26 863 000	Chrome	4005176758874



Rainshower Aqua 40" AquaSymphony
Ceiling shower 6+ sprays with light

1016 mm x 762 mm x 145 mm

material: metal

minimum flow rate 25 l/min

min. recommended pressure 3.0 bar

1 x AquaCurtain

1 x Pure XL spray

1 x 2 mist spray

2 x GROHE PureRain spray 400 x 190 mm

2 x XL Waterfall (separately controlled)

1 x 4 Bokoma Spray with adjustment angle 20° and combinations

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC

CE approved

SpeedClean anti-limescale system

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine finish

requires rough-in set (26 865 000), F-digital Deluxe base unit box (26 864 000),

Bluetooth unit (36 475 000) and various cable connections – all to be ordered

separately due to installation situation.

The ceiling construction must be appropriate for the static requirement of the

product (total product weight > 70 kg). Ceiling shower has to be controlled by

8 outlets + 1 hand shower outlet and the performance of the waste must be of

sufficient size (> 100 l/min). For detailed planning please see separate planning &

installation guide before start.

recommendation: configuration with Grohtherm SmartControl


3 x Grohtherm SmartControl (29 126 000)

3 x GROHE Rapido SmartBox (35 604 000)

1 x Rainshower Aqua Cube Stick wall holder set 1 spray (26 886 000)

this product contains built-in LED lamps, which cannot

be changed: energy efficiency class: A++



26 865 000	Chrome	4005176758898
------------	--------	---------------

Rainshower Aqua 40"

Roughing-in set

for use with Rainshower F-Series 40" AquaSymphony ceiling shower

1000 mm x 745 mm x 152 mm

min. installation depth: 167 mm

Waterways: Brass

1/2" connections


The ceiling construction must be appropriate for the static requirement of the

product (total product weight > 70 kg). Ceiling shower has to be controlled by


8 outlets + 1 hand shower outlet and the performance of the waste must be of

sufficient size (> 100 l/min). For detailed planning please see separate planning &

installation guide before start.



Ref. No.	Colour	EAN
36 475 000	Chrome	4005176758751





GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
wall mounted
86 x 73 x 42 mm
Features:
reset switch
status indicator (LED)
stand alone/maximum configuration
one-to-one connection
with safety cut-off mechanism (1 user)
safety shutdown in case of connection loss
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 476 000) or Base Unit Box 4.0 (26 864 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements
Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch


System requirements
Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above
Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

36 476 000	Chrome	4005176758768
------------	--------	---------------



GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
Consisting of:
2 plug connections, each for one pair of sound modules (36 473 000)
2 plug connections, each for one pair of light modules (36 472 000) or
1 ceiling shower (27 865 000) with integrated light
2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor
2 plug connections for power supply (per power supply max. 4 devices light/ sound)
2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 474 000
component to be ordered separately


26 864 000	Chrome	4005176758881
------------	--------	---------------



GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled
Consisting of:
2 plug connections, each for one pair of sound modules (36 473 000)
1 plug connection for one pair of light modules (36 472 000)
1 plug connection LightCurtain for Rainshower Aqua 40" AquaSymphony (26 863 000)
2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor
2 plug connections for power supply (per power supply max. 4 devices light/ sound)
2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 474 000
component to be ordered separately




Ref. No. Colour EAN




36 474 000 Chrome 4005176758744

**GROHE F-digital Deluxe
Rough-in set base unit box**
for use with base unit box (26 864 000 or 36 476 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with adjustable front frame for installation in wall niches
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
1 mm thick steel plate
with two mounting rails and elbow for power outlets
and mounting materials




36 473 000 Chrome 4005176758737

**Rainshower F-digital Deluxe
Sound set**
127 x 127 mm per module
full range stereo speaker
Consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 413 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.




29 413 000 Chrome 4005176758683

**Rainshower F-digital Deluxe
Rough-in set sound set**
for use with double sound modules (36 473 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece















36 472 000 Chrome 4005176758720









**Rainshower F-digital Deluxe
Light set**
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
Consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 412 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.























29 412 000 Chrome 4005176758676







**Rainshower F-digital Deluxe
Rough-in set light set**
for use with double light modules (36 472 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)


	Ref. No.	Colour	EAN
 	29 414 000	Chrome	4005176758690
<p>GROHE F-digital Deluxe Rough-in set steam generator for use with steam module (26 828 000 or 26 829 000) Consisting of:</p> <ul style="list-style-type: none"> - 1 rough-in box for steam outlet (115 x 115 x 49-77 mm) - 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm) - 1 cable extension temperature sensor, 5 m - 1 cable extension steam generator, 5 m 			
 	42 636 000	Chrome	4005176758805
<p>GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 633 000 or 42 638 000) and base unit box (26 864 000 or 36 476 000) each power supply needs a separate extension cable cable extension up to 5 m</p>			
 	42 635 000	Chrome	4005176758799
<p>GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 864 000 or 36 476 000) and light modules (36 472 000) each light module needs a separate extension cable cable extension up to 10 m</p>			
 	42 633 000	Chrome	4005176758775
<p>GROHE F-digital Deluxe Power supply base unit box power supply for base unit box (26 864 000 or 36 476 000) each power supply for 2 light/sound modules (36 472 000 or 36 473 000) total 2 power supplies max (8 devices max.) can be connected to the base unit box with one power supply 4 devices (light/sound modules) can be driven per light module: 1 device per sound module: 1 device input voltage: 90-240 V AC, 50-60Hz output voltage: 12 V DC CE approved</p>			
 	42 634 000	Chrome	4005176758782
<p>GROHE F-digital Deluxe Cable extension steam generator, 5 m extension between base unit box (26 864 000 or 36 476 000) and steam generator (26 868 000 or 26 869 000) cable extension up to 10 m</p>			
 	42 637 000	Chrome	4005176758812
<p>GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 864 000 or 36 476 000) and temperature sensor cable extension up to 5 m</p>			

	Ref. No.	Colour	EAN
 	26 873 000	Chrome	4005176759178
	<p>Rainshower Aqua 20" Ceiling shower 1 spray Rain 508 x 508 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
 	26 888 000	Chrome	4005176759390
	<p>Rainshower Aqua 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets</p>		
 	26 883 000	Chrome	4005176759291
	<p>Rainshower Aqua 230 Ceiling shower 1 spray Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
 	26 874 000	Chrome	4005176759192
	<p>Rainshower Aqua 10" Ceiling shower 1 spray Rain 254 x 254 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		

	Ref. No.	Colour	EAN
 	26 887 000	Chrome	4005176759383
	<p>Rainshower Aqua 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min Requires Rough-in (26 042) - to be ordered separately head shower has to be controlled by 4 outlets</p>		
 	26 855 000	Chrome	4005176759024
	<p>Rainshower Aqua 15" Roughing-in set for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less than 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections</p>		
 	26 890 000	Chrome	4005176759420
	<p>Rainshower Aqua 75 Head shower 1 spray Normal spray sprayface: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
 	26 862 000	Chrome	4005176758867
	<p>Rainshower Aqua 10" Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 871) 1 spray pattern: Rain shower arm Rainshower square 422 mm (26 145 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p>		
 	26 860 000	Chrome	4005176758843
	<p>Rainshower Aqua 10" Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
	26 857 000	Chrome	4005176759055
	<p>ditto, with non-restricted flow</p>		


		Ref. No.	Colour	EAN
		26 861 000	Chrome	4005176758850
		<p>Rainshower Aqua 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
		26 872 000	Chrome	4005176759161
		<p>Rainshower Aqua 10" Head shower 1 spray Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
		26 871 000	Chrome	4005176759147
		ditto, with non-restricted flow		
		26 858 000	Chrome	4005176759079
		<p>Rainshower Aqua 230 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Allure 230 (26 877 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
		26 856 000	Chrome	4005176759031
		ditto, with non-restricted flow		
		26 877 00D	Chrome	4005176759239
		<p>Rainshower Aqua 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
		26 859 000	Chrome	4005176758836
		<p>Rainshower Aqua 230 Head shower set ceiling 154 mm, 1 spray Consisting of: head shower Rainshower Allure 230 (26 877 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		

	Ref. No.	Colour	EAN
 	26 868 000	Chrome	4005176759116
	<p>Rainshower Aqua 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p>		
	26 877 000	Chrome	4005176759222
	ditto, with GROHE Water Saving 9.5 l/min flow imiter		
	26 876 000	Chrome	4005176759215
	ditto, with non-restricted flow		
 	27 709 000	Chrome	4005176909029
	<p>Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life Shine durable sparkling sheen</p>		
 	27 711 000	Chrome	4005176909115
	<p>Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p>		





















Ref. No.	Colour	EAN
26 801 000	Chrome	4005176722769
26 801 DC0	supersteel	4005176722837
26 801 BE0	polished nickel	4005176722813
26 801 EN0	brushed nickel	4005176722783
26 801 GL0	cool sunrise	4005176722790
26 801 GN0	brushed cool sunrise	4005176722820
26 801 DA0	warm sunset	4005176722851
26 801 DL0	brushed warm sunset	4005176722868
26 801 A00	hard graphite	4005176722806
26 801 AL0	brushed hard graphite	4005176722844





































Rainshower Aqua
Body spray round 2 spray
 spray pattern:
 PureRain, ActiveJet
 including concealed body and compound seal
 ØOslash; 75 mm
 pivoting range ± 15° rotatable
 connection thread 1/2"
 throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
 min. recommended pressure 1.0 bar
not suitable for instantaneous heater











Ref. No.	Colour	EAN
26 802 000	Chrome	4005176722776
26 802 DC0	supersteel	4005176722899
26 802 GN0	brushed cool sunrise	4005176722882
26 802 DL0	brushed warm sunset	4005176722912
26 802 A00	hard graphite	4005176722875
26 802 AL0	brushed hard graphite	4005176722905

Rainshower Aqua
Body spray cube 2 spray
 spray pattern:
 PureRain, ActiveJet
 including concealed body and compound seal
 75 x 75 mm
 pivoting range ± 15° rotatable
 connection thread 1/2"
 throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
 min. recommended pressure 1.0 bar
not suitable for instantaneous heater











		Ref. No.	Colour	EAN		
		 26 866 000	Chrome	4005176758904		
		26 866 DC0	supersteel	4005176758959		
		26 866 BE0	polished nickel	4005176758935		
		26 866 EN0	brushed nickel	4005176758973		
		26 866 GL0	cool sunrise	4005176758980		
		26 866 GN0	brushed cool sunrise	4005176758997		
		26 866 DA0	warm sunset	4005176758942		
		26 866 DL0	brushed warm sunset	4005176758966		
		26 866 A00	hard graphite	4005176758911		
		26 866 AL0	brushed hard graphite	4005176758928		
		Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses				
				 26 889 000	Chrome	4005176759406
ditto, with non-restricted flow						
		 26 889 00D	Chrome	4005176759413		
		Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar				
		 26 892 000	Chrome	4005176759451		
		Rainshower Aqua Stick Wall holder set 1 spray material: metal hand shower Rainshower Aqua Stick (26 889 000) wall shower holder (26 894 000) shower hose (28 151 002) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life				
		 26 894 000	Chrome	4005176758652		
		Rainshower Aqua Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen				
		 26 893 000	Chrome	4005176758645		
		Rainshower Aqua Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life Shine durable sparkling sheen				

		Ref. No.	Colour	EAN	
		 26 867 000	Chrome	4005176759000	
		Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
		 26 885 000	Chrome	4005176759314	
		 26 885 DC0	supersteel	4005176759345	
		 26 885 DL0  26 885 A00  26 885 AL0	brushed warm sunset hard graphite brushed hard graphite	4005176759352 4005176759321 4005176759338	
 26 884 000 ditto, with non-restricted flow					
		 26 886 000	Chrome	4005176759376	
		Rainshower Aqua Cube Stick Wall holder set 1 spray hand shower, metal (26 885 000) wall shower holder (26 847 000) metal shower hose 1500 mm (28 417) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting			
		 26 847 000  26 847 DC0  26 847 AL0			
		Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen			
		 26 850 000  26 850 DC0  26 850 AL0			
		 26 850 000  26 850 DC0  26 850 AL0			
		Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen			
		 28 143 000			
		Relexaflex Metal Long-Life Metal shower hose 1500 1500 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen			
		 28 143 000 ditto, with non-restricted flow			
		 28 143 000  28 143 DC0  28 143 AL0			
		Relexaflex Metal Long-Life Metal shower hose 1500 1500 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen			
		 28 143 000  28 143 DC0  28 143 AL0			
		Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen			
		 26 850 000  26 850 DC0  26 850 AL0			









		Ref. No.	Colour	EAN
		26 841 000	Chrome	4005176754241
		<p>Rainshower Aqua Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (26 839) valve with integrated shower holder (26 842) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system TwistStop preventing the hose from twisting Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.</p>		
		26 840 000	Chrome	4005176754234
		<p>ditto, shower hose 1000 mm</p>		
		26 843 000	Chrome	4005176754265
		<p>Rainshower Aqua Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (26 839) valve with integrated shower holder (26 842) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system TwistStop preventing the hose from twisting Please refer to local norms regarding installation.</p>		
		26 839 000	Chrome	4005176754227
		<p>Rainshower Aqua Hand shower 1 spray with trigger control material: metal GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.</p>		
		26 842 000	Chrome	4005176754258
		<p>Rainshower Aqua Valve with wall shower holder escutcheon connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen Please refer to local norms regarding installation.</p>		









	Ref. No.	Colour	EAN	
 	27 074 000 ★	Chrome	4005176833083	
	27 074 DC0 ★	supersteel	4005176374487	
	27 074 LSO	moon white	4005176873591	
	27 074 GL0 ★	cool sunrise	4005176338984	
	27 074 GN0 ★	brushed cool sunrise	4005176427084	
	27 074 DA0 ★	warm sunset	4005176338977	
	27 074 DL0 ★	brushed warm sunset	4005176427091	
	27 074 A00	hard graphite	4005176338991	
	27 074 AL0 ★	brushed hard graphite	4005176339004	
	Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE Long-Life Shine durable sparkling sheen			
 	27 057 000 ★	Chrome	4005176830457	
	27 057 DC0 ★	supersteel	4005176371196	
	27 057 GL0 ★	cool sunrise	4005176338946	
	27 057 GN0 ★	brushed cool sunrise	4005176426933	
	27 057 DA0 ★	warm sunset	4005176338939	
	27 057 DL0 ★	brushed warm sunset	4005176426940	
	27 057 AL0 ★	brushed hard graphite	4005176338960	
	27 057 A00	hard graphite	4005176338953	
	Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen			
	 	27 075 000	Chrome	4005176833090
Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE Long-Life Shine durable sparkling sheen				
 	27 076 000	Chrome	4005176833106	
	Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen			
 	26 370 000	Chrome	4005176341380	
	Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen			













	Ref. No.	Colour	EAN
	 26 900 000	Chrome	4005176758614
	26 900 IGO	chrome/gold	4005176758638
	26 900 DA0	warm sunset	4005176758621
	Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen		

	 26 899 000	Chrome	4005176758607
	Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen		
			


	 26 847 000	Chrome	4005176755057
	26 847 DC0	supersteel	4005176755071
	26 847 AL0	brushed hard graphite	4005176755064
	Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen		

	 26 850 000	Chrome	4005176754456
	26 850 DC0	supersteel	4005176754470
	26 850 AL0	brushed hard graphite	4005176754463
	Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen		

	Ref. No.	Colour	EAN
 	26 879 000	Chrome	4005176759253
<p>Grohtherm F Single volume control trim for use with rough-in box 35 028 000 (1/2" connections) sold separately metal handle for volume control metal wall escutcheon with hidden fixing and hidden sealing GROHE Long-Life Shine durable sparkling sheen</p>			
 	35 028 000		4005176908316
<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>			
 	26 880 000	Chrome	4005176759260
<p>Grohtherm F Triple volume control trim for use with rough-in box 35 031 000 (1/2" connections) sold separately metal handles for volume control metal wall escutcheon with hidden fixing and hidden sealing vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen</p>			
 	26 878 000	Chrome	4005176759246
<p>Grohtherm F Wall shower union with integrated shower holder shower outlet 1/2" vertical and horizontal installation protected against backflow for use with rough-in box 35 034 000 (1/2" connection), sold separately hand shower and shower hose sold separately</p>			
 	35 107 000	Chrome	4005176758706
<p>Grohtherm F Rough-in box for wall shower union 26 878 000 for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm</p>			



Ref. No.	Colour	EAN
29 123 000	Chrome	4005176413292
29 123 GN0	brushed cool sunrise	4005176558122
29 123 DL0	brushed warm sunset	4005176558092
29 123 A00	hard graphite	4005176558054
29 123 AL0	brushed hard graphite	4005176558061




Grohtherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 124 000	Chrome	4005176413308
29 124 DC0	supersteel	4005176526329
29 124 GN0	brushed cool sunrise	4005176558207
29 124 DL0	brushed warm sunset	4005176558177
29 124 A00	hard graphite	4005176558139



Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No.	Colour	EAN
----------	--------	-----

29 125 000	Chrome	4005176413315
------------	--------	---------------



Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min




35 604 000		4005176698774
------------	--	---------------

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000	Chrome	4005176413322
29 126 DC0	supersteel	4005176526343
29 126 GN0	brushed cool sunrise	4005176558368
29 126 DL0	brushed warm sunset	4005176558337
29 126 A00	hard graphite	4005176558290
29 126 AL0	brushed hard graphite	4005176558306

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min




35 604 000		4005176698774
------------	--	---------------

GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No.	Colour	EAN
29 127 000	Chrome	4005176413339
29 127 DC0	supersteel	4005176526350
29 127 A00	hard graphite	4005176558375
29 127 AL0	brushed hard graphite	4005176558382
29 127 DL0	brushed warm sunset	4005176558412
29 127 GN0	brushed cool sunrise	4005176558443




Grotherm SmartControl Triple volume control trim
set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE ProGrip with knurl structure multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 118 000	Chrome	4005176412240
29 118 DC0	supersteel	4005176455032
29 118 GL0	cool sunrise	4005176492976
29 118 DA0	warm sunset	4005176492990
29 118 AL0	brushed hard graphite	4005176455049



Grotherm SmartControl Thermostat for concealed installation with one valve
set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No.	Colour	EAN
----------	--------	-----

29 119 000	★ Chrome	4005176412257
29 119 DC0	★ supersteel	4005176455056
29 119 GL0	★ cool sunrise	4005176493041
29 119 DA0	★ warm sunset	4005176493065
29 119 AL0	★ brushed hard graphite	4005176455063



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 120 000 Chrome

4005176412264

Grotherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"


without roughing-in-set

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min

outlet B + hand shower = 27 l/min



35 604 000



4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No.	Colour	EAN
----------	--------	-----

- | | | |
|------------|-------------------------|---------------|
| 29 121 000 | ★ Chrome | 4005176412271 |
| 29 121 DC0 | ★ supersteel | 4005176455094 |
| 29 121 GL0 | ★ cool sunrise | 4005176493188 |
| 29 121 DA0 | ★ warm sunset | 4005176493201 |
| 29 121 AL0 | ★ brushed hard graphite | 4005176455100 |



Grohtherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min





35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

- | | | |
|------------|-----------------------|---------------|
| 29 122 000 | Chrome | 4005176412288 |
| 29 122 DC0 | supersteel | 4005176455117 |
| 29 122 GL0 | cool sunrise | 4005176515194 |
| 29 122 DA0 | warm sunset | 4005176515217 |
| 29 122 AL0 | brushed hard graphite | 4005176455124 |



Grohtherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600/35 604/35 601

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation





PROFESSIONAL

GROHE



FOR THE PROS, FROM THE PROS GROHE PROFESSIONAL

YOUR DAILY SUPPORTER

We know the great number of tasks and challenges the installers face every day. That is why making their work life easier has always been at the heart of our innovation mindset.

TO MEET THE NEEDS OF INSTALLERS, WHOLESALEERS, SHOWROOMS AND A&D GROHE HAS CONCEIVED TAILOR-MADE PRODUCTS AND SERVICES



GROHE Professional has been conceived as an answer to nowadays needs of the experts of the sanitaryware world: wholesalers, showrooms, installers and project developers.

They are at the heart of GROHE efforts and require the latest state-of-the-art professional solutions when designing and delivering a new bathroom or kitchen to their end-consumers.

A DIFFERENTIATED PORTFOLIO WITH DEDICATED PRODUCT LINES **CUSTOM-MADE PACKAGING AND SKUS FOR 3-TIER DISTRIBUTION**

- For Products with Professional logo no sales by GROHE to DIY & eCommerce
- Visible USPs on packaging conceived to ease the installers' work
- Dedicated Product lines as Bestsellers to speed up the installation and meet the design needs of A&D and end-users:

Rapido Smartbox, Eurosmart, Grohtherm, Tempesta, Rapid SL, Bau Ceramic, Eurosmart kitchen and all products marked with Professional logo



HIDDEN CHAMPIONS: GROHE PROFESSIONAL DEDICATED SKUS TO STAND AHEAD OF COMPETITION

- Dedicated SKUs with Universal concealed solutions easy to be stocked by the wholesaler for multiple budgets and design options
- Matching colors of faucets and flush plates
- Matching ceramics for toilets and basins to avoid splashing effects
- Vertical or horizontal flush plate installation depending on design needs
- Shower element compatible with Nordics Leakage box for wooden houses
- 3 outlets for multi-function showering just with one concealed box
- Bottom inlets for shower elements speeding up the installation time and avoiding extra piping
- No master plumber required for later installation of flush plates, saving precious time of the installers





GROHE

GROHE

MEET JONAS D'HAEGER

29, loves spending
time with his family

Based in
Lebbeke

Expert in
sanitary
installations

GROHE partner
since 2015

Over 210 jobs
completed



MEET SERVIC GROH

GROHE



Offer a
warranty
extension for
professional
products
to your
customers

PROFESSIONAL

GROHE

HIS FAVOURITE
CE PROGRAM:
E +



Scan products to **quickly access** technical information



Preferred connection

Get in touch with a GROHE technician with one click



Scan to join, book trainings and much more

GROHE PROFESSIONAL CONTRIBUTES TO TACKLE THE LABOUR FORCE SHORTAGE AND OPTIMIZES THE BUSINESS OF INSTALLERS

- Aims to offer the best installers a better service experience and to enable them to optimize their business
- GROHE + training courses give opportunities to installers to increase technical competences, become GROHE experts and receive a certification
- Access to specific trainings to maximize the operations of installers and their interaction with their customer
- Certified installers also receive extra benefits e.g. allowance to give extended warranty to consumers and leads accessible via GROHE + for future paid installation work
- More visibility of installer's expertise and certified status thanks to GROHE website with over 1 M clicks per month

PART OF LIXIL





GROHE PROFESSIONAL CONTRIBUTES TO TACKLE THE LABOUR FORCE SHORTAGE & DEVELOPS THE NEXT GENERATIONS

- With our GIVE Program we are supporting to close the gap of skilled installers
- Introduce GROHE to young and developing plumbing students and to collaborate with installers schools across the EMENA region
- To help improve facilities, GROHE sets up a fully functioning training environment with modern equipment, training material and a written examination that will set new industry standards
- Planned to have 100 collaborations by 2025 more visibility of installer's expertise and certified status thanks to GROHE website with over 1 M clicks per month
- After the training we support the plumbing students with potential work experience or placements with GROHE partners



COMPETITION 2022
SPECIAL EDITION

Within the GIVE Program GROHE also supports WorldSkills as Global Partner to demonstrate what impact skilled professionals can have today and for the more sustainable future.

EVERY DROP COUNTS

GROHE'S RESOURCE-EFFICIENT TECHNOLOGIES

GROHE CLIMATE CARE




Making it easy for our endconsumers to find our sustainable, climate-friendly product solutions.

Products in green or with our Climate Care logo have a sustainable impact like water- or energy-saving.

On our websites, users can also filter for water- and energy-saving solutions.

For more information about sustainability at GROHE, please visit [green.grohe.com](https://www.green.grohe.com)





- 1 **GROHE**
SENSIA ARENA
- 2 **GROHE**
CERAMICS
- 3 **GROHE**
SILKMOVE ES
- 4 **GROHE**
SENSE AND
GROHE SENSE GUARD
- 5 **GROHE**
ECOJOY
- 6 **GROHE** CRADLE TO
CRADLE CERTIFIED®
GOLD TEMPESTA
SHOWER RAIL SET
- 7 **GROHE** THERMOSTAT
WITH ECOBUTTON
- 8 **GROHE** TOUCHLESS
TAPS
- 9 **GROHE**
BLUE

GROHE
BATH TAPS





CONTENTS

Single Lever Mixers	Lineare	126
	Eurocube Joy	135
	Eurocube	141
	GROHE Plus	152
	Europlus	164
	Essence	165
	Eurodisc Joy	180
	Eurodisc Cosmopolitan	183
	Concetto	190
	Eurostyle Cosmopolitan	199
	Eurostyle	206
	Eurosmart Cosmopolitan	216
	Eurosmart	227
	Eurosmart Care	238
	BauEdge	243
	BauLoop	249
	BauFlow	255
Two Handle fittings	Costa L	257
Universal	Universal	261
Bath Sets	Talentofill	262
Accessories	Selection	264
	Selection Cube	270
	Essentials	273
	Essentials Cube	281
	BauCosmopolitan	285
	Essentials Authentic	288

GROHE PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



23 959 003
L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

23 871 DC3

Basin mixer M-Size with pop-up waste set



32 612 003

Basin mixer S-Size with pop-up waste set



33 547 003 + 40 954 000

Shower mixer with shower set + tray

CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.





































The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.


















GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.











GROHE COLOURS

PRODUCT RANGE	COLOUR OPTIONS										
	CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE	
GRANDERA											
ALLURE BRILLIANT											
ATRIO											
ESSENCE											
EUROCUBE											
LINEARE											
GROHE PLUS											









GROHE BATHROOM COMBINATIONS

		THERMOSTATS									SHOWER SYSTEMS					HEAD SHOWERS							
		DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT			•		•							•	•	•	•			•	•		•		
ALLURE			•			•					•	•	•					•	•		•		
ATRIO		•	•			•					•	•	•					•	•	•	•		
GRANDERA												•	•					•	•		•		
LINEARE			•	•		•					•	•	•		•				•	•	•	•	
EUROCUBE			•	•	•								•	•					•		•		
GROHE PLUS			•	•		•					•	•	•		•				•	•	•	•	
ESSENCE			•	•		•					•	•	•						•		•		
EURODISC COSMOPOLITAN			•	•			•				•		•		•						•	•	
CONCETTO				•				•		•					•						•		
EUROSTYLE COSMOPOLITAN				•				•		•					•						•		
EUROSTYLE				•				•	•						•						•		
EUROSMART COSMOPOLITAN				•				•		•						•							•
EUROSMART				•				•	•						•								•
BAUEDGE										•						•							•
BAULOOP										•						•							•
BAUFLOW										•						•							•

GROHE LINEARE


		Ref. No.	Colour	EAN
		32 109 001	Chrome	4005176408373
		32 109 DC1	supersteel	4005176412691
		32 109 AL1	brushed hard graphite	4005176586118
<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
		23 791 001	Chrome	4005176409097
		23 791 DC1	supersteel	4005176412707
		23 791 AL1	brushed hard graphite	4005176586125
<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>				
		23 790 001	Chrome	4005176408380
		<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
		32 114 001	Chrome	4005176409103
		32 114 DC1	supersteel	4005176412714
<p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE LINEARE

	Ref. No.	Colour	EAN
	23 106 001	Chrome	4005176409110
	23 106 DC1	supersteel	4005176412721
	23 106 AL1	brushed hard graphite	4005176586149
	<p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 296 001	Chrome	4005176409127
	23 296 DC1	supersteel	4005176412738
	<p>Lineare Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 405 001	Chrome	4005176409134
	23 405 DC1	supersteel	4005176412745
	23 405 AL1	brushed hard graphite	4005176586163
	<p>Lineare Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>		
	20 304 001	Chrome	4005176409141
	<p>Lineare Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>		



GROHE LINEARE

Ref. No.	Colour	EAN
19 409 001	Chrome	4005176409158
19 409 DC1	supersteel	4005176412752
19 409 AL1	brushed hard graphite	4005176586170




Lineare
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 149 mm

23 444 001	Chrome	4005176411977
23 444 DC1	supersteel	4005176412769
23 444 AL1	brushed hard graphite	4005176586187




Lineare
2-hole basin mixer
L-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 207 mm

23 571 000		4005176334276
------------	--	---------------











Single-lever mixer 1/2", universal concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve


33 848 001	Chrome	4005176409172
33 848 DC1	supersteel	4005176412776



Lineare
Bidet mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses


GROHE LINEARE

	Ref. No.	Colour	EAN
	33 865 001	Chrome	4005176409202
	33 865 DC1	supersteel	4005176412790
	33 865 AL1	brushed hard graphite	4005176586217
	<p>Lineare Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>		
	34 719 000	Chrome	4005176457654
	<p>Grohtherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>		
			
	33 849 001	Chrome	4005176409189
	33 849 DC1	supersteel	4005176412783
	33 849 AL1	brushed hard graphite	4005176586200
	<p>Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow pillar installation optional with pillar unions 12 030 000</p>		
	34 718 000	Chrome	4005176457647
	<p>Grohtherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>		
			



Ref. No.	Colour	EAN
33 850 001	Chrome	4005176409196

Lineare
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow
 with shower set
 Consisting of:
 hand shower Sena Stick (26 465)
 wall shower holder Tempesta 100
 Cosmopolitan (27 594 000)
 Silverflex shower hose 1.500 mm (28 364)




24 063 001	Chrome	4005176465703
24 063 DC1	supersteel	4005176465727
24 063 AL1	brushed hard graphite	4005176586248

Lineare
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 064 001	Chrome	4005176465710
24 064 DC1	supersteel	4005176465734
24 064 AL1	brushed hard graphite	4005176586255

Lineare
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE LINEARE

Ref. No. Colour EAN


24 095 001	Chrome	4005176480645
24 095 DC1	supersteel	4005176480652
24 095 AL1	brushed hard graphite	4005176586262



Lineare
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set




35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		




25 113 000	Chrome	4005176881862
------------	--------	---------------

Lineare
Two-handed Bath/Shower mixer 1/2"
 deck mounted
 metal handles
 GROHE Long-Life headpart 3/4"
 automatic diverter: bath/shower
 integrated non-return valves in the
 shower outlet 1/2"
recommended pressure 0.2-5.0 bar
GROHE Long-Life Shine durable sparkling sheen



25 104 000	Chrome	4005176881794
------------	--------	---------------

Lineare
Two-handed Bath filler 1/2"
 deck mounted
 metal handles
 GROHE Long-Life headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE Long-Life Shine durable sparkling sheen




19 577 001	Chrome	4005176409233
19 577 DC1	supersteel	4005176412820
19 577 EN1	brushed nickel	4005176413018
19 577 AL1	brushed hard graphite	4005176586224

Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower Sena Stick (26 465)
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000

Ref. No. Colour EAN


19 965 001 Chrome 4005176409240



Lineare
3-hole single-lever bath combination

Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 single lever mixer operating element
 diverter bath/shower
 hand shower Sena Stick (26 465)
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000
 for combination with 28 990 / 28 991


29 037 000 4005176865749



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround

base frame
 drainage box with
 integrated outlet for splash water
 caps to cover screw fixations always come in chrome color


23 792 001 Chrome 4005176409257
 23 792 DC1 supersteel 4005176412837
 23 792 EN1 brushed nickel 4005176413001
 23 792 AL1 brushed hard graphite 4005176586231



Lineare
Single-lever bath mixer 1/2", floor mounted











set for final installation for
 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with mousseur
 projection 271 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Sena Stick (26 465)
 shower hose 1250 mm
 protected against backflow

45 984 001 4005176992056




Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath
 mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material


	Ref. No.	Colour	EAN
 	29 086 000		4005176935497
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>		
 	13 383 001 13 383 DC1	Chrome supersteel	4005176418167 4005176418174
	<p>Lineare Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p>		
 	34 705 000	Chrome	4005176413285
	<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>		
 	19 952 000 19 952 DC0 19 952 AL0	★ Chrome ★ supersteel ★ brushed hard graphite	4005176174230 4005176467776 4005176353376
	<p>Talentofill Inlet, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>		
 	19 025 000	Chrome	4005176209154
	<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen</p>		

GROHE LINEARE



Ref. No.	Colour	EAN
28 912 000 ★	Chrome	4005176266751
28 912 DC0 ★	supersteel	4005176467905
28 912 AL0 ★	brushed hard graphite	4005176467844











Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen













37 601 000	Chrome	4005176416057
37 601 DC0	supersteel	4005176416088
37 601 AL0	brushed hard graphite	4005176529030

Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)



GROHE EUROCUBE JOY



		Ref. No.	Colour	EAN
		23 654 000	Chrome	4005176342080
		Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses		
		23 656 000	Chrome	4005176342103
		Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses		
		23 657 000	Chrome	4005176342110
		Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses		
		23 658 000	Chrome	4005176342127
		Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses		
		23 661 000	Chrome	4005176342158
		Eurocube Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses		




GROHE EUROCUBE JOY




	Ref. No.	Colour	EAN
	19 997 000	Chrome	4005176342189
	Eurocube Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE Water Saving SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm		
	19 998 000	Chrome	4005176342196
	ditto, projection 230 mm		
	23 429 000		4005176993695
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
	23 664 000	Chrome	4005176342202
	Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving ball-joint mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses		
	23 665 000	Chrome	4005176342219
	Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge shower bottom outlet 1/2" with integrated non return-valve protected against backflow		
	34 488 000	Chrome	4005176940620
	Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow		

GROHE EUROCUBE JOY


	Ref. No.	Colour	EAN
		23 666 000 Chrome	4005176342226
		<p>Eurocube Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE XL Waterfall integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>	

		34 497 000 Chrome	4005176940675
		<p>Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow</p>	

		24 061 000 Chrome	4005176465680
		<p>Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>	
			35 604 000 4005176698774 GROHE Rapido SmartBox universal rough-in box for concealed installation

		24 062 000 Chrome	4005176465697
		<p>Eurocube Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>	
			35 604 000 4005176698774 GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE JOY




Ref. No.	Colour	EAN
24 094 000	Chrome	4005176480638

Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 153 000	Chrome	4005176481178
24 153 DC0	supersteel	4005176574221
24 153 AL0	brushed hard graphite	4005176585913

Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		












24 154 000	Chrome	4005176481185
24 154 DC0	supersteel	4005176574238
24 154 AL0	brushed hard graphite	4005176585920

Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN
	24 155 000	Chrome	4005176481192
	24 155 DC0	supersteel	4005176574245
	24 155 AL0	brushed hard graphite	4005176585937
			
			
	<p>Grontherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermostatic element GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
		35 604 000	4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
			
			
	34 741 000	Chrome	4005176481208
	<p>Grontherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grontherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox 35 600/35 604 Rainshower 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p>		
			
			
	23 667 001	Chrome	4005176429019
	<p>Eurocube Joy Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine finish automatic diverter: bath/shower spout with mousseur hand shower Euphoria Cube+ 6.6 l/min Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" with shower holder protected against backflow</p>		
			
			
	45 984 001		4005176992056
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>		

GROHE EUROCUBE JOY


Ref. No.

Colour

EAN

29 086 000

4005176935497



Rough-in set 1/2"

for floor-mounted tub spouts and mixers

without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment











installation depth 47-151 mm

depth compensation 104 mm







two 1/2" female connections (hot/cold supplies)

flushing plug

GROHE EUROCUBE


		Ref. No.	Colour	EAN
		23 137 000	Chrome	4005176901096
<p>Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
		23 127 00E	Chrome	4005176901591
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
		23 132 00E	Chrome	4005176906725
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses</p>				
		23 390 00E	Chrome	4005176938436
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
		23 392 00E	Chrome	4005176938450
<p>Ditto, smooth body</p>				
		23 445 000 23 445 DC0 23 445 AL0	Chrome supersteel brushed hard graphite	4005176998706 4005176524974 4005176584657
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE EUROCUBE

	Ref. No.	Colour	EAN
	23 446 000	Chrome	4005176998720
	<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses</p>		
	23 135 00E	Chrome	4005176906732
	<p>Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 135 000	Chrome	4005176901027
	ditto, with non-restricted flow		
	23 406 000 23 406 DC0 23 406 AL0	Chrome supersteel brushed hard graphite	4005176941658 4005176524998 4005176584671
	<p>Eurocube Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses</p>		


Ref. No. Colour EAN

36 441 000 Chrome 4005176415630
 36 441 DC0 supersteel 4005176686818
 36 441 AL0 brushed hard graphite 4005176686825




Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

20 351 000 Chrome 4005176901041
 20 351 DC0 supersteel 4005176525001
 20 351 AL0 brushed hard graphite 4005176584688



Eurocube
Three-hole basin mixer 1/2" S-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm


19 895 000 Chrome 4005176901072
 19 895 AL0 brushed hard graphite 4005176585494



Eurocube
2-hole basin mixer S-Size
 wall mounted
 set for final installation for 23 200 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 171 mm

23 447 000 Chrome 4005176998737
Ditto, projection 231 mm

23 200 000 4005176908354




Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 DR-brass
 installation device

GROHE EUROCUBE

Ref. No. Colour EAN


23 200 002 4005176519901



Single-lever mixer 1/2", concealed body

for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve


23 138 000 Chrome 4005176901133



Eurocube

Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 145 000 Chrome 4005176901270
23 145 DC0 supersteel 4005176525049
23 145 AL0 brushed hard graphite 4005176585524



Eurocube

Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow








34 488 000 Chrome 4005176940620



Grohtherm Cube


Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow

GROHE EUROCUBE

	Ref. No.	Colour	EAN
	23 140 000	Chrome	4005176901157
	23 140 DC0	supersteel	4005176525056
	23 140 AL0	brushed hard graphite	4005176585531
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>		
	23 141 000	Chrome	4005176901164
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000) Hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000)</p>		
	34 497 000	Chrome	4005176940675
	<p>Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow</p>		
	24 061 000	Chrome	4005176465680
	24 061 AL0	brushed hard graphite	4005176585586
	<p>Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>		
	35 604 000		4005176698774
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			

Ref. No. Colour EAN

24 062 000 Chrome 4005176465697
 24 062 DC0 supersteel 4005176553905
 24 062 AL0 brushed hard graphite 4005176585579




Eurocube
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 094 000 Chrome 4005176480638
 24 094 DC0 supersteel 4005176574047
 24 094 AL0 brushed hard graphite 4005176585593




Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 153 000 Chrome 4005176481178
 24 153 DC0 supersteel 4005176574221
 24 153 AL0 brushed hard graphite 4005176585593



Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set





35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

	Ref. No.	Colour	EAN
	24 154 000	Chrome	4005176481185
	24 154 DC0	supersteel	4005176574238
	24 154 AL0	brushed hard graphite	4005176585920
	Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set		




35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	











	24 155 000	Chrome	4005176481192
	24 155 DC0	supersteel	4005176574245
	24 155 AL0	brushed hard graphite	4005176585937
	Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set		













35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	











	34 741 000	Chrome	4005176481208
	Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox 35 600/35 604 Rainshower 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)		

GROHE EUROCUBE







	Ref. No.	Colour	EAN
 	25 137 000	Chrome	4005176906770
Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life Shine durable sparkling sheen recommended pressure 0.2 - 5.0 bar			
 	25 136 000	Chrome	4005176906763
Eurocube Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life Shine durable sparkling sheen recommended pressure 0.2 - 5.0 bar			
 	19 897 001 19 897 DC1 19 897 AL1	Chrome supersteel brushed hard graphite	4005176429101 4005176525087 4005176585548
Eurocube 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Euphoria Cube+ 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000			
 	19 966 000	Chrome	4005176986864
Eurocube 3-hole bath combination trim set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower (27 699 000) 9.4 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991			
 	29 037 000		4005176865749
4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color			







		Ref. No.	Colour	EAN
		23 672 001	Chrome	4005176429002
		23 672 DC1	supersteel	4005176525094
		23 672 AL1	brushed hard graphite	4005176585555
		<p>Eurocube Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 29 038 001 29 086 000 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur Euphoria Cube+ Stick hand shower 6.6 l/min (26 467) Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" protected against backflow with shower holder</p>		
		45 984 001		4005176992056
		<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>		
		29 086 000		4005176935497
		<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>		
		13 303 000	Chrome	4005176906350
		13 303 DC0	supersteel	4005176525100
		13 303 AL0	brushed hard graphite	4005176585562
		<p>Eurocube Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p>		
		13 304 000	Chrome	4005176906367
		<p>Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p>		

GROHE EUROCUBE









	Ref. No.	Colour	EAN
 	19 910 000	Chrome	4005176987014
Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE Long-Life Shine durable sparkling sheen			
 	29 811 000		4005176062711
Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	35 028 000		4005176908316
GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm			
 	29 800 000		4005176504839
Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		4005176504853
ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
	29 805 000		4005176504884
ditto, 1", pre-assembled headpart 1", thread union 1"			
 	29 801 000		4005176504846
Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877
ditto, soldered connection Ø 22 mm			









GROHE EUROCUBE









	Ref. No.	Colour	EAN
	22 012 000	Chrome	4005176906343
	22 012 DC0	supersteel	4005176525742
	22 012 AL0	brushed hard graphite	4005176585944
	Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon		
	22 013 000	Chrome	4005176909689
	Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon		
			
	37 535 000	Chrome	4005176416019
	37 535 DC0	supersteel	4005176416040
	37 535 AL0	brushed hard graphite	4005176431357
	Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)		









	Ref. No.	Colour	EAN
	23 958 003	Chrome	4005176605642
	<p>GROHE Plus Single-lever basin mixer 1/2" with LED display M-size colour LED water temperature display infra-red diverter: mousseur / Eco spray automatic return to mousseur monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses 1.5 V alkaline mono battery, 4 x mono cell external battery</p>		
	23 959 003	Chrome	4005176605659
	<p>GROHE Plus Single-lever basin mixer 1/2" with LED display L-Size colour LED water temperature display infra-red diverter: mousseur / Eco spray automatic return to mousseur monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses 1.5 V alkaline mono battery, 4 x mono cell external battery</p>		
	32 612 003 32 612 DC3 32 612 AL3	Chrome supersteel brushed hard graphite	4005176529696 4005176574054 4005176585609
	<p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>		









GROHE PLUS












		Ref. No.	Colour	EAN
		32 612 30L	Chrome	4005176529979
		<p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure min. recommended pressure 0.2 bar</p>		
		33 163 003	Chrome	4005176529702
		<p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		
		23 870 003	Chrome	4005176529719
		<p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
		23 871 003 23 871 DC3 23 871 AL3	Chrome supersteel brushed hard graphite	4005176529726 4005176574061 4005176585616
		<p>GROHE Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses</p>		

	Ref. No.	Colour	EAN
	23 872 003	Chrome	4005176529733
	<p>GROHE Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 851 003 23 851 DC3 23 851 AL3	Chrome supersteel brushed hard graphite	4005176496523 4005176574078 4005176585623
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 873 003	Chrome	4005176529986
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 843 003 23 843 DC3	Chrome supersteel	4005176496547 4005176574085
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pop-up waste set 1 1/4" flexible connection hoses</p>		











	Ref. No.	Colour	EAN
	23 844 003	Chrome	4005176496554
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		
	32 618 003 32 618 DC3 32 618 AL3	Chrome supersteel brushed hard graphite	4005176529740 4005176574092 4005176585647
	<p>GROHE Plus Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses</p>		
	20 301 003	Chrome	4005176529757
	<p>GROHE Plus Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pop-up waste set 1 1/4" GROHE FastFixation installation system pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>		
	29 303 003 29 303 DC3 29 303 AL3	Chrome supersteel brushed hard graphite	4005176529764 4005176574108 4005176585654
	<p>GROHE Plus 2-hole basin mixer M-Size wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 147 mm min. recommended pressure 1.0 bar</p>		
	29 306 003	Chrome	4005176529771
	ditto, projection 203 mm		









	Ref. No.	Colour	EAN
 	23 200 002		4005176519901
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		
 	23 200 000		4005176908354
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>		
 	33 241 003	Chrome	4005176529849
	33 241 DC3	supersteel	4005176574184
	33 241 AL3	brushed hard graphite	4005176585739
	<p>GROHE Plus Bidet mixer 1/2" monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
 	33 577 003	Chrome	4005176529801
	33 577 DC3	supersteel	4005176574139
	33 577 AL3	brushed hard graphite	4005176585685
	<p>GROHE Plus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar</p>		

	Ref. No.	Colour	EAN
	34 719 000	Chrome	4005176457654
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>		
	33 553 003 33 553 DC3 33 553 AL3	Chrome supersteel brushed hard graphite	4005176529795 4005176574122 4005176585678
	<p>GROHE Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar</p>		
	34 718 000	Chrome	4005176457647
	<p>Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>		
	33 547 003	Chrome	4005176529818
	<p>GROHE Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.0 bar</p>		


	Ref. No.	Colour	EAN
 	40 954 000	Chrome	4005176496844
	GROHE Plus Tray suitable for 33 553 003 33 547 003 33 577 003		
 	24 059 003 24 059 DC3 24 059 AL3	Chrome supersteel brushed hard graphite	4005176529832 4005176574153 4005176585708
	GROHE Plus Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
	35 604 000		4005176698774
	 GROHE Rapido SmartBox universal rough-in box for concealed installation		
 	24 060 003 24 060 DC3 24 060 AL3	Chrome supersteel brushed hard graphite	4005176529825 4005176574146 4005176585692
	GROHE Plus Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 604 000		4005176698774
	 GROHE Rapido SmartBox universal rough-in box for concealed installation		
 	24 093 003 24 093 DC3 24 093 AL3	Chrome supersteel brushed hard graphite	4005176530050 4005176574214 4005176585760
	GROHE Plus Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 604 000		4005176698774
	 GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE PLUS

	Ref. No.	Colour	EAN
 	25 132 003	Chrome	4005176529870
<p>GROHE Plus Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" recommended pressure 0.2 - 5.0 bar GROHE Long-Life Shine finish</p>			
 	25 133 003	Chrome	4005176529887
<p>GROHE Plus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" recommended pressure 0.2 - 5.0 bar GROHE Long-Life Shine finish</p>			
 	29 307 003 29 307 DC3 29 307 AL3	Chrome supersteel brushed hard graphite	4005176529993 4005176574160 4005176585715
<p>GROHE Plus 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 min. recommended pressure 1.0 bar</p>			
 	23 845 003	Chrome	4005176496677
<p>GROHE Plus 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower 7.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 for combination with 28 990 / 28 991 min. recommended pressure 1.0 bar</p>			
 	29 037 002		4005176519918
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color</p>			

	Ref. No.	Colour	EAN
	23 846 003	Chrome	4005176496684
	23 846 DC3	supersteel	4005176574177
	23 846 AL3	brushed hard graphite	4005176585722
	<p>GROHE Plus Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with laminar mousseur projection 282 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube 6.6 l/min Silverflex shower hose 1250 mm (28 362) protected against backflow min. recommended pressure 1.0 bar</p>		
	45 984 001		4005176992056
		<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>	
	29 086 000		4005176935497
		<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>	
	13 404 003	Chrome	4005176529788
	13 404 DC3	supersteel	4005176574115
	<p>GROHE Plus Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen laminar mousseur male thread 1/2" projection 168 mm</p>		

GROHE PLUS



Ref. No.	Colour	EAN
26 507 000 ★	Chrome	4005176457586
26 507 LS0	moon white	4005176457609
26 507 DC0 ★	supersteel	4005176526374
26 507 AL0 ★	brushed hard graphite	4005176557422

Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



26 508 000	Chrome	4005176457593
26 508 LS0	moon white	4005176457616
26 508 DC0	supersteel	4005176526367
26 508 AL0	brushed hard graphite	4005176557507

Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

GROHE Long-Life Shine durable sparkling sheen

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray











SpeedClean anti-limescale system

Inner WaterGuide for a longer life


TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


	Ref. No.	Colour	EAN
 	34 705 000	Chrome	4005176413285
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			
 	34 804 000	Chrome	4005176686740
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox (35 604) Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) professional edition</p>			
 	19 952 000 ★	Chrome	4005176174230
	19 952 DC0 ★	supersteel	4005176467776
	19 952 AL0 ★	brushed hard graphite	4005176353376
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>			
 	19 025 000	Chrome	4005176209154
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 564 000	Chrome	4005176912740
	40 564 DC0	supersteel	4005176491795
	40 564 AL0	brushed hard graphite	4005176491788
<p>Bottle trap for wash basin GROHE Long-Life Shine durable sparkling sheen brass body</p>			

GROHE PLUS




Ref. No.	Colour	EAN
28 912 000 ★	Chrome	4005176266751
28 912 DC0 ★	supersteel	4005176467905
28 912 AL0 ★	brushed hard graphite	4005176467844

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen



37 535 000	Chrome	4005176416019
37 535 DC0	supersteel	4005176416040
37 535 AL0	brushed hard graphite	4005176431357


Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)



37 624 000	Chrome	4005176416095
37 624 DC0	supersteel	4005176416125
37 624 AL0	brushed hard graphite	4005176529115


Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)
colours BE and EN available until 31 March 2023

GROHE EUROPLUS




Ref. No.	Colour	EAN
33 155 002	Chrome	4005176865947

Europlus
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable minimum flow rate 2.5 l/min
 temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 rapid installation system
 pull out spout with mousseur
 integrated non-return valve
 pop-up waste set 1 1/4"
 flexible connection hoses




Ref. No.	Colour	EAN
24 171 001 ★	Chrome	4005176698309
24 171 DC1 ★	supersteel	4005176711466
24 171 GL1 ★	cool sunrise	4005176711497
24 171 GN1 ★	brushed cool sunrise	4005176712036
24 171 DA1 ★	warm sunset	4005176711459
24 171 DL1 ★	brushed warm sunset	4005176711473
24 171 A01	hard graphite	4005176711428
24 171 AL1 ★	brushed hard graphite	4005176711435

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 589 xx1



Ref. No.	Colour	EAN
24 172 001 ★	Chrome	4005176698316
24 172 DC1 ★	supersteel	4005176712081
24 172 GL1 ★	cool sunrise	4005176712111
24 172 GN1 ★	brushed cool sunrise	4005176712128
24 172 DA1 ★	warm sunset	4005176712074
24 172 DL1 ★	brushed warm sunset	4005176712098
24 172 A01	hard graphite	4005176712043
24 172 AL1 ★	brushed hard graphite	4005176712050

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 590 xx1




Ref. No.	Colour	EAN
24 172 KF1	phantom black	4005176782398

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses


GROHE ESSENCE

Ref. No. Colour EAN




24 180 001 Chrome 4005176698446

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 591 001




24 179 001 Chrome 4005176698439

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
waste set with push-open plug
flexible connection hoses
professional edition
replaces Essence basin mixer 23 797 001




24 175 001 Chrome 4005176698347

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 32 898 001




34 813 001 Chrome 4005176698392

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 34 294 001




Ref. No.	Colour	EAN
24 183 001	Chrome	4005176698491

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 379 001



Ref. No.	Colour	EAN
24 173 001	★ Chrome	4005176698323
24 173 DC1	★ supersteel	4005176711282
24 173 GL1	★ cool sunrise	4005176711312
24 173 GN1	★ brushed cool sunrise	4005176711329
24 173 DA1	★ warm sunset	4005176711275
24 173 DL1	★ brushed warm sunset	4005176711299
24 173 A01	hard graphite	4005176712005
24 173 AL1	★ brushed hard graphite	4005176712012

Essence
Basin mixer 1/2"
M-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 swivel spout with mousseur
 and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 462 xx1



23 480 001	Chrome	4005176306921
------------	--------	---------------


Essence
Basin mixer 1/2"
M-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 swivel spout with mousseur
 and stop limiter
 retractable chain
 flexible connection hoses

GROHE ESSENCE

Ref. No. Colour EAN




24 176 001 Chrome 4005176698378



Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 23 463 001




24 176 KF1 phantom black 4005176782367





Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition







24 174 001 ★ Chrome 4005176698330
24 174 DC1 ★ supersteel 4005176711565
24 174 GL1 ★ cool sunrise 4005176711596
24 174 GN1 ★ brushed cool sunrise 4005176711602
24 174 DA1 ★ warm sunset 4005176711558
24 174 DL1 ★ brushed warm sunset 4005176711572
24 174 A01 hard graphite 4005176711527
24 174 AL1 ★ brushed hard graphite 4005176711534




Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 32 628 xx1

	Ref. No.	Colour	EAN
		24 177 001 Chrome	4005176698408
		<p>Essence Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses professional edition replaces Essence basin mixer 23 541 001</p>	

		24 177 KF1 phantom black	4005176782350
		<p>Essence Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine finish GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses professional edition</p>	

		24 170 001 ★ Chrome	4005176698293
		<p>Essence Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus rapid installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses professional edition replaces Essence basin mixer 32 901 xx1</p>	
		24 170 DC1 ★ supersteel	4005176711657
		24 170 GL1 ★ cool sunrise	4005176711688
		24 170 GN1 ★ brushed cool sunrise	4005176711695
		24 170 DA1 ★ warm sunset	4005176711640
		24 170 DL1 ★ brushed warm sunset	4005176711664
		24 170 A01 ★ hard graphite	4005176711619
		24 170 AL1 ★ brushed hard graphite	4005176711626


GROHE ESSENCE




Ref. No.	Colour	EAN
24 170 KF1	phantom black	4005176782374

Essence
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 swivel spout with mousseur
 and stop limiter
 smooth body
 flexible connection hoses

36 445 000	Chrome	4005176415678
36 445 DC0	supersteel	4005176686542
36 445 GL0	cool sunrise	4005176686559
36 445 GN0	brushed cool sunrise	4005176686566
36 445 DA0	warm sunset	4005176686573
36 445 DL0	brushed warm sunset	4005176686788
36 445 A00	hard graphite	4005176686795
36 445 AL0	brushed hard graphite	4005176686801








Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K






20 296 001	Chrome	4005176307072
------------	--------	---------------

Essence
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm

	Ref. No.	Colour	EAN
	20 299 001	Chrome	4005176307096
	<p>Essence 3-hole basin mixer L-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>		

	Ref. No.	Colour	EAN
			
	29 192 001	★ Chrome	4005176698279
	29 192 DC1	★ supersteel	4005176711770
	29 192 GL1	★ cool sunrise	4005176711800
	29 192 GN1	★ brushed cool sunrise	4005176711817
	29 192 DA1	★ warm sunset	4005176711763
	29 192 DL1	★ brushed warm sunset	4005176711787
	29 192 A01	hard graphite	4005176711732
29 192 AL1	★ brushed hard graphite	4005176711749	
	<p>Essence 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 183 mm professional edition replaces Essence two-hole basin mixer 19 408 xx1</p>		


	Ref. No.	Colour	EAN
			
	29 192 KF1	phantom black	4005176782411
	<p>Essence 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine finish GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 183 mm professional edition</p>		

GROHE ESSENCE

Ref. No. Colour EAN




29 193 001	★ Chrome	4005176698286
29 193 DC1	★ supersteel	4005176711954
29 193 GL1	★ cool sunrise	4005176711985
29 193 GN1	★ brushed cool sunrise	4005176711992
29 193 DA1	★ warm sunset	4005176711947
29 193 DL1	★ brushed warm sunset	4005176711961
29 193 A01	hard graphite	4005176711916
29 193 AL1	★ brushed hard graphite	4005176711923



Essence
2-hole basin mixer
L-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 230 mm
replaces 19 967 001
 professional edition
 replaces Essence two-hole basin mixer 19 967 xx1


23 571 000 4005176334276














Single-lever mixer 1/2", universal concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve












24 178 001	★ Chrome	4005176698415
24 178 DC1	★ supersteel	4005176712395
24 178 GL1	★ cool sunrise	4005176712425
24 178 GN1	★ brushed cool sunrise	4005176712432
24 178 DA1	★ warm sunset	4005176712388
24 178 DL1	★ brushed warm sunset	4005176712401
24 178 A01	hard graphite	4005176711701
24 178 AL1	★ brushed hard graphite	4005176711718



Essence
Bidet mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence bidet mixer 32 935 xx1

	Ref. No.	Colour	EAN
	 24 395 KF1	phantom black	4005176782428
	Essence Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus installation system ball-joint mousseur smooth body flexible connection hoses		
	 25 252 001 ★ 25 252 DC1 ★ 25 252 GL1 ★ 25 252 GN1 ★ 25 252 DA1 ★ 25 252 DL1 ★ 25 252 A01 25 252 AL1 ★	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176698385 4005176711220 4005176711251 4005176711268 4005176711213 4005176711237 4005176711183 4005176711190
	Essence Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence shower mixer 33 636 xx1		
	 25 252 KF1	phantom black	4005176782381
	Essence Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition		
	34 765 000	Chrome	4005176612022
	Groththerm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow		


GROHE ESSENCE

	Ref. No.	Colour	EAN			
						
	25 250 001	★ Chrome	4005176698354			
	25 250 DC1	★ supersteel	4005176712487			
	25 250 GL1	★ cool sunrise	4005176711169			
	25 250 GN1	★ brushed cool sunrise	4005176711176			
	25 250 DA1	★ warm sunset	4005176712470			
	25 250 DL1	★ brushed warm sunset	4005176712494			
	25 250 A01	★ hard graphite	4005176712449			
25 250 AL1	★ brushed hard graphite	4005176712456				
	Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence bath mixer 33 624 xx1					
						
		25 250 KF1	phantom black	4005176782404		
		Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow				
			Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence bath mixer 33 628 001			
						
				25 249 001	Chrome	4005176698262
				Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow with shower set Consisting of: Euphoria Cosmopolitan Stick handshower (27 367) wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364) professional edition replaces Essence bath mixer 33 628 001		
						

Ref. No. Colour EAN


34 766 000 Chrome 4005176612039

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow



24 168 001 ★ Chrome 4005176698453
 24 168 DC1 ★ supersteel 4005176712173
 24 168 GL1 ★ cool sunrise 4005176712203
 24 168 GN1 ★ brushed cool sunrise 4005176712210
 24 168 DA1 ★ warm sunset 4005176712166
 24 168 DL1 ★ brushed warm sunset 4005176712180
 24 168 A01 hard graphite 4005176712135
 24 168 AL1 ★ brushed hard graphite 4005176712142


Essence
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set
 professional edition
 replaces Essence shower mixer 24 057 xx1




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 167 001 ★ Chrome 4005176698422
 24 167 DC1 ★ supersteel 4005176712265
 24 167 GL1 ★ cool sunrise 4005176712296
 24 167 GN1 ★ brushed cool sunrise 4005176712302
 24 167 DA1 ★ warm sunset 4005176712258
 24 167 DL1 ★ brushed warm sunset 4005176712272
 24 167 A01 hard graphite 4005176712227
 24 167 AL1 ★ brushed hard graphite 4005176712234
 24 167 KF1 phantom black 4005176782343

Essence
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
 professional edition
 replaces Essence single-lever mixer with 2-way diverter 24 058 xx1






Ref. No.	Colour	EAN
24 167 KF1	phantom black	4005176782343

Essence
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 169 001	Chrome	4005176698477
24 169 DC1	supersteel	4005176712357
24 169 GL1	cool sunrise	4005176711503
24 169 GN1	brushed cool sunrise	4005176711510
24 169 DA1	warm sunset	4005176712340
24 169 DL1	brushed warm sunset	4005176712364
24 169 A01	hard graphite	4005176712319
24 169 AL1	brushed hard graphite	4005176712326



Essence
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set
 professional edition
 replaces Essence single-lever mixer with 3-way diverter 24 092 xx1










35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		




34 705 000	Chrome	4005176413285
------------	--------	---------------

Grotherm SmartControl
Perfect shower set with Rainshower SmartActive 310
 Consisting of:
 concealed thermostat with 3 valves
 Grotherm SmartControl set for final installation
 (29 121 000)
 GROHE Rapido SmartBox 35 600/35 604
 Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
 horizontal shower arm 400 mm and head shower rough-in (26 483 000)
 Euphoria Cosmopolitan Stick handshower (27 367)
 Rainshower wall holder (27 074 000)
 Rainshower wall union 1/2" (27 057 000)
 Silverflex shower hose 1.500 mm (28 364)

GROHE ESSENCE

	Ref. No.	Colour	EAN	
	25 251 001	★ Chrome	4005176698361	
	25 251 DC1	★ supersteel	4005176711862	
	25 251 GL1	★ cool sunrise	4005176711893	
	25 251 DA1	★ warm sunset	4005176711855	
	25 251 DL1	★ brushed warm sunset	4005176711114	
	25 251 A01	hard graphite	4005176711824	
	25 251 AL1	★ brushed hard graphite	4005176711831	
		Essence 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower for chrome: hand shower 27400000 metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 professional edition replaces Essence four-hole bath combination 19 578 xx1		
		19 976 001	Chrome	4005176307218
				Essence 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen single lever mixer operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991
29 037 000				4005176865749
		4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color		




Ref. No.	Colour	EAN
23 741 001	Chrome	4005176371509
23 741 DC1	supersteel	4005176371516


Essence
Single-lever free-standing shower system
 floor-mounted
 set for final installation for
 45 984 001
 29 038 001
 29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter
 head shower/hand shower
 360° horizontal swivable shower arm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
 with ball joint
 rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
 for chrome: hand shower 27400000
 Silverflex shower hose 1750 mm (28 388 000)
 protected against backflow



25 248 001	★ Chrome	4005176698255
25 248 DC1	★ supersteel	4005176711374
25 248 GL1	★ cool sunrise	4005176711404
25 248 GN1	★ brushed cool sunrise	4005176711411
25 248 DA1	★ warm sunset	4005176711367
25 248 DL1	★ brushed warm sunset	4005176711381
25 248 A01	★ hard graphite	4005176711336
25 248 AL1	★ brushed hard graphite	4005176711343



Essence
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 swivel spout with mousseur
 and stop limiter
 projection 277 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 for chrome: hand shower 27400000
 Silverflex shower hose 1250 mm (28 362)
 protected against backflow
 professional edition
 replaces Essence floor mounted bath mixer 23 491 xx1




45 984 001	4005176992056
------------	---------------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath
 mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material


GROHE ESSENCE

Ref. No. Colour EAN



29 086 000 4005176935497


Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug



29 509 KF0 phantom black 4005176782657

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine finish

- | | | |
|------------|-----------------------|---------------|
| 37 601 000 | Chrome | 4005176416057 |
| 37 601 DC0 | supersteel | 4005176416088 |
| 37 601 GL0 | cool sunrise | 4005176524271 |
| 37 601 GN0 | brushed cool sunrise | 4005176529016 |
| 37 601 DA0 | warm sunset | 4005176524288 |
| 37 601 DL0 | brushed warm sunset | 4005176529023 |
| 37 601 A00 | hard graphite | 4005176528996 |
| 37 601 AL0 | brushed hard graphite | 4005176529030 |













Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)

GROHE EURODISC JOY


	Ref. No.	Colour	EAN
		23 425 000 Chrome	4005176993596
Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 427 000 Chrome	4005176993619
Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 428 000 Chrome	4005176993633
Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus installation system smooth body flexible connection hoses			
		19 968 000 Chrome	4005176993657
Eurodisc Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm available until 31 march 2023			
		19 969 000 Chrome	4005176993671
Eurodisc Joy 2-hole basin mixer L-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm			

GROHE EURODISC JOY

	Ref. No.	Colour	EAN
 	23 429 000		4005176993695
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	24 036 000	Chrome	4005176993701
<p>Eurodisc Joy Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving ball-joint mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
 	23 430 000	Chrome	4005176993725
<p>Eurodisc Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow available until 31 march 2023</p>			
 	23 431 000	Chrome	4005176993749
<p>Eurodisc Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow available until 31 march 2023</p>			
 	24 055 002	Chrome	4005176465420
<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 604 000		4005176698774
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			



GROHE EURODISC JOY











Ref. No.	Colour	EAN
24 056 002	Chrome	4005176465437

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set




35 604 000 **4005176698774**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN
		23 051 002	Chrome	4005176887567
		Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm		
		23 049 002	Chrome	4005176887536
		Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses		
		33 190 20E	Chrome	4005176887482
		Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses		
		33 183 002	Chrome	4005176887499
		Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109		


GROHE EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN
32 469 20E	Chrome	4005176908835




**Eurodisc Cosmopolitan
Basin mixer 1/2"**
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109

32 469 20L	Chrome	4005176917110
------------	--------	---------------




**Eurodisc Cosmopolitan
Basin mixer 1/2"**
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE FastFixation installation system
with centering support
GROHE Long-Life Shine durable sparkling sheen
mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

23 389 20E	Chrome	4005176938412
------------	--------	---------------



**Eurodisc Cosmopolitan
Basin mixer 1/2"**
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 384 20E	Chrome	4005176936722
------------	--------	---------------



**Eurodisc Cosmopolitan
Basin mixer 1/2"**
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving
function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses










23 382 20E	Chrome	4005176936708
------------	--------	---------------

Ditto, with GROHE SilkMove ES

GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN
	23 448 002	Chrome	4005176998744
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses		
	23 449 002	Chrome	4005176998768
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses		
	23 054 003	Chrome	4005176472596
	Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation Plus installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter (46 375 000)		
	23 432 000	Chrome	4005176993763
	Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)		


GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN
	23 055 002	Chrome	4005176887680
	<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>		
	19 573 002	Chrome	4005176887659
	<p>Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide NEW centre distance 110 mm projection 170 mm</p>		
	19 974 002	Chrome	4005176305948
	ditto, projection 225 mm		
	23 571 000		4005176334276
	<p>Single-lever mixer 1/2\", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		
	33 244 002	Chrome	4005176888779
	<p>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>		

GROHE EURODISC COSMOPOLITAN


Ref. No. Colour EAN

33 569 002 Chrome 4005176887734




Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)

34 719 000 Chrome 4005176457654




Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

33 192 002 Chrome 4005176887864



Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)
available until 31 march 2023

33 390 002 Chrome 4005176887796




Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

GROHE EURODISC COSMOPOLITAN


Ref. No. Colour EAN

34 718 000 Chrome 4005176457647




Grotherm SmartControl
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 bath spout with mousseur
 built-in non return valve
 and dirt strainers
 protected against backflow

33 395 002 Chrome 4005176887802



Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 adjustable minimum flow rate 2.5 l/min
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter (46 308 000)
 noise classification 1 in accordance
 with DIN4109
 with shower set
 Consisting of:
 hand shower euphoria 110 Champagne (27 222)
 wall shower holder (27 056)
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

24 055 002 Chrome 4005176465420











Eurodisc Cosmopolitan
Single-lever shower mixer trim
 set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set











35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed
 installation









GROHE CONCETTO

		Ref. No.	Colour	EAN
		32 207 001	Chrome	4005176888878
		Concetto Pillar tap XS-Size monobloc installation metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm noise classification 1 in accordance with DIN4109		
		32 204 10E	Chrome	4005176887345
		Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses		
		23 931 001	Chrome	4005176584015
		Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar noise classification 1 in accordance with DIN4109		
		23 060 001	Chrome	4005176888021
		Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109		

GROHE CONCETTO


		Ref. No.	Colour	EAN
		32 202 10L	Chrome	4005176903960
		<p>Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar</p>		
		32 240 10E	Chrome	4005176906794
		<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses</p>		
		32 240 10L	Chrome	4005176903977
		<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)</p>		
		23 380 10E	Chrome	4005176938245
		<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
		23 385 10E	Chrome	4005176938269
		<p>Ditto, with GROHE SilkMove ES</p>		

GROHE CONCETTO

	Ref. No.	Colour	EAN
	23 450 001	Chrome	4005176998775
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 932 001	Chrome	4005176584022
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	23 451 001	Chrome	4005176998799
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses</p>		
	23 739 002	Chrome	4005176472602
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1.0 bar</p>		

Ref. No. Colour EAN


23 571 000 4005176334276



Single-lever mixer 1/2", universal concealed body

for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

32 208 001 Chrome 4005176888908




Concetto

Bidet mixer 1/2"

S-Size

monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 210 001 Chrome 4005176888939




Concetto

Single-lever shower mixer 1/2"

wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109

34 765 000 Chrome 4005176612022



Grotherm 800 Cosmopolitan


Thermostatic shower mixer 1/2"

wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE CONCETTO


Ref. No. Colour EAN

32 211 001 Chrome 4005176889028




Concetto
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter (46 308 000)

34 766 000 Chrome 4005176612039













Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

32 212 001 Chrome 4005176889035













Concetto
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 mousseur, integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter (46 308 000)
 with shower set
 Consisting of:
 Euphoria Cosmopolitan hand shower (27 400)
 wall shower holder (27 056)
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)









GROHE CONCETTO

	Ref. No.	Colour	EAN
	32 700 001	Chrome	4005176887994
	Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109		
	24 053 001	Chrome	4005176465406
	Concetto Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
	35 604 000		4005176698774
	GROHE Rapido SmartBox universal rough-in box for concealed installation		
	24 054 001	Chrome	4005176465413
	Concetto Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 604 000		4005176698774
	GROHE Rapido SmartBox universal rough-in box for concealed installation		
	19 345 001	Chrome	4005176888953
	Concetto Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen escutcheon- and shaft-sealing wall escutcheon covered fixing		









GROHE CONCETTO

	Ref. No.	Colour	EAN
	32 213 001	Chrome	4005176888960
	<p>Concetto Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 964 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 1.0 bar</p>		
	19 346 001	Chrome	4005176889080
	<p>Concetto Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling</p>		
	32 214 001	Chrome	4005176889097
	<p>Concetto Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 963 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 1.0 bar</p>		
	25 102 000	Chrome	4005176881671
	<p>Concetto Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life Shine durable sparkling sheen recommended pressure 0.2-5.0 bar</p>		
	25 109 000	Chrome	4005176881848
	<p>Concetto Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life Shine durable sparkling sheen</p>		









GROHE CONCETTO

	Ref. No.	Colour	EAN
 	19 576 002	Chrome	4005176429088
<p>Concetto 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen pre-assembled spout fixing single lever mixer operating element bath inlet with mousseur diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>			
 	29 037 000		4005176865749
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>			
 	13 280 001	Chrome	4005176888687
<p>Concetto Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2"</p>			
 	13 281 001	Chrome	4005176888694
<p>Concetto Bath spout with diverter wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur automatic diverter: bath/shower male thread 1/2"</p>			


GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN
		23 039 002	Chrome	4005176886881
		Eurostyle Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen mousseur		
		23 037 002	Chrome	4005176886355
		Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses		
		23 387 20E	Chrome	4005176938382
		Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses		
		33 552 20E	Chrome	4005176886300
		Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses noise classification 1 in accordance with DIN4109		









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN
	33 561 002	Chrome	4005176886379
	<p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>		
	32 468 20E	Chrome	4005176906886
	<p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p>		
	32 468 20L	Chrome	4005176917097
	<p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur, smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)</p>		
	23 374 20E	Chrome	4005176936678
	<p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	23 373 20E	Chrome	4005176936661
	Ditto, with GROHE SilkMove ES		









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN
	23 043 003	Chrome	4005176472732
	<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	20 208 002	Chrome	4005176886980
	<p>Eurostyle Cosmopolitan 3-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves</p>		
	19 571 002	Chrome	4005176886973
	<p>Eurostyle Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>		
	23 571 000		4005176334276
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		











GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN
	33 565 002	Chrome	4005176887000
	<p>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>		
	33 590 002	Chrome	4005176887048
	<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>		
	32 229 002	Chrome	4005176887055
	<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 08 791 noise classification 1 in accordance with DIN4109</p>		
	34 765 000	Chrome	4005176612022
	<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		







GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN
	33 614 002	Chrome	4005176887208
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)</p>		
	33 591 002	Chrome	4005176887123
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>		
	34 766 000	Chrome	4005176612039
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		
	33 592 20A	Chrome	4005176454288
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571) wall shower holder (27 056) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		











GROHE EUROSTYLE COSMOPOLITAN









	Ref. No.	Colour	EAN
 	24 051 002	Chrome	4005176465383
	Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
	35 604 000		4005176698774
	 GROHE Rapido SmartBox universal rough-in box for concealed installation		
 	24 052 002	Chrome	4005176465390
	Eurostyle Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 604 000		4005176698774
	 GROHE Rapido SmartBox universal rough-in box for concealed installation		
 	19 507 002	Chrome	4005176887079
	Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen escutcheon- and shaft-sealing wall escutcheon covered fixing		
 	19 506 002	Chrome	4005176887185
	Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing		

GROHE EUROSTYLE COSMOPOLITAN











	Ref. No.	Colour	EAN
 	23 048 003	Chrome	4005176429132
<p>Eurostyle Cosmopolitan 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen pre-assembled spout fixing, single lever mixer operating element bath inlet with mousseur diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>			
 	29 037 000		4005176865749
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>			
 	13 276 002	Chrome	4005176887246
<p>Eurostyle Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p>			









GROHE EUROSTYLE

	Ref. No.	Colour	EAN
	33 558 003 33 558 LS3	Chrome moon white	4005176334139 4005176335686
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses		
	23 929 003 Chrome	4005176583995	
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses		
	23 707 003 23 707 LS3	Chrome moon white	4005176364778 4005176364785
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses		
	23 564 003 Chrome	4005176334146	
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses		
	23 708 003 Chrome	4005176364990	
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses		









	Ref. No.	Colour	EAN
	23 374 003	Chrome	4005176334153
	23 374 LS3	moon white	4005176334450
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 709 003	Chrome	4005176365003
	23 709 LS3	moon white	4005176365010
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 930 003	Chrome	4005176584008
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		
	33 561 003	Chrome	4005176334160
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system flow straightener pop-up waste set 1 1/4" flexible connection hoses</p>		

GROHE EUROSTYLE









		Ref. No.	Colour	EAN
		33 557 003	Chrome	4005176334184
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system retractable chain flexible connection hoses		
		32 468 003	Chrome	4005176334207
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses		
		23 715 003	Chrome	4005176365065
		Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses		
		23 567 003	Chrome	4005176334214
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses		
		23 716 003	Chrome	4005176365072
		Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses		

	Ref. No.	Colour	EAN
 	23 569 003	Chrome	4005176334238
<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses</p>			
 	23 718 003 23 718 LS3	Chrome moon white	4005176365096 4005176365102
<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4"</p>			
 	23 570 003 23 570 LS3	Chrome moon white	4005176334245 4005176334474
<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses</p>			
 	23 719 003 23 719 LS3	Chrome moon white	4005176365119 4005176365126
<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses</p>			







GROHE EUROSTYLE

		Ref. No.	Colour	EAN
		19 571 003	Chrome	4005176334269
		19 571 LS3	moon white	4005176334498
<p>Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>				
		29 097 003	Chrome	4005176365133
		29 097 LS3	moon white	4005176365140
<p>Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon solid metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>				
		23 571 000		4005176334276
		<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		
		33 565 003	Chrome	4005176334283
		33 565 LS3	moon white	4005176334504
<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				








GROHE EUROSTYLE










	Ref. No.	Colour	EAN
	23 720 003	Chrome	4005176365157
	23 720 LS3	moon white	4005176365164
	<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>		
	33 590 003	Chrome	4005176334306
	33 590 LS3	moon white	4005176334511
	<p>Eurostyle Single-lever shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>		
	23 722 003	Chrome	4005176365188
	23 722 LS3	moon white	4005176365195
	<p>Eurostyle Single-lever shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>		
	34 814 003	Chrome	4005176695728
		<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grotherm 1000 thermostatic shower mixer 34 143 003</p>	











GROHE EUROSTYLE

	Ref. No.	Colour	EAN
	33 591 003	Chrome	4005176334351
	33 591 LS3	moon white	4005176334535
	<p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>		
	23 726 003	Chrome	4005176365256
	23 726 LS3	moon white	4005176365263
	<p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions protected against backflow</p>		
	34 816 003	Chrome	4005176695742
	<p>Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic bath mixer 34 155 003</p>		









GROHE EUROSTYLE

	Ref. No.	Colour	EAN
	33 592 30A	Chrome	4005176456497
	<p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow with shower set Tempesta Consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		
	24 048 003	Chrome	4005176465345
	24 048 LS3	moon white	4005176465352
<p>Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 604 000		4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	24 046 003	Chrome	4005176465307
	24 046 LS3	moon white	4005176465314
<p>Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 604 000		4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	24 049 003	Chrome	4005176465369
	24 049 LS3	moon white	4005176465376
<p>Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 604 000		4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		









	Ref. No.	Colour	EAN
	24 047 003	Chrome	4005176465321
	24 047 LS3	moon white	4005176465338
	<p>Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>		
	35 604 000		4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	19 507 003	Chrome	4005176334337
	19 507 LS3	moon white	4005176334528
	<p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body loop metal lever GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>		
	29 098 003	Chrome	4005176365225
	29 098 LS3	moon white	4005176365232
	<p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body solid metal lever GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>		
	33 635 003	Chrome	4005176334344
	<p>Eurostyle Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing Consisting of: compatible with (19 507 003) with concealed body adjustable flow rate limiter loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)</p>		

	Ref. No.	Colour	EAN
 	23 725 003	Chrome	4005176365249
<p>Eurostyle Single-lever shower mixer 1/2" wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen metal wall escutcheon escutcheon- and shaft-sealing GROHE FastFixation covered fixing optional temperature limiter (46 308 000)</p>			
 	19 506 003 19 506 LS3	Chrome moon white	4005176334399 4005176334542
<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>			
 	29 099 003 29 099 LS3	Chrome moon white	4005176365300 4005176365317
<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body solid metal lever GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing</p>			
 	33 637 003	Chrome	4005176334405
<p>Eurostyle Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)</p>			
 	23 730 003	Chrome	4005176365324
<p>Eurostyle Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower solid metal lever optional temperature limiter (46 308 000) metal wall escutcheons</p>			









GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	32 825 00E	Chrome	4005176874628
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation, metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	32 955 000	Chrome	4005176880117
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>		
	23 925 000	Chrome	4005176583353
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support GROHE Water Saving mousseur 5.7 l/min smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>		
	32 825 00L	Chrome	4005176917028
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>		









GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	32 827 00E	Chrome	4005176906565
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support retractable chain flexible connection hoses noise classification 1 in accordance with DIN4109		
	32 824 000	Chrome	4005176874604
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter (46 375 000)		
	32 824 00L	Chrome	4005176917035
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen adjustable minimum flow rate 2.5 l/min GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)		
	23 377 00E	Chrome	4005176936630
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar		







GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	23 378 00E	Chrome	4005176936647
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support retractable chain flexible connection hoses		
	23 376 00E	Chrome	4005176936623
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses		
	23 927 000	Chrome	4005176583377
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses		
	23 325 000	Chrome	4005176933974
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)		

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	23 926 000	Chrome	4005176583360
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter (46 375 000)</p>		
	23 327 000	Chrome	4005176934094
	23 327 KW0	supermatt black	4005176565205
	23 396 00E	Chrome	4005176938504
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen temperature limiter GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	23 928 000	Chrome	4005176583384
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>		


GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	32 830 001	Chrome	4005176472749
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>		
	23 933 001	Chrome	4005176584039
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>		
	23 921 000	Chrome	4005176583438
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>		

GROHE EUROSMART COSMOPOLITAN


Ref. No. Colour EAN

36 327 001 Chrome 4005176305771




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

20 187 000 Chrome 4005176874680




Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
 with centering support
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut with 10.5-mm drilling

19 381 000 Chrome 4005176874673











Eurosmart Cosmopolitan
2-hole basin mixer
S-Size
 wall mounted
 set for final installation for 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 170 mm

23 571 000 4005176334276









Single-lever mixer 1/2", universal concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve









GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	32 839 000	Chrome	4005176874802
	<p>Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>		
	32 840 000	Chrome	4005176874819
	ditto, with retractable chain		
	32 837 000	Chrome	4005176874772
	<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow</p>		
	34 765 000	Chrome	4005176612022
	<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		
	32 836 000	Chrome	4005176874758
	<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000) Qualitel E1/E3C2A2U3 applied for</p>		

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
 	32 831 000	Chrome	4005176874703
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)		
 	34 766 000	Chrome	4005176612039
	Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow		
 	34 767 000	Chrome	4005176612046
	Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow		


GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	32 833 000	Chrome	4005176874727
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 08 791		
	32 832 000	Chrome	4005176874710
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)		
	25 128 000	Chrome	4005176905209
	Eurosmart Cosmopolitan Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life Shine durable sparkling sheen min. recommended pressure 0.2 bar		
	25 129 000	Chrome	4005176905216
	Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life Shine durable sparkling sheen min. recommended pressure 0.2 bar		

GROHE EUROSMART COSMOPOLITAN

Ref. No. Colour EAN

24 044 000 Chrome 4005176465185




Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 045 000 Chrome 4005176465291




Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

25 219 001 Chrome 4005176466373













Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210
Consisting of:
Eurosmart Cosmopolitan set for final installation with
automatic diverter bath / shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)













19 383 000 Chrome 4005176874765




Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE Long-Life Shine durable sparkling sheen
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
 	32 880 000	Chrome	4005176877360
<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 962 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter</p>			
 	19 382 000	Chrome	4005176874697
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
 	32 879 000	Chrome	4005176877353
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 961 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower metal lever metal wall escutcheon screwed optional temperature limiter (46 308 000)</p>			
 	13 261 000	Chrome	4005176877384
<p>Eurosmart Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p>			
 	13 262 000	Chrome	4005176877391
<p>Eurosmart Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p>			


	Ref. No.	Colour	EAN
	 23 965 003	Chrome	4005176611544
	Eurosmart Basin mixer 1/2" S-Size angled version metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter adjustable flow rate limiter monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses professional edition		
	 23 968 003	Chrome	4005176611575
	Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses smooth body with push-open pop-up waste set 1 1/4" professional edition		
	 23 967 003	Chrome	4005176611568
	Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses smooth body professional edition		
	 23 969 003	Chrome	4005176613180
	Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways pop-up waste set 1 1/4" flexible connection hoses professional edition		

Ref. No.	Colour	EAN
23 975 003	Chrome	4005176644153



Eurosmart Basin mixer 1/2" M-Size
 monobloc installation
 2-in-1 hybrid with touchless or manual operation
 manual lever operation having priority
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
 infra-red electronic
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 non-return valve
 dirt strainer
 with integrated solenoid valve
 external battery
 multistage battery status display
 7 pre-set programs
 auto flush
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar
 CE approved
 professional edition

33 265 003	Chrome	4005176613197
------------	--------	---------------




Eurosmart Basin mixer 1/2" S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
 flexible connection hoses
 pop-up waste set 1 1/4"
 professional edition










23 922 003	Chrome	4005176613227
ditto, smooth body with push-open pop-up waste set 1 1/4"		

32 467 003	Chrome	4005176613210
ditto, smooth body		

33 265 30L	Chrome	4005176644269
------------	--------	---------------




Eurosmart Basin mixer 1/2" S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 mousseur
 for **low pressure**
 min. recommended pressure 0.2 bar
 professional edition

	Ref. No.	Colour	EAN
	 23 456 003	Chrome	4005176613272
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses hybrid pop-up waste set 1 1/4" professional edition		
	 33 188 003	Chrome	4005176613203
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition		
	 32 467 30L	Chrome	4005176644276
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter mousseur GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar for low pressure professional edition		

GROHE EUROSMART

Ref. No. Colour EAN



32 926 003 Chrome 4005176613234


Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4"
lift rod in lateral position
flexible connection hoses
professional edition



23 924 003 Chrome 4005176613265
ditto, smooth body with push-open pop-up waste set 1 1/4"




32 154 003 Chrome 4005176613258
ditto, smooth body



24 192 003 Chrome 4005176723964

Eurosmart
Basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition



23 322 003 Chrome 4005176613302

Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition























23 923 003 Chrome 4005176613333
ditto, smooth body with push-open pop-up waste set 1 1/4"
















23 324 003 Chrome 4005176613326
ditto, smooth body



GROHE EUROSMART

	Ref. No.	Colour	EAN
		 23 393 30E	Chrome 4005176613340
		Eurosmart Basin mixer 1/2\" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4\" flexible connection hoses professional edition	
		 23 395 30E	Chrome 4005176613357 ditto, smooth body
		Eurosmart Basin mixer 1/2\" M-Size pull out spout monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Water Saving mousseur 5.7 l/min rapid installation system GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position smooth body with push-open pop-up waste set 1 1/4\" flexible connection hoses professional edition	
		 23 537 003	Chrome 4005176613395
		Eurosmart Single-lever basin mixer 1/2\" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel tubular spout pop-up waste set 1 1/4\" flexible connection hoses professional edition	
		 23 970 003	Chrome 4005176613418 ditto, smooth body with push-open pop-up waste set 1 1/4\"
		Eurosmart Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition	

		Ref. No.	Colour	EAN
		23 323 003	Chrome	4005176613319
		Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Water Saving mousseur 5.7 l/min GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition		
		23 394 30E	Chrome	4005176613364
		Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition		
		23 743 003	Chrome	4005176613401
		Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel tubular spout retractable chain flexible connection hoses professional edition		
		23 971 003	Chrome	4005176613425
		Eurosmart Basin mixer 1/2" XL-Size for free-standing basins monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation installation system smooth body flexible connection hoses professional edition		

	Ref. No.	Colour	EAN
	 29 337 003	Chrome	4005176613432
	Eurosmart 2-hole basin mixer S-Size wall mounted metal lever without concealed body set for final installation for 23 571 000 metal escutcheon GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm professional edition		
	 29 338 003	Chrome	4005176613449
	Eurosmart 2-hole basin mixer M-Size wall mounted metal lever without concealed body set for final installation for 23 571 000 metal escutcheon GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 211 mm professional edition		
	23 571 000		4005176334276
	Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
	 32 929 003	Chrome	4005176613623
	Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses professional edition		


	Ref. No.	Colour	EAN
 	33 555 003	Chrome	4005176613562
<p>Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p>			

 	34 558 000	Chrome	4005176310089
<p>Grohtherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>			

 	33 300 003	Chrome	4005176613456
<p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p>			

Ref. No. Colour EAN


34 567 000 Chrome 4005176310157



Grohtherm 800
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow




33 302 003 Chrome 4005176613470



Eurosmart
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 metal wall escutcheons
 protected against backflow
 with shower set
 Consisting of:
 hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
 wall shower holder (28 605)
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
 professional edition




33 303 003 Chrome 4005176613524



Eurosmart
Single-lever bath/shower mixer 1/2"
 deck mounted
 metal lever
 35 mm ceramic cartridge with
 Eco-Override-Stop, with **GROHE SilkMove**
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 in the shower outlet 1/2"
 pillar unions
 protected against backflow
 professional edition




25 098 003 Chrome 4005176644290




Eurosmart
Two-handed Bath filler 1/2"
 deck mounted
 metal lever
 Ceramic valves 3/4", 90°
GROHE Long-Life Shine durable sparkling sheen
Min. recommended pressure 0.5 bar
 professional edition

Ref. No. Colour EAN




25 105 003 Chrome 4005176644306

Eurosmart
Two-handed Bath/Shower mixer 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE Long-Life Shine durable sparkling sheen
Min. recommended pressure 0.5 bar
professional edition



24 042 003 Chrome 4005176613616

Eurosmart
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 043 003 Chrome 4005176613548

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
metal lever
professional edition

35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation




33 556 003 Chrome 4005176613609

Eurosmart
Single-lever shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 451 003)
with concealed body
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)
professional edition


Ref. No. Colour EAN

33 305 003 Chrome 4005176613531












Eurosmart
Single-lever bath/shower mixer 1/2"
 wall installation
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation escutcheon with covered fixation
 Consisting of:
 set for final installation (19 450 003)
 with concealed body
 adjustable flow rate limiter
 automatic diverter: bath/shower
 metal escutcheon
 escutcheon- and shaft-sealing
 optional temperature limiter (46 308 000)
 professional edition

13 448 003 Chrome 4005176613555











Eurosmart
Bath spout
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
 mousseur
 male thread 1/2"
 projection 171 mm
 min. recommended pressure 1.0 bar
 professional edition









GROHE EUROSMART CARE

	Ref. No.	Colour	EAN
	 23 988 003	Chrome	4005176644351
	<p>Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving mousseur 4.2 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition</p>		
	 23 989 003	Chrome	4005176644368
	<p>Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving mousseur 4.2 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition</p>		
	 23 986 003	Chrome	4005176643859
	<p>Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p>		













GROHE EUROSMART CARE

		Ref. No.	Colour	EAN
		23 987 003	Chrome	4005176644344
		<p>Eurosmart Basin mixer 1/2" M-Size</p> <p>thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p>		
		23 980 003	Chrome	4005176644207
		<p>Eurosmart Basin mixer 1/2" S-Size</p> <p>monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		
		23 981 003	Chrome	4005176644214
		<p>Eurosmart Basin mixer 1/2" M-Size</p> <p>monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		
		25 241 003	Chrome	4005176644221
		<p>Eurosmart Single-lever bath/shower mixer 1/2"</p> <p>wall mounted loop metal lever lever length 123 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p>		

GROHE EUROSMART CARE

	Ref. No.	Colour	EAN
 	25 242 003	Chrome	4005176644238
<p>Eurosmart Single-lever shower mixer 1/2" wall mounted loop metal lever lever length 115 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p>			
 	23 984 003	Chrome	4005176643835
<p>Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p>			
 	23 985 003	Chrome	4005176643842
<p>Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p>			
 	23 982 003	Chrome	4005176644245
<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			

GROHE EUROSMART CARE

	Ref. No.	Colour	EAN
			23 983 003 Chrome 4005176644313
<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
			25 243 003 Chrome 4005176644320
<p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted long metal lever lever length 124 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p>			
			34 665 000 Chrome 4005176351556
<p>Grohtherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p>			
			25 244 003 Chrome 4005176644337
<p>Eurosmart Single-lever shower mixer 1/2" wall mounted long metal lever lever length 120 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p>			

GROHE EUROSMART CARE

Ref. No.	Colour	EAN
----------	--------	-----

34 667 000	Chrome	4005176351570
------------	--------	---------------

Grotherm Special

Thermostatic shower mixer 1/2"

wall mounted

ergonomic metal wing handles

ceramic headparts 1/2", 90°

GROHE TurboStat compact cartridge

with wax thermoelement

temperature scale handle with pre-adjustable

safety stop between 35°C and 41°C (calibration required)

integrated mixed water shut off

shower bottom outlet 1/2" with

integrated non return-valve

metal temperature safety stop


dirt strainers












GROHE FastFixation for fast exchange of non return valves in connections









100% GROHE CoolTouch consisting of safety

housing + S-unions with CoolTouch escutcheons

GROHE Long-Life Shine durable sparkling sheen




	Ref. No.	Colour	EAN
	20 421 001	Chrome	4005176556173
	<p>BauEdge Pillar tap 1/2" XS-Size monobloc installation ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2" professional edition</p>		
	20 421 10M	Chrome	4005176556180
	<p>BauEdge Basin tap 1/2" monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min 2 pieces fixation nut G 1/2" min. recommended pressure 1.0 bar</p>		
	23 328 001	Chrome	4005176556241
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 895 001	Chrome	4005176554902
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 330 001	Chrome	4005176556302
<p>ditto, smooth body</p>			
	23 559 001	Chrome	4005176556326
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		

	Ref. No.	Colour	EAN
	23 899 001	Chrome	4005176555022
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 894 001	Chrome	4005176554896
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur 3.5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 896 001	Chrome	4005176554919
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur 3.5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 972 001	Chrome	4005176634451
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen mousseur for low pressure Lead and Nickel Free Inner Water Ways rapid installation system flexible connection hoses crimp unions included</p>		


Ref. No. Colour EAN

24 193 001 Chrome 4005176723971




BauEdge
Basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
monobloc installation
GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

23 757 001 Chrome 4005176556340




BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
shower hose 1500 mm
professional edition

23 760 001 Chrome 4005176556418




BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

23 911 001 Chrome 4005176555237




BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

Ref. No. Colour EAN




23 761 001 Chrome 4005176556449

BauEdge
Basin mixer 1/2"
XL-Size
for free-standing basins
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition




36 451 000 Chrome 4005176473678

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59



23 331 001 Chrome 4005176556494

BauEdge
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition




23 635 001 Chrome 4005176556524

BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

Ref. No. Colour EAN


29 078 001 Chrome 4005176556555



BauEdge
Single-lever shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition




34 793 000 Chrome 4005176632433




Grotherm 500
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 GROHE thermostatic cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 headpart 90°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition

23 604 001 Chrome 4005176556593



BauEdge
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 spout with mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 protected against backflow
 S-unions
 metal wall escutcheon
 professional edition


25 246 001 Chrome 4005176674228




BauEdge
Two-handed Bath/Shower mixer 1/2"
 deck mounted
 Ceramic valves 3/4", 90°
 automatic diverter, lockable: bath/shower
 integrated non-return valve
GROHE Long-Life Shine durable sparkling sheen
Min. recommended pressure 0.5 bar
 with shower set
 Tempesta Cosmopolitan hand shower (26 130)
 Tempesta shower holder (27 595)
 Relaxaflex shower hose 1500 mm (28 161)

Ref. No. Colour EAN

29 079 001 Chrome 4005176556692




BauEdge
Single-lever bath/shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition




25 216 001 Chrome 4005176556654

BauEdge
Two-handled Bath filler 1/2"
 deck mounted
 metal lever
 Ceramic valves 3/4", 90°
GROHE Long-Life Shine durable sparkling sheen
 Min. recommended pressure 0.5 bar













25 217 001 Chrome 4005176556661

BauEdge
Two-handled Bath/Shower mixer 1/2"
 deck mounted
 Ceramic valves 3/4", 90°
 automatic diverter, lockable: bath/shower
 integrated non-return valve
GROHE Long-Life Shine durable sparkling sheen
 Min. recommended pressure 0.5 bar




13 255 001 Chrome 4005176556722

BauCosmopolitan
Bath spout
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
 mousseur
 projection 171 mm
 male thread 1/2"

	Ref. No.	Colour	EAN
 	20 422 001	Chrome	4005176529504
<p>BauLoop Pillar tap 1/2" XS-Size monobloc installation ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2" professional edition</p>			
 	23 335 001	Chrome	4005176529566
<p>BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
 	23 878 001	Chrome	4005176554032
<p>BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>			
 	23 337 001	Chrome	4005176555725
<p>ditto, without plastic push open waste set 1 1/4"</p>			
 	22 054 001	Chrome	4005176554162
<p>BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			


Ref. No. Colour EAN

23 883 001 Chrome 4005176554179




BauLoop
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
 rapid installation system
 smooth body with plastic push open waste set 1 1/4"
 flexible connection hoses
 professional edition

23 877 001 Chrome 4005176554025




BauLoop
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 GROHE Long-Life 28 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
 GROHE LowFlow mousseur 3.5 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition

23 879 001 Chrome 4005176554049








BauLoop
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 GROHE Long-Life 28 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
 GROHE LowFlow mousseur 3.5 l/min
 rapid installation system
 smooth body with plastic push open waste set 1 1/4"
 flexible connection hoses
 professional edition


23 762 001 Chrome 4005176555763



BauLoop
Basin mixer 1/2"
M-Size
 monobloc installation
 metal lever
 GROHE Long-Life 28 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition

	Ref. No.	Colour	EAN
	23 886 001	Chrome	4005176554247
	<p>BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 917 001	Chrome	4005176555787
	<p>ditto, without plastic push open waste set 1 1/4"</p>		
	23 887 001	Chrome	4005176554254
	<p>BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 885 001	Chrome	4005176554216
	<p>BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur 3.5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		
	23 763 001	Chrome	4005176555800
	<p>BauLoop Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>		



Ref. No. Colour EAN



23 891 001 Chrome 4005176554322

BauLoop
Single-lever basin mixer 1/2"
L-Size


monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition



23 764 001 Chrome 4005176555848

BauLoop
Basin mixer 1/2"
XL-Size


for free-standing basins
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition



23 338 001 Chrome 4005176555893

BauLoop
Bidet mixer 1/2"

monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition




23 633 001 Chrome 4005176555923

BauLoop
Single-lever shower mixer 1/2"

wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

Ref. No. Colour EAN


29 080 001 Chrome 4005176555961



BauLoop
Single-lever shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition




34 793 000 Chrome 4005176632433




Grotherm 500
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 GROHE thermostatic cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 headpart 90°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition

23 602 001 Chrome 4005176556029









BauLoop
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 spout with mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 protected against backflow
 S-unions
 metal wall escutcheon
 professional edition











29 081 001 Chrome 4005176556081










BauLoop
Single-lever bath/shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition











GROHE BAULOOP

	Ref. No.	Colour	EAN
 	25 231 001	Chrome	4005176554599
	BauLoop Two-handed Bath filler 1/2" deck mounted Ceramic valves 3/4", 90° GROHE Long-Life Shine durable sparkling sheen		
 	25 232 001	Chrome	4005176554605
	BauLoop Two-handed Bath/Shower mixer 1/2" deck mounted metal lever Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE Long-Life Shine durable sparkling sheen Min. recommended pressure 0.5 bar		
 	13 255 001	Chrome	4005176556722
	BauCosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur projection 171 mm male thread 1/2"		











	Ref. No.	Colour	EAN
 	20 575 000	Chrome	4005176388422
	BauFlow Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2"		
 	23 751 000	Chrome	4005176388149
	BauFlow Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses		
 	23 752 000	Chrome	4005176388156
	BauFlow Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses		
 	23 753 000	Chrome	4005176388163
	BauFlow Single-lever basin mixer 1/2\" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses		
 	23 754 000	Chrome	4005176388170
	BauFlow Bidet mixer 1/2\" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses		

	Ref. No.	Colour	EAN
 	23 755 000	Chrome	4005176388187
<p>BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	23 756 000	Chrome	4005176388392
<p>BauFlow Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	 34 793 000	Chrome	4005176632433
<p>Grohtherm 500 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE thermostatic cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton headpart 90° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p>			











GROHE COSTA L

	Ref. No.	Colour	EAN
 	20 404 001	Chrome	4005176842986
	<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen</p>		
 	20 186 001	Chrome	4005176874437
	<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen</p>		
 	20 393 001	Chrome	4005176842993
	<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen</p>		
 	21 390 001	Chrome	4005176843006
	<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable GROHE Long-Life headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE Long-Life Shine durable sparkling sheen</p>		
 	21 375 001	Chrome	4005176843037
	<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable GROHE Long-Life headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE Long-Life Shine durable sparkling sheen</p>		




GROHE COSTA L



	Ref. No.	Colour	EAN
 	26 330 001	Chrome	4005176843112
 	26 308 001	Chrome	4005176843129
 	25 450 001	Chrome	4005176843372
 	25 452 001	Chrome	4005176843075
 	25 460 10A	Chrome	4005176456541

GROHE COSTA L







		Ref. No.	Colour	EAN
		13 540 000	Chrome	4005176005411
<p>Bath spout 3/4" wall mounted flow straightener female thread 3/4" projection 140 mm GROHE Long-Life Shine durable sparkling sheen</p>				
		30 098 001	Chrome	4005176843266
<p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life Shine finish mousseur GROHE Long-Life headparts</p>				
		30 008 001	Chrome	4005176843242
<p>Costa L Stop cock wall mounted heat-insulated metal handle screwable marking: blue (cold) GROHE Long-Life headpart GROHE Long-Life Shine durable sparkling sheen pipe-ventilating valve</p>				
		19 808 001	Chrome	4005176843204
<p>Costa L Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) GROHE Long-Life Shine durable sparkling sheen</p>				
		19 809 001	Chrome	4005176853876
<p>ditto, marking red</p>				
		35 028 000		4005176908316
<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				

GROHE COSTA L











	Ref. No.	Colour	EAN
	29 800 000		4005176504839
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass		
	29 802 000		4005176504853
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
	29 805 000		4005176504884
	ditto, 1", pre-assembled headpart 1", thread union 1"		
	29 801 000		4005176504846
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass		
	29 804 000		4005176504877
	ditto, soldered connection Ø 22 mm		













GROHE UNIVERSAL

		Ref. No.	Colour	EAN
		20 201 000	Chrome	4005176883354
		<p>Universal pillar tap 1/2" C-spout flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen projection 113 mm</p>		
		20 205 000	Chrome	4005176883682
		<p>Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen projection 106 mm</p>		
		20 203 000	Chrome	4005176883378
		<p>Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen projection 185 mm</p>		




GROHE TALENTOFILL

	Ref. No.	Colour	EAN
	19 952 000	★ Chrome	4005176174230
	19 952 DC0	★ supersteel	4005176467776
	19 952 BE0	polished nickel	4005176468094
	19 952 EN0	brushed nickel	4005176468100
	19 952 GL0	★ cool sunrise	4005176352423
	19 952 GN0	★ brushed cool sunrise	4005176468117
	19 952 DA0	★ warm sunset	4005176351945
	19 952 DL0	★ brushed warm sunset	4005176468124
	19 952 A00	hard graphite	4005176352874
	19 952 AL0	★ brushed hard graphite	4005176353376
		Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000	
	28 990 000		4005176174025
	Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend		
	28 991 000		4005176174032
	Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set		
	28 993 000		4005176174056
	Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set		
	28 995 000		4005176175725
	Talentofill Connection set 3/4" with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)		











GROHE TALENTOFILL

	Ref. No.	Colour	EAN
 	19 954 000	Chrome	4005176175732
<p>Talentofill Escutcheon for connection set 28 995 GROHE Long-Life Shine durable sparkling sheen</p>			
 	14 055 000		4005176413520
<p>Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>			
 	19 025 000	Chrome	4005176209154
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 939 000		4005176209161
<p>Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow</p>			
 	28 943 000		4005176209178
<p>Talento Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow</p>			











GROHE SELECTION

	Ref. No.	Colour	EAN		
	41 027 000	Chrome	4005176576836		
	41 027 DC0	supersteel	4005176576843		
	41 027 BE0	polished nickel	4005176576850		
	41 027 EN0	brushed nickel	4005176576867		
	41 027 GL0	cool sunrise	4005176576874		
	41 027 GN0	brushed cool sunrise	4005176576881		
	41 027 DA0	warm sunset	4005176576898		
	41 027 DL0	brushed warm sunset	4005176576904		
	41 027 A00	hard graphite	4005176576911		
	41 027 AL0	brushed hard graphite	4005176576928		
		Selection Glass/soap dish holder material: metal for Selection soap dispenser (41 028 xx0/41 218 KF0) or Selection glass (41 029 000) concealed fastening GROHE Long-Life Shine durable sparkling sheen			
		41 217 KF0	phantom black	4005176782459	
		Selection Glass/soap dish holder material: metal for Selection soap dispenser (41 218 KF0) or Selection glass (41 029 000) concealed fastening GROHE Long-Life Shine finish			
					
		41 028 000	Chrome	4005176576942	
		41 028 DC0	supersteel	4005176576959	
		41 028 BE0	polished nickel	4005176576966	
		41 028 EN0	brushed nickel	4005176576973	
		41 028 GL0	cool sunrise	4005176576980	
		41 028 GN0	brushed cool sunrise	4005176576997	
		41 028 DA0	warm sunset	4005176577000	
		41 028 DL0	brushed warm sunset	4005176577017	
		41 028 A00	hard graphite	4005176577024	
		41 028 AL0	brushed hard graphite	4005176577031	
		Selection Soap dispenser material: glass / metal filling quantity 120 ml fits in the following holder: 41 027 xx0/41 218 KF0 GROHE Long-Life Shine durable sparkling sheen			
		41 218 KF0	phantom black	4005176782466	
		Selection Soap dispenser material: glass / metal filling quantity 160 ml filling quantity 130 ml fits in the following holder: 41 218 KF0 GROHE Long-Life Shine finish			
					
		41 029 000	Chrome	4005176577055	
		Selection White glass material: glass fits in the following holder: 41 027			
					









GROHE SELECTION

	Ref. No.	Colour	EAN
 	41 035 000	Chrome	4005176577062
	41 035 DC0	supersteel	4005176577079
	41 035 BE0	polished nickel	4005176577086
	41 035 EN0	brushed nickel	4005176577093
	41 035 GL0	cool sunrise	4005176577109
	41 035 GN0	brushed cool sunrise	4005176577116
	41 035 DA0	warm sunset	4005176577123
	41 035 DL0	brushed warm sunset	4005176577130
	41 035 A00	hard graphite	4005176577147
	41 035 AL0	brushed hard graphite	4005176577154
	Selection Towel ring material: metal holder for soap dish (41 036) and shower tray (41 037) length 200 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	41 036 000	glass clear	4005176577178
	Selection Soap dish without holder material: glass for use with towel ring (41 035)		
 	41 037 000		4005176577185
	Selection Shower tray without holder material: plastic for use with towel ring (41 035)		
 	41 038 000	Chrome	4005176577192
	41 038 DC0	supersteel	4005176577208
	41 038 BE0	polished nickel	4005176577215
	41 038 EN0	brushed nickel	4005176577222
	41 038 GL0	cool sunrise	4005176577239
	41 038 GN0	brushed cool sunrise	4005176577246
	41 038 DA0	warm sunset	4005176577253
	41 038 DL0	brushed warm sunset	4005176577260
	41 038 A00	hard graphite	4005176577277
	41 038 AL0	brushed hard graphite	4005176577284
	Selection Corner shower tray with holder material: metal/plastic concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	41 039 000	Chrome	4005176577307
	41 039 DC0	supersteel	4005176577314
	41 039 BE0	polished nickel	4005176577321
	41 039 EN0	brushed nickel	4005176577338
	41 039 GL0	cool sunrise	4005176577345
	41 039 GN0	brushed cool sunrise	4005176577352
	41 039 DA0	warm sunset	4005176577369
	41 039 DL0	brushed warm sunset	4005176577376
	41 039 A00	hard graphite	4005176577383
	41 039 AL0	brushed hard graphite	4005176577390
	Selection Single robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		



GROHE SELECTION



	Ref. No.	Colour	EAN
 	41 216 KF0	phantom black	4005176782442
Selection Single robe hook material: metal concealed fastening GROHE Long-Life Shine finish			
 	41 049 000 41 049 DC0 41 049 BE0 41 049 EN0 41 049 GL0 41 049 GN0 41 049 DA0 41 049 DL0 41 049 A00 41 049 AL0	Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176577413 4005176577420 4005176577437 4005176577444 4005176577451 4005176577468 4005176577475 4005176577482 4005176577499 4005176577505
Selection Double robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen			
 	41 056 000 41 056 DC0 41 056 BE0 41 056 EN0 41 056 GL0 41 056 GN0 41 056 DA0 41 056 DL0 41 056 A00 41 056 AL0	Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176577529 4005176577536 4005176577543 4005176577550 4005176577567 4005176577574 4005176577581 4005176577598 4005176577604 4005176577611
Selection Towel rail material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE Long-Life Shine durable sparkling sheen			
 	41 057 000	Chrome	4005176577635
Selection Glass shelf material: glass for use with towel rail (41 056)			
 	41 058 000 41 058 DC0 41 058 BE0 41 058 EN0 41 058 GL0 41 058 GN0 41 058 DA0 41 058 DL0 41 058 A00 41 058 AL0	Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176577642 4005176577659 4005176577666 4005176577673 4005176577680 4005176577697 4005176577703 4005176577710 4005176577727 4005176577734
Selection Towel rail material: metal length 800 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen			



GROHE SELECTION



	Ref. No.	Colour	EAN	
 	41 059 000	Chrome	4005176577758	
	41 059 DC0	supersteel	4005176577765	
	41 059 BE0	polished nickel	4005176577772	
	41 059 EN0	brushed nickel	4005176577789	
	41 059 GL0	cool sunrise	4005176577796	
	41 059 GN0	brushed cool sunrise	4005176577802	
	41 059 DA0	warm sunset	4005176577819	
	41 059 DL0	brushed warm sunset	4005176577826	
	41 059 A00	hard graphite	4005176577833	
	41 059 AL0	brushed hard graphite	4005176577840	
	Selection Towel holder, non pivotal material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening GROHE Long-Life Shine durable sparkling sheen			
	 	41 063 000	Chrome	4005176577864
		41 063 DC0	supersteel	4005176577871
41 063 BE0		polished nickel	4005176577888	
41 063 EN0		brushed nickel	4005176577895	
41 063 GL0		cool sunrise	4005176577901	
41 063 GN0		brushed cool sunrise	4005176577918	
41 063 DA0		warm sunset	4005176577925	
41 063 DL0		brushed warm sunset	4005176577932	
41 063 A00		hard graphite	4005176577949	
41 063 AL0		brushed hard graphite	4005176577956	
Selection Towel holder, pivotal material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE Long-Life Shine durable sparkling sheen				
 		41 219 KF0	phantom black	4005176782473
		Selection Towel holder, pivotal material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE Long-Life Shine finish		
 	41 064 000	Chrome	4005176577970	
	41 064 DC0	supersteel	4005176577987	
	41 064 BE0	polished nickel	4005176577994	
	41 064 EN0	brushed nickel	4005176578007	
	41 064 GL0	cool sunrise	4005176578014	
	41 064 GN0	brushed cool sunrise	4005176578021	
	41 064 DA0	warm sunset	4005176578038	
	41 064 DL0	brushed warm sunset	4005176578045	
	41 064 A00	hard graphite	4005176578052	
	41 064 AL0	brushed hard graphite	4005176578069	
	Selection Grip bar material: metal length 336 mm (functional length 300 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen			

GROHE SELECTION


	Ref. No.	Colour	EAN	
	41 066 000	Chrome	4005176578083	
	41 066 DC0	supersteel	4005176578090	
	41 066 BE0	polished nickel	4005176578106	
	41 066 EN0	brushed nickel	4005176578113	
	41 066 GL0	cool sunrise	4005176578120	
	41 066 GN0	brushed cool sunrise	4005176578137	
	41 066 DA0	warm sunset	4005176578144	
	41 066 DL0	brushed warm sunset	4005176578151	
	41 066 A00	hard graphite	4005176578168	
	41 066 AL0	brushed hard graphite	4005176578175	
	Selection Multi-towel rack material: metal length 596 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen			
				

	41 067 000	Chrome	4005176578199	
	41 067 DC0	supersteel	4005176578205	
	41 067 BE0	polished nickel	4005176578212	
	41 067 EN0	brushed nickel	4005176578229	
	41 067 GL0	cool sunrise	4005176578236	
	41 067 GN0	brushed cool sunrise	4005176578243	
	41 067 DA0	warm sunset	4005176578250	
	41 067 DL0	brushed warm sunset	4005176578267	
	41 067 A00	hard graphite	4005176578274	
	41 067 AL0	brushed hard graphite	4005176578281	
	Selection Spare toilet paper holder (2 rolls) material: metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen			
				

	41 068 000	Chrome	4005176578304	
	41 068 DC0	supersteel	4005176578311	
	41 068 BE0	polished nickel	4005176578328	
	41 068 EN0	brushed nickel	4005176578335	
	41 068 GL0	cool sunrise	4005176578342	
	41 068 GN0	brushed cool sunrise	4005176578359	
	41 068 DA0	warm sunset	4005176578366	
	41 068 DL0	brushed warm sunset	4005176578373	
	41 068 A00	hard graphite	4005176578380	
	41 068 AL0	brushed hard graphite	4005176578397	
	Selection Toilet roll holder without cover material: metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen			
				


	41 220 KF0	phantom black	4005176782480
	Selection Toilet roll holder without cover material: metal wall mounted concealed fastening GROHE Long-Life Shine finish		
			

GROHE SELECTION



Ref. No.	Colour	EAN
41 069 000	Chrome	4005176578410
41 069 DC0	supersteel	4005176578427
41 069 BE0	polished nickel	4005176578434
41 069 EN0	brushed nickel	4005176578441
41 069 GL0	cool sunrise	4005176578458
41 069 GN0	brushed cool sunrise	4005176578465
41 069 DA0	warm sunset	4005176578472
41 069 DL0	brushed warm sunset	4005176578489
41 069 A00	hard graphite	4005176578496
41 069 AL0	brushed hard graphite	4005176578502

Selection
Toilet roll holder
 with cover
 material: metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




41 076 000	★ Chrome	4005176578526
41 076 DC0	★ supersteel	4005176578533
41 076 BE0	polished nickel	4005176578540
41 076 EN0	brushed nickel	4005176578557
41 076 GL0	★ cool sunrise	4005176578564
41 076 GN0	★ brushed cool sunrise	4005176578571
41 076 DA0	★ warm sunset	4005176578588
41 076 DL0	★ brushed warm sunset	4005176578595
41 076 A00	hard graphite	4005176578601
41 076 AL0	★ brushed hard graphite	4005176578618

Selection
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen


40 791 001	white	4005176323409
40 791 KS1	velvet black	4005176336379

Spare Brush Head



41 215 KF0	phantom black	4005176782435
------------	---------------	---------------

Selection
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine finish















41 077 000	★ Chrome	4005176578632
41 077 DC0	★ supersteel	4005176578649
41 077 BE0	polished nickel	4005176578656
41 077 EN0	brushed nickel	4005176578663
41 077 GL0	★ cool sunrise	4005176578670
41 077 GN0	★ brushed cool sunrise	4005176578687
41 077 DA0	★ warm sunset	4005176575587
41 077 DL0	★ brushed warm sunset	4005176578694
41 077 A00	hard graphite	4005176578700
41 077 AL0	★ brushed hard graphite	4005176578717

Selection
Shaving mirror
 material: glass / metal
 without lights
 magnification: x 7
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen







GROHE SELECTION CUBE

	Ref. No.	Colour	EAN
 	40 865 000	Chrome	4005176378140
<p>Selection Cube Glass/soap dish holder material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 805 000	Chrome	4005176347924
<p>Selection Cube Soap dispenser material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000) GROHE Long-Life Shine finish</p>			
 	40 806 000	Glass Matt	4005176347931
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 783 000		4005176347894
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 766 000	Chrome	4005176347849
<p>Selection Cube Towel ring material: metal concealed fastening GROHE Long-Life Shine finish</p>			
 	40 768 000	Chrome	4005176347863
<p>Selection Cube Double towel bar material: metal 2 arms, pivotable 400 mm concealed fastening GROHE Long-Life Shine finish</p>			


GROHE SELECTION CUBE

		Ref. No.	Colour	EAN
		40 767 000	Chrome	4005176347856
		Selection Cube Towel rail 500 mm (functional length 459 mm) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 804 000	Chrome	4005176347917
		Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE Long-Life Shine finish		
		40 782 000	Chrome	4005176347887
		Selection Cube Robe hook material: metal concealed fastening GROHE Long-Life Shine finish		
		40 807 000	Chrome	4005176347948
		Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE Long-Life Shine finish		
		40 781 000	Chrome	4005176347870
		Selection Cube Toilet roll holder material: metal concealed fastening with cover GROHE Long-Life Shine finish		
		40 784 000	Chrome	4005176347900
		Selection Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE Long-Life Shine finish		

GROHE SELECTION CUBE

	Ref. No.	Colour	EAN
 	40 857 000	Chrome	4005176378393
<p>Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine finish</p>			
 	40 809 000	Chrome	4005176347962
<p>Selection Cube Soap wire basket material: metal for corner installation GROHE Long-Life Shine finish</p>			
 	40 808 000	Chrome	4005176347955
<p>Selection Cube Shaving mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE Long-Life Shine finish</p>			

GROHE ESSENTIALS



Ref. No.	Colour	EAN
40 369 001 ★	Chrome	4005176326196
40 369 DC1 ★	supersteel	4005176412462
40 369 BE1	polished nickel	4005176430176
40 369 EN1	brushed nickel	4005176326202
40 369 GL1 ★	cool sunrise	4005176429422
40 369 GN1 ★	brushed cool sunrise	4005176429873
40 369 DA1 ★	warm sunset	4005176428975
40 369 DL1 ★	brushed warm sunset	4005176430022
40 369 A01	hard graphite	4005176429576
40 369 AL1 ★	brushed hard graphite	4005176429729

Essentials

Glass/soap dish holder

material: metal


for crystal glass (40 372 001)

soap dish (40 368 001) or soap dispenser (40 394 001)

concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 394 001 ★	Chrome	4005176326233
40 394 DC1 ★	supersteel	4005176421532
40 394 BE1	polished nickel	4005176430183
40 394 EN1	brushed nickel	4005176412646
40 394 GL1 ★	cool sunrise	4005176429439
40 394 GN1 ★	brushed cool sunrise	4005176429880
40 394 DA1 ★	warm sunset	4005176428982
40 394 DL1 ★	brushed warm sunset	4005176430039
40 394 A01	hard graphite	4005176429583
40 394 AL1 ★	brushed hard graphite	4005176429736

Essentials

Soap dispenser

material: glass / metal

filling quantity 160 ml

fits in the following holders:


Essentials (40 369 xx1)

Essentials Cube (40 508 000)

Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)

GROHE Long-Life Shine durable sparkling sheen



40 368 001	glass clear	4005176326219
------------	-------------	---------------

Essentials

Soap dish

material: glass


fits in the following holders:

Essentials (40 369 xx1)

Essentials Cube (40 508 000)

Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)



40 372 001		4005176326226
------------	--	---------------

Essentials

Crystal glass

material: glass

fits in the following holders:








Essentials (40 369 xx1)

Essentials Cube (40 508 000)









Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)









GROHE ESSENTIALS

	Ref. No.	Colour	EAN
	40 448 001	Chrome	4005176328343
	40 448 DC1	supersteel	4005176413155
	40 448 EN1	brushed nickel	4005176335525
	Essentials Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
	40 444 001	Chrome	4005176328336
	40 444 DC1	supersteel	4005176413148
	40 444 EN1	brushed nickel	4005176335501
	Essentials Soap dish with holder material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
	40 447 001	Chrome	4005176328701
	40 447 DC1	supersteel	4005176413162
	40 447 EN1	brushed nickel	4005176335518
	Essentials Crystal glass with holder material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
	40 365 001	★ Chrome	4005176326240
	40 365 DC1	★ supersteel	4005176412431
	40 365 BE1	polished nickel	4005176430121
	40 365 EN1	brushed nickel	4005176326257
	40 365 GL1	★ cool sunrise	4005176429378
	40 365 GN1	★ brushed cool sunrise	4005176429828
	40 365 DA1	★ warm sunset	4005176428920
	40 365 DL1	★ brushed warm sunset	4005176429972
	40 365 A01	hard graphite	4005176429521
	40 365 AL1	★ brushed hard graphite	4005176429675
	Essentials Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		











GROHE ESSENTIALS

	Ref. No.	Colour	EAN	
 	40 371 001 ★	Chrome	4005176326318	
	40 371 DC1 ★	supersteel	4005176412479	
	40 371 BE1	polished nickel	4005176430138	
	40 371 EN1	brushed nickel	4005176430268	
	40 371 GL1 ★	cool sunrise	4005176429385	
	40 371 GN1 ★	brushed cool sunrise	4005176429835	
	40 371 DA1 ★	warm sunset	4005176428937	
	40 371 DL1 ★	brushed warm sunset	4005176429989	
	40 371 A01	hard graphite	4005176429538	
	40 371 AL1 ★	brushed hard graphite	4005176429682	
	Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)			
 	40 688 001	Chrome	4005176326288	
	40 688 DC1	supersteel	4005176413124	
	40 688 BE1	polished nickel	4005176430145	
	40 688 EN1	brushed nickel	4005176326295	
	40 688 GL1	cool sunrise	4005176429392	
	40 688 GN1	brushed cool sunrise	4005176429842	
	40 688 DA1	warm sunset	4005176428944	
	40 688 DL1	brushed warm sunset	4005176429996	
	40 688 A01	hard graphite	4005176429545	
	40 688 AL1	brushed hard graphite	4005176429699	
	Essentials Towel rail material: metal 504 mm (useable length 450 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
 	40 366 001 ★	Chrome	4005176326264	
	40 366 DC1 ★	supersteel	4005176412448	
	40 366 BE1	polished nickel	4005176430152	
	40 366 EN1	brushed nickel	4005176326271	
	40 366 GL1 ★	cool sunrise	4005176429408	
	40 366 GN1 ★	brushed cool sunrise	4005176429859	
	40 366 DA1 ★	warm sunset	4005176428951	
	40 366 DL1 ★	brushed warm sunset	4005176430008	
	40 366 A01	hard graphite	4005176429552	
	40 366 AL1 ★	brushed hard graphite	4005176429705	
	Essentials Towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
 	40 386 001	Chrome	4005176326301	
	40 386 BE1	polished nickel	4005176430169	
	40 386 EN1	brushed nickel	4005176430275	
	40 386 GL1	cool sunrise	4005176429415	
	40 386 GN1	brushed cool sunrise	4005176429866	
	40 386 DA1	warm sunset	4005176428968	
	40 386 DL1	brushed warm sunset	4005176430015	
	40 386 A01	hard graphite	4005176429569	
	40 386 AL1	brushed hard graphite	4005176429712	
	Essentials Towel rail material: metal 854 mm (useable length 800 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			


GROHE ESSENTIALS

	Ref. No.	Colour	EAN
	40 802 001 ★	Chrome	4005176328107
	40 802 BE1	polished nickel	4005176430251
	40 802 EN1	brushed nickel	4005176430329
	40 802 GL1 ★	cool sunrise	4005176429507
	40 802 GN1 ★	brushed cool sunrise	4005176429958
	40 802 DA1 ★	warm sunset	4005176429354
	40 802 DL1 ★	brushed warm sunset	4005176430107
	40 802 A01	hard graphite	4005176429651
	40 802 AL1 ★	brushed hard graphite	4005176429804
		Essentials Double towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)	
	40 800 001	Chrome	4005176327988
	40 800 DC1	supersteel	4005176413223
	40 800 BE1	polished nickel	4005176430244
	40 800 EN1	brushed nickel	4005176430312
	40 800 GL1	cool sunrise	4005176429491
	40 800 GN1	brushed cool sunrise	4005176429941
	40 800 DA1	warm sunset	4005176429347
	40 800 DL1	brushed warm sunset	4005176430091
	40 800 A01	hard graphite	4005176429644
	40 800 AL1	brushed hard graphite	4005176429798
	Essentials Multi bath towel rack material: metal 604 mm (useable length 550 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)		
	40 364 001 ★	Chrome	4005176326332
	40 364 DC1 ★	supersteel	4005176412424
	40 364 BE1	polished nickel	4005176430114
	40 364 EN1	brushed nickel	4005176326349
	40 364 GL1 ★	cool sunrise	4005176429361
	40 364 GN1 ★	brushed cool sunrise	4005176429811
	40 364 DA1 ★	warm sunset	4005176428913
	40 364 DL1 ★	brushed warm sunset	4005176429965
	40 364 A01	hard graphite	4005176429514
	40 364 AL1 ★	brushed hard graphite	4005176429668
	Essentials Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
	40 421 001 ★	Chrome	4005176326325
	40 421 DC1 ★	supersteel	4005176413117
	40 421 BE1	polished nickel	4005176430237
	40 421 EN1	brushed nickel	4005176430305
	40 421 GL1 ★	cool sunrise	4005176429484
	40 421 GN1 ★	brushed cool sunrise	4005176429934
	40 421 DA1 ★	warm sunset	4005176429330
	40 421 DL1 ★	brushed warm sunset	4005176430084
	40 421 A01	hard graphite	4005176429637
	40 421 AL1 ★	brushed hard graphite	4005176429781
	Essentials Grip bar material: metal 349 mm (useable length 295 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)		

GROHE ESSENTIALS

		Ref. No.	Colour	EAN
		40 793 001	Chrome	4005176327599
		40 793 DC1	supersteel	4005176413230
<p>Essentials Grip bar material: metal 507 mm (useable length 450 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p>				
		40 794 001	Chrome	4005176327605
		40 794 DC1	supersteel	4005176413247
<p>Essentials Grip bar material: metal 657 mm (useable length 600 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p>				
		40 797 001	Chrome	4005176327636
		<p>Essentials Grip bar material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p>		
		40 799 001	Chrome	4005176327971
		40 799 DC1	supersteel	4005176413216
<p>Essentials Glass shelf material: glass / metal 530 mm (useable length 380 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
		40 689 001	★ Chrome	4005176326363
		40 689 DC1	★ supersteel	4005176413131
		40 689 BE1	polished nickel	4005176430213
		40 689 EN1	brushed nickel	4005176326370
		40 689 GL1	★ cool sunrise	4005176429460
		40 689 GN1	★ brushed cool sunrise	4005176429910
		40 689 DA1	★ warm sunset	4005176429316
		40 689 DL1	★ brushed warm sunset	4005176430060
		40 689 A01	hard graphite	4005176429613
		40 689 AL1	★ brushed hard graphite	4005176429767
		<p>Essentials Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>		

GROHE ESSENTIALS



Ref. No.	Colour	EAN
40 367 001	★ Chrome	4005176326387
40 367 DC1	★ supersteel	4005176412455
40 367 BE1	polished nickel	4005176430220
40 367 EN1	brushed nickel	4005176326394
40 367 GL1	★ cool sunrise	4005176429477
40 367 GN1	★ brushed cool sunrise	4005176429927
40 367 DA1	★ warm sunset	4005176429323
40 367 DL1	★ brushed warm sunset	4005176430077
40 367 A01	hard graphite	4005176429620
40 367 AL1	★ brushed hard graphite	4005176429774


Essentials

Toilet roll holder

material: metal
with cover
concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 385 001	★ Chrome	4005176326356
40 385 DC1	★ supersteel	4005176413094
40 385 BE1	polished nickel	4005176430206
40 385 EN1	brushed nickel	4005176430299
40 385 GL1	★ cool sunrise	4005176429453
40 385 GN1	★ brushed cool sunrise	4005176429903
40 385 DA1	★ warm sunset	4005176429309
40 385 DL1	★ brushed warm sunset	4005176430053
40 385 A01	hard graphite	4005176429606
40 385 AL1	★ brushed hard graphite	4005176429750


Essentials

Spare toilet paper holder

material: metal
wall mounted
concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 374 001	★ Chrome	4005176326400
40 374 DC1	★ supersteel	4005176412486
40 374 BE1	polished nickel	4005176430190
40 374 EN1	brushed nickel	4005176430282
40 374 GL1	★ cool sunrise	4005176429446
40 374 GN1	★ brushed cool sunrise	4005176429897
40 374 DA1	★ warm sunset	4005176429293
40 374 DL1	★ brushed warm sunset	4005176430046
40 374 A01	hard graphite	4005176429590
40 374 AL1	★ brushed hard graphite	4005176429743

Essentials

Toilet brush set


material: glass / metal
wall mounted
concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	white	4005176323409
40 791 KS1	velvet black	4005176336379

Spare Brush Head













40 663 001	Chrome	4005176327834
------------	--------	---------------

BauCosmopolitan



Soap wire basket

material: metal
for corner installation
large













suitable for screwing (including screws and dowels)

	Ref. No.	Colour	EAN
 	40 664 001	Chrome	4005176327841
<p>BauCosmopolitan Soap wire basket material: metal for corner installation small suitable for screwing (including screws and dowels)</p>			
 	40 407 001 40 407 DC1	Chrome supersteel	4005176328350 4005176413179
<p>Essentials 3-in-1 WC set material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 775 001 40 775 DC1 40 775 EN1	Chrome supersteel brushed nickel	4005176328626 4005176413186 4005176324765
<p>Essentials 3-in-1 Guest bathroom accessories set material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 776 001 40 776 DC1	Chrome supersteel	4005176328633 4005176413193
<p>Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 846 001	Chrome	4005176344091
<p>Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening GROHE Long-Life Shine finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			













GROHE ESSENTIALS

	Ref. No.	Colour	EAN
	40 344 001 40 344 DC1	Chrome supersteel	4005176323461 4005176413209
	40 915 000		4005176429262
	Glue for bath accessories contains syringe with with glue and adapter for the wall mounting plate curing time 24 hours one pack is required for one wall holder plate, please note for bath towel holders suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		











GROHE ESSENTIALS CUBE

		Ref. No.	Colour	EAN
		40 508 001	Chrome	4005176324413
		40 508 DC1	supersteel	4005176636554
		40 508 AL1	brushed hard graphite	4005176636653
		Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 394 001	★ Chrome	4005176326233
		40 394 DC1	★ supersteel	4005176421532
		40 394 AL1	★ brushed hard graphite	4005176429736
		Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life Shine durable sparkling sheen		
		40 368 001	glass clear	4005176326219
		Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
		40 372 001		4005176326226
		Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
		40 756 001	Chrome	4005176328381
		Essentials Cube Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen		
		40 755 001	Chrome	4005176328374
		Essentials Cube Crystal glass with holder material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen		









GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN
 	40 754 001	Chrome	4005176328367
	Essentials Cube Soap dish with holder material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	40 510 001 40 510 DC1 40 510 AL1	Chrome supersteel brushed hard graphite	4005176324420 4005176636172 4005176636578
	Essentials Cube Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	40 624 001 40 624 DC1 40 624 AL1	Chrome supersteel brushed hard graphite	4005176324444 4005176636486 4005176636585
	Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	40 509 001 40 509 DC1	Chrome supersteel	4005176324437 4005176636493
	Essentials Cube Towel rail material: metal 600 mm (useable length 558 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	40 512 001 40 512 AL1	Chrome brushed hard graphite	4005176324451 4005176636608
	Essentials Cube Multi-towel rack material: metal 600 mm (useable length 558 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen		
 	40 511 001 40 511 DC1 40 511 AL1	Chrome supersteel brushed hard graphite	4005176324475 4005176636516 4005176636615
	Essentials Cube Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen		













GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN
 	40 514 001	Chrome	4005176324468
	40 514 DC1	supersteel	4005176636523
	40 514 AL1	brushed hard graphite	4005176636622
<p>Essentials Cube Grip bar material: metal 392 mm (useable length 340 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 507 001	Chrome	4005176324598
	40 507 DC1	supersteel	4005176636530
	40 507 AL1	brushed hard graphite	4005176636639
<p>Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 623 001	Chrome	4005176324482
	40 623 DC1	supersteel	4005176636547
	40 623 AL1	brushed hard graphite	4005176636646
<p>Essentials Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 513 001	Chrome	4005176324604
	40 513 DC1	supersteel	4005176636165
	40 513 AL1	brushed hard graphite	4005176636561
<p>Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
<p>40 791 001 white 4005176323409 40 791 KS1 velvet black 4005176336379 Spare Brush Head</p>			
 	40 757 001	Chrome	4005176328497
	<p>Essentials Cube 3-in-1 WC set material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>		











GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN
 	40 777 001	Chrome	4005176328640
<p>Essentials Cube 3-in-1 Guest bathroom accessories set material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 778 001	Chrome	4005176328657
<p>Essentials Cube 4-in-1 Master bathroom accessories set material: metal Consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 847 001	Chrome	4005176344107
<p>Essentials Cube 4-in-1 Bathroom accessories set material: glass / metal Consisting of: soap dispenser with holder (40 756 001) crystal glass with holder (40 755 001) double towel bar (40 624 001) robe hook (40 511 001) concealed fastening GROHE Long-Life Shine finish</p>			
 	40 758 001	Chrome	4005176328503
<p>Essentials Cube Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>			

GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN
 	40 585 001	Chrome	4005176327797
	BauCosmopolitan Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
 	40 394 001 ★	Chrome	4005176326233
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life Shine durable sparkling sheen		
 	40 368 001	glass clear	4005176326219
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
 	40 372 001		4005176326226
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
 	40 460 001	Chrome	4005176327803
	BauCosmopolitan Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
 	40 459 001	Chrome	4005176327810
	BauCosmopolitan Towel rail material: metal 522 mm (useable length 430 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		


GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN
 	40 462 001	Chrome	4005176327827
<p>BauCosmopolitan Multi-towel rack material: metal 564 mm (useable length 510 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p>			
 	40 461 001	Chrome	4005176327858
<p>BauCosmopolitan Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 457 001	Chrome	4005176327865
<p>BauCosmopolitan Toilet Roll Holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 463 001	Chrome	4005176327872
<p>BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
<p>40 791 001 white 4005176323409 40 791 KS1 velvet black 4005176336379 Spare Brush Head</p>			
 	40 663 001	Chrome	4005176327834
<p>BauCosmopolitan Soap wire basket material: metal for corner installation large suitable for screwing (including screws and dowels)</p>			

GROHE BAUCOSMOPOLITAN

Ref. No.	Colour	EAN
----------	--------	-----

40 664 001	Chrome	4005176327841
------------	--------	---------------



BauCosmopolitan
Soap wire basket
 material: metal
for corner installation
 small
 suitable for screwing (including screws and dowels)













40 915 000		4005176429262
------------	--	---------------













Glue for bath accessories

contains syringe with with glue and adapter for the wall mounting plate
 curing time 24 hours
 one pack is required for one wall holder plate, please note for bath towel holders
 suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
 not suitable for wallpaper, plaster and coating
 This product is a hazardous substance. Find more information in the safety data
 sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN
 	40 652 001 40 652 EN1	Chrome brushed nickel	4005176324321 4005176324239
Essentials Authentic Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen			
 	40 394 001 ★ 40 394 EN1	Chrome brushed nickel	4005176326233 4005176412646
Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life Shine durable sparkling sheen			
 	40 368 001	glass clear	4005176326219
Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001		4005176326226
Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 655 001 40 655 EN1	Chrome brushed nickel	4005176324338 4005176324246
Essentials Authentic Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen			
 	40 653 001 40 653 EN1	Chrome brushed nickel	4005176324345 4005176324253
Essentials Authentic Towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen			

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN
 	<p>40 654 001 Chrome 40 654 EN1 brushed nickel</p>	<p>4005176324352 4005176324260</p>	<p>Essentials Authentic Double towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>
 	<p>40 660 001 Chrome 40 660 EN1 brushed nickel</p>	<p>4005176324369 4005176324277</p>	<p>Essentials Authentic Multi-towel rack material: metal 586 mm (useable length 542 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>
 	<p>40 656 001 Chrome 40 656 EN1 brushed nickel</p>	<p>4005176324383 4005176324291</p>	<p>Essentials Authentic Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>
 	<p>40 657 001 Chrome 40 657 EN1 brushed nickel</p>	<p>4005176324390 4005176324307</p>	<p>Essentials Authentic Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>
 	<p>40 658 001 Chrome 40 658 EN1 brushed nickel</p>	<p>4005176324406 4005176324314</p>	<p>Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen</p>
	<p>40 791 001 white 40 791 KS1 velvet black</p>	<p>4005176323409 4005176336379</p>	<p>Spare Brush Head</p>

GROHE ESSENTIALS AUTHENTIC



Ref. No.	Colour	EAN
40 659 001	Chrome	4005176324376
40 659 EN1	brushed nickel	4005176324284

**Essentials Authentic
Corner Basket, small**
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHTHERM THERMOSTATS





CONTENTS

Grotherm SmartControl	307
Grotherm 2 handle trim sets	320
Grotherm 2000	327
Grotherm Cube	333
Grotherm 1000 Cosmopolitan	337
Grotherm 1000	339
Grotherm 1000 Performance	343
Grotherm 800 Cosmopolitan	347
Grotherm 800	350
Grotherm 500	352

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE TURBOSTAT



ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grotherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- without GROHE TurboStat
- with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH




SAFETY FIRST WITH 100 % GROHE COOLTOUCH.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience


Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.



THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.




GROHTHERM 3000 COSMOPOLITAN

MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.



GROHTHERM 2000

100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aqua Paddle
Beautiful ergonomics for ease of use and precise water control.

GROHE AquaDimmer Eco
The water-saving system for bath and shower.

GROHE XL Waterfall
Wide bath spout with XL-Size silent water flow.

100 % GROHE CoolTouch
No scalding from hot surfaces; the child-friendly solution.

GROHTHERM CUBE

100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE AquaDimmer Eco
The water-saving system for bath and shower.


GROHE TurboStat
For a perfect water temperature at all times.

GROHE XL Waterfall
Wide bath spout with XL-Size silent water flow.

GROHTHERM 1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

MetalGrip
ergonomic metal handle with paddle for enhanced grip

EasyLogic
improved intuitive graphics on body

SafeStop
Safety lock protects against scalding.

Organic shaped spout
extruding from body

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

GROHTHERM 1000 PERFORMANCE

COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

Smart Ergonomics
GROHE ProGrip with knurl structure combines ergonomic grip with amazing shape

SafeStop
Safety lock protects against scalding.

EasyLogic
improved intuitive graphics on body

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

GROHTHERM 800 COSMOPOLITAN

MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



EcoButton
saving up to
50 % water.

Automatic diverter
automatically returns from hand
shower to bath spout when off

Metal grip
Ergonomic metal handle –
easy to use with soapy hands.

GROHE TurboStat
For a perfect water
temperature at all times.

SafeStop
Temperature stop protects
against scalding.

GROHTHERM 800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



SafeStop
Temperature stop
protects against
scalding.


Eco Button
Saving up to 50 % water

GROHE TurboStat
For a perfect water
temperature at all times.

EasyLogic
Improved intuitive
graphics on body

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN
29 123 000	Chrome	4005176413292
29 123 GN0	brushed cool sunrise	4005176558122
29 123 DL0	brushed warm sunset	4005176558092
29 123 A00	hard graphite	4005176558054
29 123 AL0	brushed hard graphite	4005176558061




Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 124 000	Chrome	4005176413308
29 124 DC0	supersteel	4005176526329
29 124 GN0	brushed cool sunrise	4005176558207
29 124 DL0	brushed warm sunset	4005176558177
29 124 A00	hard graphite	4005176558139
29 124 AL0	brushed hard graphite	4005176558146




Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL




Ref. No.	Colour	EAN
29 125 000	Chrome	4005176413315

Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		






29 126 000	Chrome	4005176413322
29 126 DC0	supersteel	4005176526343
29 126 GN0	brushed cool sunrise	4005176558368
29 126 DL0	brushed warm sunset	4005176558337
29 126 A00	hard graphite	4005176558290
29 126 AL0	brushed hard graphite	4005176558306




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL



	Ref. No.	Colour	EAN
	29 127 000	Chrome	4005176413339
	29 127 DC0	supersteel	4005176526350
	29 127 GN0	brushed cool sunrise	4005176558443
	29 127 DL0	brushed warm sunset	4005176558412
	29 127 A00	hard graphite	4005176558375
	29 127 AL0	brushed hard graphite	4005176558382
	Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE Long-Life Shine durable sparkling sheen GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included		
		35 604 000	
GROHE Rapido SmartBox universal rough-in box for concealed installation			

	29 153 LS0	moon white	4005176413582
		Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life Shine finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min	
		35 604 000	
GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

29 156 LS0 moon white 4005176413599



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min





35 604 000

4005176698774

**GROHE Rapido SmartBox universal rough-in box for concealed
installation**

29 157 LS0 moon white

4005176413605



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min




35 604 000

4005176698774

**GROHE Rapido SmartBox universal rough-in box for concealed
installation**

GROHE GROHTHERM SMARTCONTROL




Ref. No.	Colour	EAN
29 158 LS0	moon white	4005176413612

Grohtherm SmartControl Triple volume control trim
set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



29 118 000	Chrome	4005176412240
29 118 DC0	supersteel	4005176455032
29 118 GL0	cool sunrise	4005176492976
29 118 GN0	brushed cool sunrise	4005176492983
29 118 DA0	warm sunset	4005176492990
29 118 DL0	brushed warm sunset	4005176493003
29 118 A00	hard graphite	4005176493010
29 118 AL0	brushed hard graphite	4005176455049

Grohtherm SmartControl Thermostat for concealed installation with one valve
set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min




35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

29 119 000	★ Chrome	4005176412257
29 119 DC0	★ supersteel	4005176455056
29 119 GL0	★ cool sunrise	4005176493041
29 119 GN0	★ brushed cool sunrise	4005176493058
29 119 DA0	★ warm sunset	4005176493065
29 119 DL0	★ brushed warm sunset	4005176493072
29 119 A00	hard graphite	4005176493089
29 119 AL0	★ brushed hard graphite	4005176455063



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 507 KF0 phantom black

4005176782534

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously


without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min




35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL



Ref. No.	Colour	EAN
29 120 000	Chrome	4005176412264


Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2" **without roughing-in-set**
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	


29 121 000	★ Chrome	4005176412271
29 121 DC0	★ supersteel	4005176455094
29 121 GL0	★ cool sunrise	4005176493188
29 121 GN0	★ brushed cool sunrise	4005176493195
29 121 DA0	★ warm sunset	4005176493201
29 121 DL0	★ brushed warm sunset	4005176493218
29 121 A00	hard graphite	4005176493225
29 121 AL0	★ brushed hard graphite	4005176455100

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



35 604 000	4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation	

GROHE GROHTHERM SMARTCONTROL




Ref. No.	Colour	EAN
29 508 KF0	phantom black	4005176782541

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
 GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		



29 122 000	Chrome	4005176412288
29 122 DC0	supersteel	4005176455117
29 122 BE0	polished nickel	4005176493232
29 122 EN0	brushed nickel	4005176413728
29 122 GL0	cool sunrise	4005176515194
29 122 GN0	brushed cool sunrise	4005176515200
29 122 DA0	warm sunset	4005176515217
29 122 DL0	brushed warm sunset	4005176515224
29 122 A00	hard graphite	4005176515231
29 122 AL0	brushed hard graphite	4005176455124

Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604/35 601
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
 GROHE Water Saving to full flow
 exchangeable symbols
 GROHE ProGrip with knurl structure
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min




35 604 000		4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

29 150 LS0 moon white 4005176413544



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min




35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 151 LS0 moon white

4005176413551



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min







35 604 000


4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation





GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN
	29 904 LS0	moon white	4005176413568
	<p>Grohtherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life Shine finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>		
		35 604 000	4005176698774
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			


	29 152 LS0	moon white	4005176413575
	<p>Grohtherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE Long-Life Shine finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>		
		35 604 000	4005176698774
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			


	34 742 000	Chrome	4005176484094
	<p>Grohtherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p>		


GROHE GROHTHERM SMARTCONTROL


	Ref. No.	Colour	EAN
	34 804 000	Chrome	4005176686740
	Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox (35 604) Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) professional edition		
	34 743 000	Chrome	4005176484100
	Grohtherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)		
	34 744 000	Chrome	4005176484117
	Grohtherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600/35 604 Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm hand shower Euphoria Cosmopolitan Stick (27 400) Silverflex shower hose 1250 mm (28 362)		
	34 705 000	Chrome	4005176413285
	Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)		


GROHE GROHTHERM SMARTCONTROL


	Ref. No.	Colour	EAN
	34 713 000	Chrome	4005176409776
	<p>Grotherm SmartControl Combi thermostatic shower mixer with 3 valves, exposed/concealed wall mounted</p> <p>GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE Water Saving - Less water, perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow requires concealed body 26 449 000 – to be ordered separately</p>		




	34 714 000	Chrome	4005176409783
	<p>Grotherm SmartControl Combi thermostatic shower mixer with 2 valves, exposed/concealed wall mounted</p> <p>GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE Water Saving - Less water, perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow requires concealed body 26 449 000 – to be ordered separately</p>		





	26 449 000		4005176409790
	<p>Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>		





GROHE GROHTHERM SMARTCONTROL


	Ref. No.	Colour	EAN
	34 719 000	Chrome	4005176457654
	<p>Grohtherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>		





	34 718 000	Chrome	4005176457647
	<p>Grohtherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>		












	34 721 000	Chrome	4005176457678
	<p>Grohtherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 900 mm (27 226 001)</p>		











	34 720 000	Chrome	4005176457661
	<p>Grohtherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>		












GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN
	24 078 000	Chrome	4005176466038
	<p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
	35 604 000		4005176698774
	<p> GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	24 079 000	Chrome	4005176466045
	<p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
	35 604 000		4005176698774
	<p> GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	24 080 000	Chrome	4005176466052
	<p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
	35 604 000		4005176698774
	<p> GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		









GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN
	34 728 000	Chrome	4005176466069
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>		
	34 729 000	Chrome	4005176466076
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>		
	34 730 000	Chrome	4005176466342
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1250 mm (28 362)</p>		
	34 734 000	Chrome	4005176466403
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)</p>		


GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN
 	24 075 000	Chrome	4005176465987
	<p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
		35 604 000	4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
 	24 076 000	Chrome	4005176465994
	<p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
		35 604 000	4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
 	24 077 000	Chrome	4005176466007
	<p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
		35 604 000	4005176698774
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		

GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN
 	34 726 000	Chrome	4005176466014
<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>			
 	34 727 000	Chrome	4005176466021
<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>			
 	34 731 000	Chrome	4005176466359
<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p>			
 	34 732 000	Chrome	4005176466366
<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p>			



GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN
	34 735 000	Chrome	4005176466410
<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan Headshower 160 mm (27 134) Rainshower shower arm 286 mm (28 576) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)</p>			

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour EAN

24 153 000 **Chrome** 4005176481178
 24 153 DC0 **supersteel** 4005176574221
 24 153 AL0 **brushed hard graphite** 4005176585913





Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000 **Chrome** 4005176481185
 24 154 DC0 **supersteel** 4005176574238
 24 154 AL0 **brushed hard graphite** 4005176585920







Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN
	24 155 000	Chrome	4005176481192
	24 155 DC0	supersteel	4005176574245
	24 155 AL0	brushed hard graphite	4005176585937
<p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermostatic element GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	<p>35 604 000 4005176698774 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		

		34 741 000	Chrome	4005176481208
		<p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox 35 600/35 604 Rainshower 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p>		


GROHE GROHTHERM 2000

Ref. No.	Colour	EAN
34 469 001	Chrome	4005176926396









Grohtherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
 temperature scale handle with
GROHE SafeStop safety stop at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 integrated mixed water shut off
GROHE TurboStat compact cartridge
 with wax thermoelement
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
 removable for easy cleaning
 chrome
GROHE Water Saving - Less water, perfect flow

34 463 001	Chrome	4005176926419
------------	--------	---------------







Grohtherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop Plus integrated temperature limiter at max 50°C
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 integrated flow limiter 14 l/min in the shower outlet
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray
 removable for easy cleaning
 chrome
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM 2000

	Ref. No.	Colour	EAN
 	34 169 001	Chrome	4005176926518
	<p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow</p>		
 	34 446 001	Chrome	4005176926402
	<p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow integrated flow limiter 14 l/min in the shower outlet</p>		
 	34 170 001	Chrome	4005176926471
	<p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting chrome plated union nuts GROHE Water Saving - Less water, perfect flow</p>		

GROHE GROHTHERM 2000

Ref. No.	Colour	EAN
34 464 001	Chrome	4005176926433
<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EasyReach shower tray removable for easy cleaning GROHE Water Saving - Less water, perfect flow</p>		
 		


34 174 001	Chrome	4005176926426
<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow</p>		
 		

GROHE GROHTHERM 2000

Ref. No. Colour EAN


34 466 001 Chrome 4005176926440

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 shower bottom outlet 1/2"
 - diverter: bath/shower
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
 optional upgrade: GROHE EasyReach shower tray (18 608 001)
 integrated flow limiter 14 l/min in the shower outlet
GROHE Water Saving - Less water, perfect flow











34 484 001 Chrome 4005176932519

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 integrated flow limiter 14 l/min in the shower outlet
GROHE Water Saving - Less water, perfect flow



GROHE GROHTHERM 2000

	Ref. No.	Colour	EAN
	34 176 001	Chrome	4005176926488
	<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" deck mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - flow control - diverter: bath/shower - integrated (economy button with economy stop for shower) shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow pillar unions with covered fixing GROHE Water Saving - Less water, perfect flow</p>		
	34 281 001	Chrome	4005176926501
	<p>Grotherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 2000 thermostat shower mixer (34 469) Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)</p>		
	34 195 001	Chrome	4005176926631
	<p>Grotherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 2000 thermostat shower mixer (34 469) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>		
	18 608 001	Chrome	4005176985140
	<p>Grotherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE Long-Life Shine durable sparkling sheen suitable for Grotherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm</p>		

GROHE GROHTHERM 2000




Ref. No.	Colour	EAN
47 175 000		4005176803895

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,
Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and
Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings


GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN
34 491 000	Chrome	4005176940644




Grohtherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 Da Vinci satin white finish
GROHE Water Saving - Less water, perfect flow

34 488 000	Chrome	4005176940620
------------	--------	---------------



Grohtherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE Water Saving - Less water, perfect flow


34 509 000	Chrome	4005176941801
------------	--------	---------------



Grohtherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 shower bottom outlet 1/2"
 ceramic headpart 1/2", 180°
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
 integrated flow limiter 14 l/min in the shower outlet
GROHE Water Saving - Less water, perfect flow


GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN
34 502 000	Chrome	4005176940798




Grotherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 Da Vinci satin white finish
GROHE Water Saving - Less water, perfect flow

34 497 000	Chrome	4005176940675
------------	--------	---------------



Grotherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE Water Saving - Less water, perfect flow


34 508 000	Chrome	4005176941795
------------	--------	---------------



Grotherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN
18 700 000	daVinci satin white	4005176940811




Grohtherm Cube
GROHE EasyReach tray
 for Grohtherm Cube
 removable for easy cleaning
 Da Vinci satin white finish
 suitable for Grohtherm Cube
 - exposed thermostatic shower mixer with centre distance 150 mm
 - exposed thermostatic bath mixer with centre distance 150 mm

47 175 000		4005176803895
------------	--	---------------



GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after being installed in exposed fittings

24 153 000	Chrome	4005176481178
24 153 DC0	supersteel	4005176574221
24 153 AL0	brushed hard graphite	4005176585913




Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000		4005176698774
------------	--	---------------

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000	Chrome	4005176481185
24 154 DC0	supersteel	4005176574238
24 154 AL0	brushed hard graphite	4005176585920



Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set




35 604 000		4005176698774
------------	--	---------------

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM CUBE

Ref. No. Colour EAN

24 155 000 Chrome 4005176481192
 24 155 DC0 supersteel 4005176574245
 24 155 AL0 brushed hard graphite 4005176585937



Grotherm Cube
 Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for
 GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
 with wax thermostatic element

GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C
 (calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000 Chrome 4005176481208



Grotherm Cube

Perfect shower set with Rainshower Allure 230

Consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox 35 600/35 604

Rainshower 230 metal head shower (27 479)









Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

shower outlet elbow (26 370)

Silverflex shower hose 1250 mm (28 362)

GROHE GROHTHERM 1000 COSMOPOLITAN

	Ref. No.	Colour	EAN
 	34 430 000	Chrome	4005176917981
	<p>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>		
 	34 437 000	Chrome	4005176918025
	<p>Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000) Euphoria Mono shower set (27 256 001) with GROHE DreamSpray recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1 Euphoria Shower set (27 256 001)</p>		
 	34 448 000	Chrome	4005176919183
	<p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4" GROHE Long-Life Shine durable sparkling sheen chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>		
 	34 519 000	Chrome	4005176998515
	<p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2" GROHE Long-Life Shine finish chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>		

GROHE GROHTHERM 1000 COSMOPOLITAN

Ref. No.	Colour	EAN
----------	--------	-----

47 175 000		
------------	--	--

		4005176803895
--	--	---------------



GROHE TurboStat cartridge 1/2"




for reversed inlets (hot water right)




fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats

service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN
 	 34 814 003	Chrome	4005176695728
	<p>Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic shower mixer 34 143 003</p>		
	34 143 003	Chrome	4005176309618
replaced by 34 814 003			


 	 34 818 003	Chrome	4005176695766
	<p>Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p>		

GROHE GROHTHERM 1000

Ref. No. Colour EAN



34 817 003 Chrome 4005176695759




Grohtherm 1000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 without connection unions for wall mounting
GROHE Water Saving - Less water, perfect flow
 professional edition

34 146 003 Chrome 4005176309625
 replaced by **34 817 003**



34 816 003 Chrome 4005176695742



Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition
 replaces Grohtherm 1000 thermostatic bath mixer 34 155 003


34 155 003 Chrome 4005176310027
 replaced by **34 816 003**

GROHE GROHTHERM 1000

Ref. No. Colour EAN




34 821 003 Chrome 4005176698590



Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow professional edition



34 823 003 Chrome 4005176698613




Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower shower bottom outlet 1/2"
 built-in non return valves
 mousseur
 dirt strainers
 protected against backflow
 without connection unions for wall mounting
GROHE Water Saving - Less water, perfect flow professional edition

34 156 003 Chrome 4005176310034
 replaced by 34 823 003






















34 824 004 Chrome 4005176698620






Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grohtherm 1000 NEW thermostatic shower mixer 1/2"
 (34 814)
 Tempesta shower set II, 900 mm (27 646)
 professional edition

34 256 004 Chrome 4005176456671
 replaced by 34 824 004




GROHE GROHTHERM 1000

		Ref. No.	Colour	EAN
		 34 820 004	Chrome	4005176698583
		Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 814) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition		
		 34 151 004	Chrome	4005176456664
		replaced by 34 820 004		
		 34 825 001	Chrome	4005176698637
		Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 818) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition		
		 34 557 001	Chrome	4005176456688
		replaced by 34 825 001		
		 34 819 004	Chrome	4005176695773
		Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 817) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition		
		 34 152 004	Chrome	4005176456640
		replaced by professional version 34 819 004		
		47 175 000		4005176803895
GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings				

GROHE GROHTHERM 1000 PERFORMANCE





	Ref. No.	Colour	EAN
 	 34 827 000	Chrome	4005176698651
	<p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p>		

34 776 000 Chrome **4005176612930**
 replaced by professional version 34 827 000




 	 34 830 000	Chrome	4005176698682
	<p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p>		




34 779 000 Chrome **4005176612961**
 replaced by professional version 34 830 000




GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN
		34 831 000 Chrome	4005176698699
		<p> Grohtherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow professional edition </p>	
	34 780 000 Chrome	4005176612978 replaced by professional version 34 831 000	
		34 832 000 Chrome	4005176698705
		<p> Grohtherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition </p>	
	34 781 000 Chrome	4005176612985 replaced by professional version 34 832 000	

GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN
		 34 833 000	Chrome 4005176698712
		<p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p>	
	34 782 000	Chrome replaced by professional version 34 833 000	4005176612992


		 34 834 000	Chrome 4005176698729
		<p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 827) Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002) optional GROHE Water Saving 5.7 l/min flow limiter included professional edition</p>	
	34 783 000	Chrome replaced by professional version 34 834 000	4005176613005

		 34 835 000	Chrome 4005176698736
		<p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 827) Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002) optional GROHE Water Saving 5.7 l/min flow limiter included professional edition</p>	
	34 784 000	Chrome replaced by professional version 34 835 000	4005176613012

GROHE GROHTHERM 1000 PERFORMANCE

Ref. No. Colour EAN

34 838 000 Chrome 4005176698767









Grotherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 832)
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
 professional edition

47 175 000 4005176803895









GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,
 Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and
 Grotherm SmartControl exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings






GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN
	34 765 000	Chrome	4005176612022
	<p>Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		
	34 767 000	Chrome	4005176612046
	<p>Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow</p>		
	34 771 000	Chrome	4005176612886
	<p>Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		

GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN
	34 766 000	Chrome	4005176612039
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		
	34 770 000	Chrome	4005176612077
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow</p>		
	34 772 000	Chrome	4005176612893
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		


GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN
 	34 768 000	Chrome	4005176612053
<p>Grohtherm 800 Cosmopolitan Thermostatic shower set 1/2" Consisting of: Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000) Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002) optional GROHE Water Saving 5.7 l/min flow limiter included</p>			
 	34 769 000	Chrome	4005176612060
<p>Grohtherm 800 Cosmopolitan Thermostatic shower set 1/2" Consisting of: Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000) Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002) optional GROHE Water Saving 5.7 l/min flow limiter included</p>			
	47 175 000		4005176803895
<p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>			

GROHE GROHTHERM 800


Ref. No. Colour EAN

34 558 000 Chrome 4005176310089




Grohtherm 800
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 dirt strainers
 built-in non return valves
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

34 562 000 Chrome 4005176310102










Grohtherm 800
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

34 567 000 Chrome 4005176310157



Grohtherm 800
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM 800

	Ref. No.	Colour	EAN
 	34 569 000	Chrome	4005176310171
	<p>Grotherm 800 Thermostatic bath mixer 1/2", 160cc wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p>		
 	34 566 001	Chrome	4005176456701
	<p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) Tempesta shower set II, 900 mm (27 646)</p>		
 	34 565 001	Chrome	4005176456718
	<p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) Tempesta shower rail set 2 sprays, 600 mm (27 598)</p>		
	47 175 000		4005176803895
	<p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>		

GROHE GROHTHERM 500


Ref. No. Colour EAN



34 793 000

Chrome

4005176632433



Grohtherm 500

Thermostatic shower mixer 1/2"
wall mounted

GROHE Long-Life Shine durable sparkling sheen

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE thermostatic cartridge with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton**

headpart 90°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon

GROHE Water Saving - Less water, perfect flow


professional edition



34 796 000

Chrome

4005176632464



Grohtherm 500

Thermostatic shower mixer 1/2" with shower set

Consisting of:

Grohtherm 500 thermostatic shower mixer 1/2" (34 793)


Tempesta 100 shower rail set 1 spray 620 mm (27 853)



34 806 000

Chrome

4005176684432



Grohtherm 500

Thermostatic shower mixer 1/2" with shower set for low pressure

Consisting of:

Grohtherm 500 thermostatic shower mixer 1/2" (34 793)

Tempesta 100 shower rail set 1 spray for low pressure, 620 mm rail

(27 214 + 28 161 + 27 523)

min. recommended pressure 0.5 bar to comply with EN1111

GROHE CONCEALED SOLUTIONS





CONTENTS

GROHE Rapido SmartBox	364
GROHE Rapido	366
GROHE Rapido C / stop valves	367

MASTERPIECE OF TECHNOLOGY

GROHE RAPIDO SMARTBOX SYSTEM

With its universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic appearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

	B	A B C		D E	D E A C
A	X	X X X	X	X	X X X
B	X	X X X	X	X	X X X
C	X	X X X	X	X	X X X
D	X	X X X	X	X	X X X
E	X	X X X	X	X	X X X
Hot	X	X X X	X	X	X X X
Cold	X	X X X	X	X	X X X



GROHE SMARTCONTROL

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer







































SINGLE-LEVER MIXERS

- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX













OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
Allure Brilliant	 24 071 000	 24 072 000	 24 099 000
Allure	 24 069 000	 24 070 000	
Atrio	 24 065 003	 24 066 003	 24 096 003
Grandera	 24 067 000	 24 068 000	
Lineare	 24 063 001	 24 064 001	 24 095 001
Eurocube	 24 061 000	 24 062 000	 24 094 000
GROHE Plus	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	























GROHE RAPIDO SMARTBOX

OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio			
	24 134 003	24 135 003	24 138 003
Grohtherm Cube			
	24 153 000	24 154 000	24 155 000
Grohtherm (square)			
	24 078 000	24 079 000	24 080 000
Grohtherm (round)			
	24 075 000	24 076 000	24 077 000

GROHE RAPIDO SMARTBOX


















OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions	3 functions	4 functions
Grohtherm SmartControl round	 29 118 000	 29 119 000 29 120 000	 29 121 000	 29 118 000 + 29 122 000
Grohtherm SmartControl square	 29 123 000	 29 124 000 29 125 000	 29 126 000	 29 123 000 + 29 127 000
Grohtherm SmartControl glass round	 29 150 LS0	 29 151 LS0	 29 904 LS0	 29 150 LS0 + 29 152 LS0
Grohtherm SmartControl glass square	 29 153 LS0	 29 156 LS0	 29 157 LS0	 29 153 LS0 + 29 158 LS0
SmartControl Mixer round	 29 144 000	 29 145 000	 29 146 000	
SmartControl Mixer square	 29 147 000	 29 148 000	 29 149 000	

GROHE RAPIDO C / CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assembled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003

* Concealed valve 29 032 000 with longlife headpart can also be used


	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera	 19 944 000			
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000

GROHE RAPIDO SMARTBOX

Ref. No.

Colour

EAN



35 604 000

4005176698774

**GROHE Rapido SmartBox
Universal rough-in box, 1/2"**

3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixing options for solid walls and dry cladding
gasket
without set for final installation
professional edition

14 055 000

4005176413520




Backflow protection combination (DIN-EN1717)

retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers

14 053 00M

4005176413513



Service stops

fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces

47 790 000

4005176841491




Rapido connection set

fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604)
VA approved
2 pcs./unit

14 048 000

4005176413483




**GROHE Rapido SmartBox
Universal extension set single-lever mixers, 25 mm**

fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox

14 056 000

4005176466298




Universal extension set single-lever mixers, 25 mm

fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox

GROHE RAPIDO SMARTBOX


Ref. No. Colour EAN

14 057 000 4005176466304



Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with
GROHE Rapido SmartBox

14 058 000 4005176466311



Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with
GROHE Rapido SmartBox

49 003 000 Chrome 4005176413537











GROHE TurboStat cartridge 3/4"
for reversed inlets (hot water right)
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in
combination with GROHE Rapido SmartBox
service solution, does not comply with EN1111

CONCEALED
SOLUTIONS

GROHE RAPIDO

	Ref. No.	Colour	EAN
	33 961 000		4005176119972
<p>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops</p>			
	33 962 000		4005176119989
<p>Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops</p>			
	33 963 000		4005176128387
<p>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing</p>			
	33 964 000		4005176128394
<p>Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing</p>			

GROHE RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN
 	35 028 000		4005176908316
	GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm		
 	29 800 000		4005176504839
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass		
	29 802 000		4005176504853
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
	29 805 000		4005176504884
	ditto, 1", pre-assembled headpart 1", thread union 1"		
 	29 801 000		4005176504846
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass		
	29 804 000		4005176504877
	ditto, soldered connection Ø 22 mm		
 	29 811 000		4005176062711
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass		
	29 813 000		4005176062735
	ditto, 3/4"		

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Controllers	378
Shower Systems	Rainshower System SmartControl	379
	Rainshower SmartActive System	383
	Rainshower System	386
	Euphoria SmartControl System	389
	Euphoria Shower System	392
	Tempesta System	401
	Shower System Accessories	406
Head Showers	Head Showers	408
	Side showers	429
Showers	Rainshower SmartActive	430
	Rainshower	437
	Relaxa	439
	Euphoria	441
	Tempesta	450
	Tempesta-F Trigger Sprays	466
	Shower Hoses	468
	Shower hoses available until 06/2023	472
	Shower Accessories	476

GROHE SHOWERS

INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



GROHE TRIOMASSAGE SPRAY

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



RIGHT IS JUST ONE CLICK AWAY.

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



GROHE Rain

A soft and refreshing shower.



GROHE ActiveMassage

A moving spray reducing stress and tension.



GROHE Jet

The power shower after sports.






EUPHORIA SMARTCONTROL

YOUR TURN – YOUR SHOWER


We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.






Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.


GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING – PUSH, TURN, SHOWER

Rainshower SmartControl – choose the spray, control the volume, save the settings. All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.






Push the button to start the shower.







Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.

GROHE F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN
 	36 309 000	Chrome	4005176894794
<p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>GROHE Long-Life Shine durable sparkling sheen energy efficiency class illumination of control unit: not applicable</p>			

 	36 078 000		4005176856532
<p>Plug power supply 110-240 V operating voltage 6V cable length 400 mm</p>			

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No. Colour EAN

26 250 000 Chrome 4005176316999

Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LSO)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

GROHE EasyReach shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

suitable for instantaneous heaters from 18 kW/h

TwistStop preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain



26 250 LSO moon white 4005176317002

ditto, head shower with white spray plate

26 361 000 Chrome 4005176347580

Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LSO)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

GROHE EasyReach shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

suitable for instantaneous heaters from 18 kW/h

TwistStop preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain



26 361 LSO moon white 4005176409707

ditto, head shower with white spray plate

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No. Colour EAN

26 443 000 Chrome 4005176409875

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed

Consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower Duo 360 with horizontal 450 mm
shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow

GROHE EasyReach shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


TwistStop preventing the hose from twisting

requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be
ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 443 LS0 moon white 4005176409882

ditto, head shower with white spray plate



26 446 000 Chrome 4005176409905

Rainshower System SmartControl Mono 360

Combi shower system with thermostat, exposed/concealed

Consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower Mono 360 with horizontal

450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow

GROHE EasyReach shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


TwistStop preventing the hose from twisting

requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be
ordered separately











* to be decided during initial installation; factory default setting: GROHE PureRain

26 446 LS0 moon white 4005176409912









ditto, head shower with white spray plate



GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN
	26 254 000	Chrome	4005176317026
	Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately		
		* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 254 LS0	moon white	4005176409806
	Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately		
		* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 000	Chrome	4005176409813
	Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately		
		* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 LS0	moon white	4005176409820
	Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately		
		* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 264 001		4005176417108
	Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information		

GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN
 	26 449 000		4005176409790
	Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device		
 	48 349 000	Chrome	4005176409851
	Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life Shine durable sparkling sheen		
 	48 350 000	Chrome	4005176409868
	Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life Shine durable sparkling sheen Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI		
 	26 385 000	Chrome	4005176375057
	Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable		

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No. Colour EAN

26 647 000 Chrome 4005176533013

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 561)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable height via gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch prevents scalding on hot surfaces

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring


GROHE Long-Life Shine durable sparkling sheen

GROHE FastFixation upper bracket adjustable

SpeedClean anti-limescale system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



26 647 LSO moon white 4005176533051
ditto, head shower with white spray plate

26 648 000 Chrome 4005176533020

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 562)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 574)

adjustable height via gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch prevents scalding on hot surfaces

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring

GROHE Long-Life Shine durable sparkling sheen


GROHE Water Saving 9.5 l/min flow limiter

GROHE FastFixation upper bracket adjustable

SpeedClean anti-limescale system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.




26 648 LSO moon white 4005176533068
ditto, head shower with white spray plate

GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No. Colour EAN

22 119 KF0 phantom black 4005176782510



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (22 127 KF0)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

26 649 000 Chrome 4005176533037




Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 Cube (26 567)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 Cube (26 550)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

26 652 000 Chrome 4005176533044
 ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No. Colour EAN


26 657 000 Chrome 4005176533075



Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 562)
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Rainshower SmartActive 130 (26 574)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

SHOWERS

27 966 001 Chrome 4005176532993




Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 544)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

27 968 001 Chrome 4005176533006
 ditto, with GROHE EcoJoy 9.5 l/min flow limiter


GROHE RAINSHOWER SYSTEM

Ref. No.	Colour	EAN
27 174 001	Chrome	4005176877162




Rainshower System 400
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 400 head shower (28 778 000)
 material: metal
 with ball joint
 rotation angle $\pm 20^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 966 000	Chrome	4005176929250
------------	--------	---------------



Rainshower System 310
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
 minimum flow rate 7 l/min.
 available until 31 march 2023

27 569 000	Chrome	4005176894275
------------	--------	---------------




Rainshower F-series System 10"
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower F-Series 10" (27 271 000)
 material: metal
 with ball joint, rotation angle $\pm 20^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 metal shower hose 1750 mm (28 025)
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
Inner WaterGuide for a longer life
 minimum flow rate 7 l/min.

GROHE RAINSHOWER SYSTEM


Ref. No. Colour EAN

27 032 001 Chrome 4005176877155




Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 available until 31 march 2023

27 967 000 Chrome 4005176929670



Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 head shower (28 368 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7 l/min.


27 641 000 Chrome 4005176901645



Rainshower System 210
Shower system with bath thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Head shower Rainshower Cosmopolitan 210 (28 373 000)
 material: metal
 with ball joint, rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower Sena (28 341 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

SHOWERS

GROHE RAINSHOWER SYSTEM




Ref. No.	Colour	EAN
27 058 000	Chrome	4005176830464

Rainshower System 210 Shower system with diverter for wall mounting

horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE EUPHORIA SMARTCONTROL SYSTEM



Ref. No.	Colour	EAN
26 507 000	★ Chrome	4005176457586
26 507 LS0	moon white	4005176457609
26 507 DC0	★ supersteel	4005176526374
26 507 GL0	★ cool sunrise	4005176557477
26 507 GN0	★ brushed cool sunrise	4005176557484
26 507 DA0	★ warm sunset	4005176557446
26 507 DL0	★ brushed warm sunset	4005176557453
26 507 A00	hard graphite	4005176557415
26 507 AL0	★ brushed hard graphite	4005176557422

Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



22 120 KF0	phantom black	4005176782527
------------	---------------	---------------

Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate phantom black

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


GROHE EUPHORIA SMARTCONTROL SYSTEM



Ref. No.	Colour	EAN
26 508 000	Chrome	4005176457593
26 508 LS0	moon white	4005176457616
26 508 DC0	supersteel	4005176526367
26 508 GN0	brushed cool sunrise	4005176557569
26 508 DL0	brushed warm sunset	4005176557538
26 508 A00	hard graphite	4005176557491
26 508 AL0	brushed hard graphite	4005176557507

Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life Shine durable sparkling sheen
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.



26 608 000	Chrome	4005176518577
------------	--------	---------------


Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
GROHE ProGrip with knurl structure

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No. Colour EAN

26 509 000 Chrome 4005176457623



Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 510 000 Chrome 4005176457630

Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.




GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN




26 075 001 ★ Chrome

4005176648014



Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition




26 075 DC0 ★ supersteel 4005176371219
26 075 DA0 ★ warm sunset 4005176425356
26 075 DL0 ★ brushed warm sunset 4005176425363
26 075 GL0 ★ cool sunrise 4005176425332
26 075 GN0 ★ brushed cool sunrise 4005176425349
26 075 A00 hard graphite 4005176425387
26 075 AL0 ★ brushed hard graphite 4005176425370

Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN


26 723 000 Chrome 4005176648021



Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
spray pattern:
GROHE PureRain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE Water Saving 9,5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

SHOWERS

27 296 003 Chrome 4005176647963



Euphoria System 260
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

GROHE EUPHORIA SHOWER SYSTEM

Ref. No.

Colour


EAN



27 615 002

Chrome

4005176647970



Euphoria System 260

Shower system with thermostatic mixer for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 239 000)

3 spray patterns:

Rain, Massage, SmartRain

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch prevents scalding on hot surfaces

GROHE ProGrip with knurl structure

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE SprayDimmer (Stepless

flow rate reduction)

GROHE Water Saving 9.5 l/min flow limiter

GROHE FastFixation upper bracket adjustable

Inner WaterGuide for a longer life

SpeedClean anti-limescale system

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)


professional edition



27 475 002

Chrome

4005176647840



Euphoria System 260

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage

(27 239 000)

3 spray patterns:

Rain, Massage, SmartRain

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE SprayDimmer (Stepless

flow rate reduction)

GROHE Water Saving 9.5 l/min flow limiter

GROHE FastFixation upper bracket adjustable

Inner WaterGuide for a longer life

SpeedClean anti-limescale system

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

professional edition

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 087 000 Chrome 4005176940828



Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
 shower arm
 projection 400 mm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower head shower (27 479 000)
 material: metal
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube (27 699)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
 minimum flow rate 7 l/min.

26 187 000 Chrome 4005176310744




Euphoria System 230
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower 230 (27 479 000)
 material: metal
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 363 000 Chrome 4005176339264



Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EasyReach tray (26 362 LN0)
 minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting

27 964 000 Chrome 4005176929595




Euphoria System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 383 000 Chrome 4005176369025



Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower
Rain spray pattern
GROHE Water Saving 12 l/min flow limiter
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
GROHE Water Saving 9.5 l/min flow limiter
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
optional upgrade: **GROHE EasyReach** tray (26 362)

27 296 001 Chrome 4005176896293




Euphoria System 180
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
with ball joint, rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

GROHE EUPHORIA SHOWER SYSTEM



Ref. No. Colour EAN

27 932 000 Chrome 4005176924231



Euphoria System 150
Shower system with thermostatic mixer for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria Cube 150 (27 705 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 12^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)


27 475 001 Chrome 4005176417863



Euphoria System 260
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.


GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN
26 243 000	Chrome	4005176316326




Euphoria Shower System
Shower system with bath thermostat for wall mounting
 with short shower rail for installation in showers
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 separate diverter for hand shower
 gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE Long-Life Shine durable sparkling sheen
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

23 058 003	Chrome	4005176313790
------------	--------	---------------



Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cosmopolitan Stick (27 400)
 Rain spray pattern
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.


23 147 001	Chrome	4005176313271
------------	--------	---------------



Euphoria Cube System 230
Shower system with single lever for wall mounting
 Consisting of:
 shower arm
 projection 400 mm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 Rainshower 230 metal head shower (27 479)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 Rain spray pattern
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN
27 421 002	Chrome	4005176417924



Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

27 696 000	Chrome	4005176907074
------------	--------	---------------




Euphoria Cube System 150 Shower system with diverter for wall mounting

Consisting of:
shower arm
projection 400 mm
change between hand and head shower
by using the diverter
head shower Euphoria Cube 152 mm x 152 mm
Rain spray pattern
with ball joint
rotation angle $\pm 20^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM


Ref. No.	Colour	EAN
26 670 000	Chrome	4005176580574



Tempesta Cosmopolitan System 250
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 250 (26 666)
 spray pattern:
 Rain
 head shower with white rear cover
 with ball joint
 rotation angle $\pm 10^\circ$
GROHE Water Saving 9.5 l/min flow limiter
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)
 professional edition

SHOWERS


26 689 000	Chrome	4005176580765
------------	--------	---------------



Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 250 Cube (26 685)
 spray pattern:
 Rain
 head shower with white rear cover
 with ball joint
 rotation angle $\pm 10^\circ$
GROHE Water Saving 9.5 l/min flow limiter
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)
 professional edition

GROHE TEMPESTA SYSTEM


Ref. No.	Colour	EAN
26 514 000	Chrome	4005176476099



Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 9.5 l/min (26 410)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

26 302 001	Chrome	4005176408137
------------	--------	---------------




Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Relexaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM



Ref. No.	Colour	EAN
27 922 000	Chrome	4005176923364



Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower 1 spray (28 232 000)
 Rain
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 optional upgrade: **GROHE EasyReach** tray (26 362)





26 691 000	Chrome	4005176580789
------------	--------	---------------



Tempesta Cosmopolitan System 250 Cube
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 250 Cube (26 685)
 spray pattern:
 Rain
 head shower with white rear cover
 with ball joint
 rotation angle $\pm 10^\circ$
GROHE Water Saving 9.5 l/min flow limiter
 bath inlet
 separate diverter for hand shower
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 professional edition


GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN
26 223 001	Chrome	4005176408144



Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
 exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
 allows change between:
 head shower Tempesta 210 (26 408)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.


26 224 001	Chrome	4005176408168
------------	--------	---------------



Tempesta Cosmopolitan System 210
Shower system with single lever for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 head shower Tempesta 210 (26 408)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN
26 381 001	Chrome	4005176451980



Tempesta System 210

Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

Rain spray pattern

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system











Inner WaterGuide for a longer life

ShockProof silicone ring prevents damage caused by a shower falling





suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.








GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN
 	48 349 000	Chrome	4005176409851
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life Shine durable sparkling sheen</p>			
 	48 350 000	Chrome	4005176409868
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life Shine durable sparkling sheen Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>			
 	48 053 000	Chrome	4005176890031
<p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE Long-Life Shine durable sparkling sheen</p>			
 	48 054 000	Chrome	4005176890048
<p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE Long-Life Shine durable sparkling sheen</p>			
 	14 014 000	Chrome	4005176929274
<p>Rainshower Shower arm for shower systems material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p>			









GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN
 	27 180 000	Chrome	4005176839306
	Rainshower Spacer for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 GROHE Long-Life Shine durable sparkling sheen		
 	26 385 000	Chrome	4005176375057
	Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable		







GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
	26 254 000	Chrome	4005176317026
	Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain		
	26 254 LS0	moon white	4005176409806
	ditto, head shower with white spray plate		
	26 450 000	Chrome	4005176409813
	Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain		
	26 450 LS0	moon white	4005176409820
	ditto, head shower with white spray plate		
	26 264 001		4005176417108
	Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information		
	26 475 000	Chrome	4005176423758
	26 475 DC0	supersteel	4005176526237
	26 475 GL0	cool sunrise	4005176557156
	26 475 GN0	brushed cool sunrise	4005176557163
	26 475 DA0	warm sunset	4005176557125
	26 475 DL0	brushed warm sunset	4005176557132
	26 475 A00	hard graphite	4005176557095
	26 475 AL0	brushed hard graphite	4005176557101
	Rainshower SmartActive 310 Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately		
	26 475 LS0	moon white	4005176425899
ditto, head shower with white spray plate			

GROHE HEAD SHOWERS









	Ref. No.	Colour	EAN
 	22 123 KF0	phantom black	4005176782572
	<p>Rainshower SmartActive 310 Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		
 	26 477 000	Chrome	4005176423772
	26 477 DC0	supersteel	4005176526244
	26 477 GL0	cool sunrise	4005176557231
	26 477 GN0	brushed cool sunrise	4005176557248
	26 477 DA0	warm sunset	4005176557200
	26 477 DL0	brushed warm sunset	4005176557217
	26 477 A00	hard graphite	4005176557170
	26 477 AL0	brushed hard graphite	4005176557187
	<p>Rainshower SmartActive 310 Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		
	26 477 LS0	moon white	4005176425912
ditto, head shower with white spray plate			
 	22 124 KF0	phantom black	4005176782589
	<p>Rainshower SmartActive 310 Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		
 	26 479 000	Chrome	4005176425196
	26 479 DC0	supersteel	4005176526251
	26 479 GN0	brushed cool sunrise	4005176557323
	26 479 DL0	brushed warm sunset	4005176557293
	26 479 A00	hard graphite	4005176557255
	26 479 AL0	brushed hard graphite	4005176557262
<p>Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
26 479 LS0	moon white	4005176425936	
ditto, head shower with white spray plate			

GROHE HEAD SHOWERS






	Ref. No.	Colour	EAN
	26 481 000	Chrome	4005176425219
	26 481 DC0	supersteel	4005176526268
	26 481 GN0	brushed cool sunrise	4005176557408
	26 481 DL0	brushed warm sunset	4005176557378
	26 481 A00	hard graphite	4005176557330
	26 481 AL0	brushed hard graphite	4005176557347
	Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately		
	26 481 LS0	moon white	4005176425950
ditto, head shower with white spray plate			
	26 484 000		4005176425110
	Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE Water Saving 9.5 l/min flow limiter per each water way without set for final installation		
	26 483 000		4005176425103
	ditto, with non-restricted flow		
	26 640 000	Chrome	4005176530203
	Rainshower SmartConnect 310 Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 (26 641) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with round escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar		
			

GROHE HEAD SHOWERS









SHOWERS

	Ref. No.	Colour	EAN
	26 642 000	Chrome	4005176530227
	<p>Rainshower SmartConnect 310 Cube Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 Cube (26 643) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with square escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>		
	26 558 000	Chrome	4005176481727
	<p>Rainshower Mono 310 Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>		
	26 557 000	Chrome	4005176481710
	ditto, with non-restricted flow		
	22 121 KF0	phantom black	4005176782558
	<p>Rainshower Mono 310 Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate phantom black 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>		
	26 560 000	Chrome	4005176481741
	<p>Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>		
	26 559 000	Chrome	4005176481734
	ditto, with non-restricted flow		









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	22 122 KF0	phantom black	4005176782565
	Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate phantom black 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	26 564 000	Chrome	4005176481789
	26 564 GN0	brushed cool sunrise	4005176557804
	26 564 DL0	brushed warm sunset	4005176557774
	26 564 A00	hard graphite	4005176557736
	26 564 AL0	brushed hard graphite	4005176557743
Rainshower Mono 310 Cube Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 563 000	Chrome	4005176481772
ditto, with non-restricted flow			
 	26 566 000	Chrome	4005176482106
	26 566 DC0	supersteel	4005176526282
	26 566 GN0	brushed cool sunrise	4005176557880
	26 566 DL0	brushed warm sunset	4005176557859
	26 566 A00	hard graphite	4005176557811
26 566 AL0	brushed hard graphite	4005176557828	
Rainshower Mono 310 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 565 000	Chrome	4005176482090
ditto, with non-restricted flow			
 	26 256 000	Chrome	4005176318597
	Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater		





GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	26 257 000	Chrome	4005176317927
	Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater		
 	26 066 000 ★ Chrome 26 066 DC0 ★ supersteel 26 066 GL0 ★ cool sunrise 26 066 GN0 ★ brushed cool sunrise 26 066 DA0 ★ warm sunset 26 066 DL0 ★ brushed warm sunset 26 066 A00 hard graphite 26 066 AL0 ★ brushed hard graphite		4005176937200 4005176371172 4005176427183 4005176427190 4005176427206 4005176427213 4005176427237 4005176427220
	Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
 	26 056 000	Chrome	4005176937101
	ditto, with non-restricted flow		
 	26 067 000 ★ Chrome 26 067 DC0 ★ supersteel 26 067 GL0 ★ cool sunrise 26 067 GN0 ★ brushed cool sunrise 26 067 DA0 ★ warm sunset 26 067 DL0 ★ brushed warm sunset 26 067 A00 hard graphite 26 067 AL0 ★ brushed hard graphite		4005176937217 4005176371189 4005176427268 4005176427275 4005176427282 4005176427299 4005176427312 4005176427305
	Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
	26 070 000	Chrome	4005176937248
	Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
	26 060 000	Chrome	4005176937149
	ditto, with non-restricted flow		

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	26 071 000	Chrome	4005176937255
	Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
 	26 171 000	Chrome	4005176997310
	Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray pattern: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater starting at 0.5 bar flow pressure		
 	26 062 000	Chrome	4005176937163
	Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system starting at 0.5 bar flow pressure		
	26 052 000	Chrome	4005176937064
	ditto, with non-restricted flow		
 	26 063 000	Chrome	4005176937170
	Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system starting at 0.5 bar flow pressure		











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	26 459 000	Chrome	4005176416965
	Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 458 000	Chrome	4005176416958
	ditto, with non-restricted flow		
 	26 461 000	Chrome	4005176416989
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 460 000	Chrome	4005176416972
	ditto, with non-restricted flow		
 	26 073 000	Chrome	4005176937279
	Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	26 663 000	Chrome	4005176580505
	Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
	26 668 000	Chrome	4005176580550
	ditto, but head shower with white rear cover		












GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	
		 26 664 000	Chrome	4005176580512
		Tempesta 250 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		 26 669 000	Chrome ditto, but head shower with white rear cover	4005176580567
		 26 682 000	Chrome	4005176580697
		Tempesta 250 Cube Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		 26 687 000	Chrome ditto, but head shower with white rear cover	4005176580741
		 26 683 000	Chrome	4005176580703
		Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		 26 688 000	Chrome ditto, but head shower with white rear cover	4005176580758
		26 412 000	Chrome	4005176390173
		Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	26 267 001	Chrome	4005176444197
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure		
 	27 869 001	Chrome	4005176444005
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	26 090 001	Chrome	4005176443992
	Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O ² , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	26 089 001	Chrome	4005176444067
	Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater available until 31 march 2023		
 	26 641 000	Chrome	4005176530210
	Rainshower SmartConnect 310 Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar		









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
  	26 643 000	Chrome	4005176530234
	Rainshower SmartConnect 310 Cube Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar		
 	26 569 000 26 569 EN0	Chrome brushed nickel	4005176482175 4005176482182
	Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 562 000 26 562 LS0	Chrome moon white	4005176481765 4005176482144
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter		
 	26 561 000 26 561 LS0	Chrome moon white	4005176481758 4005176482137
	Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	26 570 000 26 570 EN0	Chrome brushed nickel	4005176482199 4005176482205
	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 568 000 26 568 LS0	Chrome moon white	4005176482120 4005176482168
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter		











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
	26 567 000	Chrome	4005176482113
	26 567 LS0	moon white	4005176482151
	<p>Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>		
	27 470 000	Chrome	4005176882531
	27 470 LS0	moon white	4005176997235
	<p>Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>		
	28 778 000	Chrome	4005176820526
	28 778 LS0	moon white	4005176997235
	<p>Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497</p>		
	26 472 000	Chrome	4005176424908
	26 472 LS0	moon white	4005176997235
	<p>Rainshower Cosmopolitan 310 Head shower 1 spray Rain \varnothing 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p>		
	27 478 000	Chrome	4005176883293
	27 478 LS0	moon white	4005176997235
ditto, with GROHE Water Saving 9.5 l/min flow limiter			
	27 477 000	Chrome	4005176883286
	27 477 LS0	moon white	4005176997235
ditto, with non-restricted flow			











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	28 368 00E	Chrome	4005176867385
	Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
	28 368 000	Chrome	4005176267253
	28 368 LS0	moon white	4005176997242
	ditto, with non-restricted flow		
	28 373 000	Chrome	4005176267277
	ditto, with 9.5 l/min flow limiter		
 	27 135 000	Chrome	4005176836077
	27 135 EN0	brushed nickel	4005176836084
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle 15° ± 15° GROHE Water Saving 9.5 l/min flow limiter SpeedClean anti-limescale system suitable for instantaneous heater Min. recommended pressure 0.5 bar The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms		
 	27 134 000	Chrome	4005176836060
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
 	26 474 EN0	brushed nickel	4005176424946
	Rainshower Rustic 210 Head shower 1 spray Rain spray pattern normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE Long-Life Shine finish SpeedClean anti-limescale system		











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	27 530 000	Chrome	4005176889219
<p>Relaxa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen Inner WaterGuide for a longer life available until 31 march 2023</p>			
 	27 062 000	Chrome	4005176831669
<p>Relaxa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>			
 	27 067 000	Chrome	4005176832123
<p>Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
 	26 457 000	Chrome	4005176416934
<p>Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>			
	26 455 000	Chrome	4005176416903
<p>ditto, with non-restricted flow</p>			
 	27 492 000	Chrome	4005176885556
<p>Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p>			







GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	28 233 000	Chrome	4005176868016
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater		
 	27 237 000	Chrome	4005176854286
	Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater		
 	26 468 000	Chrome	4005176423963
	Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	27 705 000	Chrome	4005176907166
	Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	26 662 000	Chrome	4005176580499
	Tempesta 250 Head shower 1 spray Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
	26 666 000	Chrome	4005176580536
	ditto, but with white rear cover		









GROHE HEAD SHOWERS

		Ref. No.	Colour	EAN
 		26 681 000	Chrome	4005176580680
	<p>Tempesta 250 Cube Head shower 1 spray Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2"</p> <p>GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition</p>		26 685 000	Chrome
 		26 409 000	Chrome	4005176390128
	<p>Tempesta 210 Head shower 1 spray Rain \varnothing 210 mm Ball joint $\pm 15^\circ$ rotatable connection thread 1/2"</p> <p>GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>		26 410 000	Chrome
		26 408 000	Chrome	4005176390111
		26 410 000	Chrome	4005176390142
		26 408 000	Chrome	4005176390111
 		27 606 001	Chrome	4005176444180
	<p>Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2"</p> <p>GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>		26 050 001	Chrome
 		26 050 001	Chrome	4005176444166
	<p>Tempesta 100 Head shower 1 spray Rain Ball joint $\pm 15^\circ$ rotatable GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p>		27 591 001	Chrome
 		27 591 001	Chrome	4005176443985
	<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2"</p> <p>GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			













GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	26 051 001	Chrome	4005176443954
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	27 541 001	Chrome	4005176451676
	Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater		
 	27 610 001	Chrome	4005176444050
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life available until 31 march 2023		











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	28 404 000	Chrome	4005176601736
Relaxa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"			
 	28 094 000	Chrome	4005176601132
Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life Shine durable sparkling sheen adjustable flow rate without shower arm			
 	28 002 000	Chrome	4005176858796
Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871
Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system			

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN
 	26 146 000	Chrome	4005176986017
	Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen		
	26 146 LS0	moon white ditto, with white escutcheon	4005176997266
 	28 982 000	Chrome	4005176829987
	Rainshower Shower arm 372 mm material: metal connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen can be used for all Rainshower head showers except Rainshower 400 mm		
 	28 361 000	Chrome	4005176295157
	Rainshower Shower arm, 380 mm material: metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life Shine durable sparkling sheen		
	28 576 000	Chrome Ditto, projection 286 mm	4005176274022
 	26 145 000	Chrome	4005176986000
	Rainshower Shower arm 422 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen		
 	27 488 000	Chrome	4005176885525
	Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life Shine durable sparkling sheen		
 	27 709 000	Chrome	4005176909092
	Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life Shine durable sparkling sheen		

GROHE HEAD SHOWERS


	Ref. No.	Colour	EAN
 	28 497 000	Chrome	4005176270338
	Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen		
	28 724 000	Chrome	4005176812644
	ditto, length 142 mm		
 	27 484 000	Chrome	4005176885488
	Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen		
	27 485 000	Chrome	4005176885495
	ditto, 142 mm length		
 	27 711 000	Chrome	4005176909115
	Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen		
 	27 406 000	Chrome	4005176600166
	Relaxa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life Shine durable sparkling sheen		
 	28 541 000	Chrome	4005176040528
	Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life Shine durable sparkling sheen		

GROHE HEAD SHOWERS







Ref. No. Colour EAN

28 429 000 Chrome 4005176601910

Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen




GROHE SIDE SHOWERS

	Ref. No.	Colour	EAN
 	27 067 000	Chrome	4005176832123
	Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	28 198 000	Chrome	4005176038686
	Relaxa 50 Side shower 1 spray Normal spray ball-joint GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system pre-adjustment for the flow rate pre-adjustable flow rate from 5-11 l/min. minimum flow rate 4,5 l/min		
 	28 286 000	Chrome	4005176198526
	Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		









SHOWERS

GROHE RAINSHOWER SMARTACTIVE







	Ref. No.	Colour	EAN	
 	26 574 000 ★	Chrome	4005176485916	
	26 574 DC0 ★	supersteel	4005176526459	
	26 574 GL0 ★	cool sunrise	4005176558511	
	26 574 GN0 ★	brushed cool sunrise	4005176558528	
	26 574 DA0 ★	warm sunset	4005176558481	
	26 574 DL0 ★	brushed warm sunset	4005176558498	
	26 574 A00	hard graphite	4005176558450	
	26 574 AL0 ★	brushed hard graphite	4005176558467	
	Rainshower SmartActive 130 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
	26 544 000	Chrome	4005176478888	
	ditto, with non-restricted flow			
 	22 127 KF0	phantom black	4005176782633	
	Rainshower SmartActive 130 Hand shower 3 sprays spray plate phantom black GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
	26 574 LS0	moon white	4005176485923	
	Rainshower SmartActive 130 Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
	 	26 575 000	Chrome	4005176485947
		Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
		26 546 000	Chrome	4005176479816
		ditto, with non-restricted flow		

GROHE RAINSHOWER SMARTACTIVE

SHOWERS









	Ref. No.	Colour	EAN
 	26 578 000	Chrome	4005176485985
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	26 579 LSO	moon white	4005176486203
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
	26 578 LSO	moon white	4005176486197
	ditto, with non-restricted flow		
 	26 581 000	Chrome	4005176486234
	Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
	26 581 LSO	moon white	4005176486241
	ditto, with white spray plate		
 	26 580 000	Chrome	4005176486210
	Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
	26 580 LSO	moon white	4005176486227
	ditto, with white spray plate		

GROHE RAINSHOWER SMARTACTIVE









	Ref. No.	Colour	EAN
 	26 582 000	Chrome	4005176486258
	26 582 DC0	supersteel	4005176526466
	26 582 GN0	brushed cool sunrise	4005176558603
	26 582 DL0	brushed warm sunset	4005176558573
	26 582 A00	hard graphite	4005176558535
	26 582 AL0	brushed hard graphite	4005176558542
	Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater		
	26 552 000	Chrome	4005176486272
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter		
	26 550 000	Chrome	4005176479854
	ditto, with non-restricted flow		
 	26 582 LS0	moon white	4005176486265
	Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater		
	26 584 000	Chrome	4005176486296
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
	26 585 000	Chrome	4005176486319
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter		
 	26 583 000	Chrome	4005176486289
	ditto, with non-restricted flow		

GROHE RAINSHOWER SMARTACTIVE

SHOWERS


	Ref. No.	Colour	EAN
 	26 584 LS0	moon white	4005176486302
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	26 586 000	Chrome	4005176486333
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
	26 587 000	Chrome	4005176486340
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter		
 	26 586 LS0	moon white	4005176486357
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
	26 587 LS0	moon white	4005176486364
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter		
 	26 589 000	Chrome	4005176486395
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		

GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN
 	26 589 LS0	moon white	4005176486401
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	26 588 000	Chrome	4005176486371
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	26 588 LS0	moon white	4005176486388
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	26 590 000	Chrome	4005176486418
	Rainshower SmartActive 150 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater		
	26 553 000	Chrome	4005176479885
	ditto, with non-restricted flow		

GROHE RAINSHOWER SMARTACTIVE

Ref. No. Colour EAN




26 592 000 Chrome 4005176486449

**Rainshower SmartActive 150
Shower rail set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater

26 591 000 Chrome 4005176486425
ditto, with non-restricted flow




26 592 LSO moon white 4005176486432

**Rainshower SmartActive 150
Shower rail set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 150 (26 554)
spray plate moon white
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater



26 594 000 Chrome 4005176486470

**Rainshower SmartActive 150
Shower rail set 3 sprays**









Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater

26 593 000 Chrome 4005176486456
ditto, with non-restricted flow

SHOWERS

GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN
 	26 594 LS0	moon white	4005176486463
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 554) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	26 602 000	Chrome	4005176486531
	Rainshower SmartActive Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine durable sparkling sheen		
 	26 603 000 ★ 26 603 BE0 26 603 EN0 26 603 GLO ★ 26 603 GN0 ★ 26 603 DA0 ★ 26 603 DL0 ★ 26 603 A00 26 603 AL0 ★	Chrome polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176486548 4005176558719 4005176558740 4005176558757 4005176558764 4005176558726 4005176558733 4005176558696 4005176558702
	Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine durable sparkling sheen		
 	22 125 KF0	phantom black	4005176782619
	Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine finish		

GROHE RAINSHOWER

Ref. No.


Colour

EAN

27 134 000

Chrome

4005176836060



Rainshower Cosmopolitan 160
Head shower 4 sprays

Rain / Jet / Pure / Champagne spray
Ø 160 mm



ball joint with turning angle $\pm 15^\circ$
connection thread 1/2"



GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system

GROHE RAINSHOWER


	Ref. No.	Colour	EAN
 	27 274 000	Chrome	4005176861383
	Rainshower Eco 120 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		

 	45 914 XE0	gray night time	4005176842054
	Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136		

GROHE RELEXA


Ref. No. Colour EAN

27 530 000 Chrome 4005176889219




Relexa Deluxe 130
Head shower 4 sprays
 Normal, Rain, Champagne spray, Champagne spray Deluxe
 Ball joint +/- 15° rotatable
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
Inner WaterGuide for a longer life
 available until 31 march 2023

28 796 000 Chrome 4005176824296




Relexa 100 Five
Hand shower 5 sprays
 Wide spray / Needle Jet / Rain / Massage /
 Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7.5 l/min.

28 964 001 Chrome 4005176877254




Relexa 100 Five
Shower rail set 5 sprays
 Consisting of:
 Hand shower Relexa Five (28 796 000)
 shower rail, 600 mm (28 797)
 with wall holders made of metal
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance
 between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting

27 062 000 Chrome 4005176831669













Relexa 100 Five
Head shower 5 sprays
 Wide spray / Needle Jet / Rain / Massage /
 Champagne spray
 ball-joint
 connection thread with pre-assembled
 sealing
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7.5 l/min.

27 067 000 Chrome 4005176832123















Relexa 65
Side shower 2 sprays
 Wide spray/Massage
 ball-joint
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life









GROHE RELEXA

	Ref. No.	Colour	EAN
 	28 404 000	Chrome	4005176601736
Relaxa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"			
 	28 094 000	Chrome	4005176601132
Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life Shine durable sparkling sheen adjustable flow rate without shower arm			
 	28 002 000	Chrome	4005176858796
Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871
Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system			
 	28 286 000	Chrome	4005176198526
Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system			

GROHE EUPHORIA









	Ref. No.	Colour	EAN
 	27 222 000	Chrome	4005176854132
<p>Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater</p>			
 	26 513 000	Chrome	4005176457722
<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 239 001	Chrome	4005176457715
<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 221 001	Chrome	4005176457708
<p>ditto, with non-restricted flow</p>			
 	27 239 000	Chrome	4005176854323
<p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
 	27 221 000	Chrome	4005176854125
<p>ditto, with non-restricted flow</p>			









GROHE EUPHORIA

	Ref. No.	Colour	EAN
 	27 238 000	Chrome	4005176854293
	Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 220 000	Chrome	4005176854118
	ditto, with non-restricted flow		
 	27 265 00E	Chrome	4005176885693
	Euphoria 110 Mono Hand shower 1 spray Rain GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 265 000	Chrome	4005176856983
	ditto, with non-restricted flow		
 	27 224 000	Chrome	4005176854156
	Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar		
 	27 232 001	Chrome	4005176899560
	Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		









GROHE EUPHORIA

SHOWERS



	Ref. No.	Colour	EAN
 	27 243 001	Chrome	4005176899799
	<p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater</p>		
	27 231 001	Chrome	4005176899553
	ditto, with non-restricted flow		
 	27 242 001	Chrome	4005176899782
	<p>Euphoria 110 Duo Shower rail set 2 sprays Consisting of: hand shower Euphoria 110 Duo (27 238) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 230 001	Chrome	4005176899546
	ditto, with non-restricted flow		
 	27 266 00E	Chrome	4005176890710
	<p>Euphoria 110 Mono Shower rail set 1 spray Consisting of: hand shower Euphoria Mono (27 265 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 266 001	Chrome	4005176899812
	ditto, with non-restricted flow		
 	27 256 001	Chrome	4005176899805
	<p>Euphoria 110 Mono Shower rail set 1 spray hand shower Mono (27 224 000) shower rail, 600 mm (27 499) shower hose 1500 mm (28 161) soap dish GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		

	Ref. No.	Colour	EAN
 	27 227 001	Chrome	4005176899522
	Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 226 001	Chrome	4005176899515
	Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE SprayDimmer (Stepless flow rate reduction) GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	27 225 001	Chrome	4005176899508
	Euphoria 110 Duo Shower rail set 2 sprays Consisting of: hand shower Duo (27 220 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater		
 	27 267 001	Chrome	4005176899829
	Euphoria 110 Mono Shower rail set 1 spray Consisting of: Handshower mono (27 265 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE EUPHORIA











	Ref. No.	Colour	EAN
 	27 355 000	Chrome	4005176874451
	Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 354 000	Chrome	4005176874444
	Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 459 000	Chrome	4005176416965
	Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 458 000	Chrome	4005176416958
	ditto, with non-restricted flow		
 	26 461 000	Chrome	4005176416989
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 460 000	Chrome	4005176416972
	ditto, with non-restricted flow		

GROHE EUPHORIA











	Ref. No.	Colour	EAN
 	26 457 000	Chrome	4005176416934
	Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 455 000	Chrome	4005176416903
	ditto, with non-restricted flow		
 	27 237 000	Chrome	4005176854286
	Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater		
 	27 499 000	Chrome	4005176886041
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life Shine durable sparkling sheen		
	27 500 000	Chrome	4005176886058
	ditto, 900 mm		
 	48 051 000		4005176890024
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500		
 	27 596 000		4005176895944
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm		

GROHE EUPHORIA

SHOWERS











	Ref. No.	Colour	EAN
 	27 400 000	Chrome	4005176877292
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 367 000	Chrome	4005176875939
	ditto, with non-restricted flow		
 	22 126 KF0	phantom black	4005176782626
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 368 000	Chrome	4005176875946
	Euphoria Cosmopolitan Stick Shower rail set 1 spray Consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 369 000	Chrome	4005176875953
	Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater Min. recommended pressure 0.5 bar		
 	27 492 000	Chrome	4005176885556
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		

GROHE EUPHORIA

	Ref. No.	Colour	EAN
 	28 233 000	Chrome	4005176868016
Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater			
 	27 891 000	Chrome	4005176921209
Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting			
 	27 699 000	Chrome	4005176907104
Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 698 000	Chrome	4005176907098
ditto, with non-restricted flow			
 	27 936 000	Chrome	4005176927058
Euphoria Cube Shower set Consisting of: Hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar available until 31 march 2023			
 	27 700 000	Chrome	4005176907111
Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 1.0 bar			

GROHE EUPHORIA









SHOWERS

	Ref. No.	Colour	EAN
 	26 405 000	Chrome	4005176385162
	<p>Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	27 703 000	Chrome	4005176907142
	<p>Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 1.0 bar</p>		
 	27 702 000	Chrome	4005176907135
	<p>27 702 000 Chrome ditto, with non-restricted flow</p>		
 	26 073 000	Chrome	4005176937279
	<p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>		
 	27 705 000	Chrome	4005176907166
	<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>		
 	27 841 000	Chrome	4005176916670
	<p>Euphoria Cube Shower rail, 900 mm with wall holders, glide element and swivel holder GROHE Long-Life Shine durable sparkling sheen</p>		









GROHE TEMPESTA

	Ref. No.	Colour	EAN
	27 575 002	Chrome	4005176443930
	Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		
	27 573 002	Chrome	4005176443947
	ditto, with non-restricted flow		
	27 574 002	Chrome	4005176443916
	Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		
	27 572 002	Chrome	4005176443923
	ditto, with non-restricted flow		
	27 571 20E	Chrome	4005176443275
	Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 571 002	Chrome	4005176443893
	ditto, with non-restricted flow		
	26 130 001	Chrome	4005176443909
	ditto, with non-restricted flow, for low pressure		
	26 082 002	Chrome	4005176443268
	Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		
			











GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	27 577 002	Chrome	4005176451584
	Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 576 002	Chrome	4005176451560
	Tempesta Cosmopolitan 100 Shower set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 929 002	Chrome	4005176451577
	ditto, with non-restricted flow		
 	26 083 002	Chrome	4005176451546
	Tempesta Cosmopolitan 100 Shower rail set 1 spray Consisting of: hand shower (26 082) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	27 580 002	Chrome	4005176451515
	Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
	27 787 002	Chrome	4005176451522
	ditto, with non-restricted flow		

GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	27 579 002	Chrome	4005176451492
	Tempesta Cosmopolitan 100 Shower rail set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
	27 786 002	Chrome	4005176451508
	ditto, with non-restricted flow		
 	27 578 20E	Chrome	4005176451362
	Tempesta Cosmopolitan 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
	27 578 002	Chrome	4005176451386
	ditto, with non-restricted flow		
 	27 790 002	Chrome	4005176451614
	Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 584 002	Chrome	4005176451621
	Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		























GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	27 588 002	Chrome	4005176451669
	Tempesta Cosmopolitan 100 Wall holder set 3 sprays Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	26 084 002	Chrome	4005176451645
	Tempesta Cosmopolitan 100 Wall holder set 1 spray Consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life		
 	27 869 001	Chrome	4005176444005
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	26 090 001	Chrome	4005176443992
	Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O ² , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	27 591 001	Chrome	4005176443985
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		









GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	26 051 001	Chrome	4005176443954
Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
 	27 541 001	Chrome	4005176451676
Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater			
 	27 521 000	Chrome	4005176886508
Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life Shine durable sparkling sheen			
	27 522 000	Chrome	4005176886515
ditto, 900 mm			
 	48 051 000		4005176890024
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	27 596 000		4005176895944
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			







GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	28 421 002	Chrome	4005176444142
	<p>Tempesta 100 Hand shower 4 sprays GROHE Rain O², Rain, Massage, Jet GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>		
 	28 578 002	Chrome	4005176444159
	<p>ditto, with non-restricted flow</p>		
 	28 419 002	Chrome	4005176444128
	<p>Tempesta 100 Hand shower 3 sprays GROHE Rain O², Rain, Massage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>		
 	28 261 002	Chrome	4005176444135
	<p>ditto, with non-restricted flow</p>		
 	27 597 10E	Chrome	4005176985409
	<p>Tempesta 100 Hand shower 2 sprays Rain, Jet Cradle to Cradle Certified Bronze GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>		
 	26 161 001	Chrome	4005176444104
	<p>ditto, with 9.5 l/min flow limiter</p>		
 	27 597 001	Chrome	4005176985508
	<p>ditto, with non-restricted flow</p>		
 	28 422 002	Chrome	4005176444111
	<p>ditto, with non-restricted flow, for low pressure</p>		
 	27 923 001	Chrome	4005176444074
	<p>Tempesta 100 Hand shower 1 spray Rain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses</p>		
 	27 852 001	Chrome	4005176444081
	<p>ditto, with non-restricted flow</p>		
 	28 214 003	Chrome	4005176444098
	<p>ditto, with non-restricted flow, for low pressure</p>		

GROHE TEMPESTA









	Ref. No.	Colour	EAN
 	28 436 002	Chrome	4005176451799
	Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater		
 	27 600 001	Chrome	4005176451775
	Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling		
 	27 926 001	Chrome	4005176451768
	Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater		
 	27 645 001	Chrome	4005176451744
	Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling		
	27 795 001	Chrome	4005176451751
	ditto, with non-restricted flow		

GROHE TEMPESTA

	Ref. No.	Colour	EAN
		27 644 001 Chrome	4005176451720
		Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling	
		27 794 001 Chrome ditto, with non-restricted flow	4005176451737
		26 803 000 Chrome	4005176723766
		Tempesta 100 Shower rail set 2 sprays Cradle to Cradle Certified Gold Consisting of: hand shower Tempesta 100 II 5.7 l/min shower rail, 600 mm (27 523) metal shower hose 1750 mm 1/2" x 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling	
		27 598 10E Chrome ditto, with non-restricted flow	4005176985416
		27 598 10E Chrome Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling	4005176985416
		26 162 001 Chrome ditto, with 9.5 l/min flow limiter	4005176451713
		27 598 001 Chrome ditto, with non-restricted flow	4005176985515
		28 438 001 Chrome ditto, with non-restricted flow, for low pressure	4005176985553

SHOWERS













GROHE TEMPESTA

	Ref. No.	Colour	EAN	
		27 924 001 Chrome	4005176451690	
		Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling		
		27 853 001 Chrome	4005176451706	
	28 280 004 Chrome	4005176306624	ditto, with non-restricted flow, for low pressure	
		28 789 002 Chrome	4005176451843	
		Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater		
		27 796 001 Chrome	4005176451850	
		27 646 10E Chrome	4005176985423	
		Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater		
		27 646 001 Chrome	4005176985522	
		27 925 001 Chrome	4005176451812	
		Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater		
		27 854 001 Chrome	4005176451829	

















GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	27 601 10E	Chrome	4005176985430
	Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1.0 bar		
 	27 803 10E	Chrome	4005176985454
	Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder (28 605), non-adjustable Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1.0 bar		
 	27 798 10E	Chrome	4005176985447
	Tempesta 100 Wall holder set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) non-adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 164 001	Chrome	4005176451867
	ditto, with 9.5 l/min flow limiter		
	27 799 001	Chrome	4005176985539
	ditto, with non-restricted flow		
 	26 406 001	Chrome	4005176451881
	Tempesta 100 Wall holder set 2 sprays with integrated wall union 1/2" Consisting of: hand shower Tempesta 100 II (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		











GROHE TEMPESTA

	Ref. No.	Colour	EAN	
	 26 663 000	Chrome	4005176580505	
	Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	 26 668 000	Chrome	4005176580550	
	ditto, but head shower with white rear cover			
	 26 682 000	Chrome	4005176580697	
		Tempesta 250 Cube Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
	 26 687 000	Chrome	4005176580741	
	ditto, but head shower with white rear cover			
		26 412 000	Chrome	4005176390173
	Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
		26 267 001	Chrome	4005176444197
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure			













GROHE TEMPESTA

		Ref. No.	Colour	EAN
		 26 664 000	Chrome	4005176580512
		Tempesta 250 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		 26 669 000	Chrome	4005176580567
ditto, but head shower with white rear cover				
		 26 683 000	Chrome	4005176580703
		Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		 26 688 000	Chrome	4005176580758
ditto, but head shower with white rear cover				
		 26 414 000	Chrome	4005176408090
		Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
		 26 413 000	Chrome	4005176390180
ditto, with non-restricted flow				
		 26 662 000	Chrome	4005176580499
		Tempesta 250 Head shower 1 spray Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		 26 666 000	Chrome	4005176580536
ditto, but with white rear cover				











GROHE TEMPESTA

		Ref. No.	Colour	EAN
		26 681 000	Chrome	4005176580680
		Tempesta 250 Cube Head shower 1 spray Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition		
		26 685 000	Chrome	4005176580727
ditto, but with white rear cover				
		26 409 000	Chrome	4005176390128
		Tempesta 210 Head shower 1 spray Rain $\varnothing 210$ mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
		26 410 000	Chrome	4005176390142
ditto, with 9.5 l/min flow limiter				
		26 408 000	Chrome	4005176390111
ditto, with non-restricted flow				
		27 606 001	Chrome	4005176444180
		Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
		26 050 001	Chrome	4005176444166
		Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater		
		27 523 000	Chrome	4005176886522
		Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life Shine durable sparkling sheen		
		27 524 000	Chrome	4005176886539
ditto, 900 mm				

GROHE TEMPESTA


	Ref. No.	Colour	EAN
 	48 051 000		4005176890024
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	27 596 000		4005176895944
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			
 	27 594 000	Chrome	4005176895920
Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen			
 	27 406 000	Chrome	4005176600166
Relaxa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life Shine durable sparkling sheen			
 	28 541 000	Chrome	4005176040528
Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life Shine durable sparkling sheen			
 	28 429 000	Chrome	4005176601910
Relaxa Shower arm 55 mm connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen			

GROHE TEMPESTA

	Ref. No.	Colour	EAN
 	27 608 001	Chrome	4005176444029
	Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
	26 085 001	Chrome	4005176444036
	ditto, with non-restricted flow		
 	27 609 001	Chrome	4005176451898
	Tempesta Rustic 100 Shower rail set 4 sprays hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life		
	26 086 001	Chrome	4005176451904
	ditto, with non-restricted flow		
 	27 805 001	Chrome	4005176451911
	Tempesta Rustic 100 Wall holder set 4 sprays hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life available until 31 march 2023		
 	26 089 001	Chrome	4005176444067
	Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater available until 31 march 2023		
 	27 610 001	Chrome	4005176444050
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life available until 31 march 2023		

GROHE TEMPESTA











Ref. No.	Colour	EAN
27 519 000	Chrome	4005176886485









Tempesta Rustic
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE Long-Life Shine durable sparkling sheen
available until 31 march 2023

SHOWERS




















GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN
 	27 512 001	Chrome	4005176333804
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.</p>			
 	28 020 L01	white	4005176333828
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.</p>			
 	26 353 000	Chrome	4005176333866
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.</p>			
	27 513 001	★ Chrome	4005176333842
ditto, with 1250 mm hose			
	26 352 000	Chrome	4005176333835
ditto, with 1000 mm hose			
 	26 354 000	Chrome	4005176333873
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Please refer to local norms regarding installation. Relexaflex Metal Long-Life shower hose 1250 mm</p>			
 	27 812 IL1	chrome/white	4005176333897
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.</p>			
	26 355 IL0	chrome/white	4005176333880
ditto, with 1000 mm hose			


























GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN
 	26 356 ILO	chrome/white	4005176333903
	Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control wall shower holder (28 605) Relexaflex Metal Long-Life shower hose 1250 mm GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
 	26 357 000	Chrome	4005176333927
	Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
	27 514 001	Chrome	4005176333910
	ditto, with 1250 mm hose		
 	26 358 000	Chrome	4005176333941
	Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333 000) Silverflex Long-Life shower hose 1000 mm (26 334) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.		
























GROHE SHOWER HOSES

	Ref. No.	Colour	EAN
 	 28 025 001	Chrome	4005176933387
	Rotaflex Metal Long-Life TwistStop Metal shower hose 1750 1750 mm material: metal AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure Cone with silicone tape to prevent turning of hand shower during usage GROHE Long-Life strengthened model heat resistance 75°C pressure resistance up to 16 bar tensile strength 500 N GROHE Long-Life Shine durable sparkling sheen		
 	 28 417 001	Chrome	4005176933363
	ditto, 1500 mm		
 	 28 145 001	Chrome	4005176933356
	Relexaflex Metal Long-Life Metal shower hose 2000 2000 mm material: metal AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life strengthened model heat resistance 75°C pressure resistance up to 16 bar tensile strength 750 N GROHE Long-Life Shine durable sparkling sheen		
	 28 143 001	Chrome	4005176933349
	 28 143 LS1 28 143 KS1	moon white velvet black	4005176935084 4005176934179
ditto, 1500 mm			
 	 28 142 002	Chrome	4005176933332
	ditto, 1250 mm		
 	 28 140 001	Chrome	4005176933325
	Relexaflex Metal Metal shower hose 2000 2000 mm material: metal AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure heat resistance 70°C pressure resistance up to 5 bar tensile strength 500 N GROHE Long-Life Shine durable sparkling sheen		
	 28 139 001	Chrome	4005176933318
ditto, 1750 mm			
 28 105 001	Chrome	4005176933301	
ditto, 1500 mm			





GROHE SHOWER HOSES

		Ref. No.	Colour	EAN	
		 26 346 001	Chrome	4005176775314	
		Silverflex Long-Life TwistStop Shower hose 1500 1500 mm smooth surface for easy cleaning GROHE Long-Life strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen			
		 26 335 001	Chrome	4005176775321	
		ditto, 1250 mm			
		 26 334 001	Chrome	4005176775338	
		ditto, 1000 mm			
		 27 137 001	Chrome	4005176933295	
		Silverflex TwistStop Shower hose 2000 2000 mm smooth surface for easy cleaning AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure heat resistance 70°C pressure resistance up to 5 bar tensile strength 500 N GROHE Long-Life Shine durable sparkling sheen			
		 28 388 001	★ Chrome	4005176933288	
		 28 388 DC1	★ supersteel	4005176775420	
		 28 388 BE1	polished nickel	4005176775390	
		 28 388 GL1	★ cool sunrise	4005176775413	
		 28 388 DA1	★ warm sunset	4005176775406	
		 28 388 A01	hard graphite	4005176775383	
		ditto, 1750 mm			
		 28 364 001	Chrome	4005176933271	
		ditto, 1500 mm			
		 28 362 001	★ Chrome	4005176933264	
		 28 362 DC1	★ supersteel	4005176775475	
 28 362 BE1	polished nickel	4005176775444			
 28 362 GL1	★ cool sunrise	4005176775468			
 28 362 DA1	★ warm sunset	4005176775451			
 28 362 A01	hard graphite	4005176775437			
ditto, 1250 mm					
		 28 388 KF1	phantom black	4005176782602	
		Silverflex TwistStop Shower hose 1750 1750 mm smooth surface for easy cleaning AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure heat resistance 70°C pressure resistance up to 5 bar tensile strength 500 N GROHE Long-Life Shine finish			
		 28 362 KF1	phantom black	4005176782596	
		ditto, 1250 mm			







GROHE SHOWER HOSES

		Ref. No.	Colour	EAN
		 28 161 002	Chrome	4005176775482
		Silverflex TwistStop Shower hose 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen		
		 28 413 002	Chrome	4005176605512
		Rotaflex TwistStop Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen		
		 28 410 002	Chrome	4005176605529
		ditto, 1750 mm		
		 28 409 002	Chrome	4005176605536
		ditto, 1500 mm		
		 28 155 002	Chrome	4005176605567
		Relexaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen		
		 28 154 002	Chrome	4005176605574
		ditto, 1750 mm		
		 28 151 002	Chrome	4005176605581
		 28 151 L02	Chrome	4005176775512
		ditto, 1500 mm		
		 28 150 002	Chrome	4005176605598
		ditto, 1250 mm		
		 22 115 000	Chrome	4005176775529
ditto, 500 mm				
		 28 158 001	Chrome	4005176775543
		Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE Long-Life Shine durable sparkling sheen		







GROHE SHOWER HOSES

	Ref. No.	Colour	EAN
 	28 146 000	Chrome	4005176121753
	Metal hose 2000 mm M 15 x M 15 GROHE Long-Life Shine durable sparkling sheen		
 	45 973 001	Chrome	4005176442919
	Relaxflex Shower hose 1500 1500 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen minimum order quantity 10 pieces		





GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023

	Ref. No.	Colour	EAN
 	28 025 000	Chrome	4005176284830
	Rotaflex Metal Long-Life Metal shower hose TwistStop 1750 1750 mm material: metal GROHE Long-Life strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function Cone with silicone tape to prevent turning of hand shower during usage GROHE Long-Life Shine durable sparkling sheen		
	28 417 000	Chrome	4005176264702
	ditto, 1500 mm hose		
 	28 145 000	Chrome	4005176601354
	Relexaflex Metal Long-Life Metal shower hose 2000 2000 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen		
	28 143 000	Chrome	4005176601347
	28 143 LS0	moon white	4005176842269
	28 143 KS0	velvet black	4005176842252
	ditto, 1500 mm hose		
	28 142 000	Chrome	4005176601330
	ditto, 1250 mm hose		
 	28 140 000	Chrome	4005176601323
	Relexaflex Metal Metal shower hose 2000 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen		
	28 139 000	Chrome	4005176601316
	ditto, 1750 mm hose		
	28 105 000	Chrome	4005176601217
	ditto, 1500 mm hose		

GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023

	Ref. No.	Colour	EAN
 	26 346 000	Chrome	4005176332173
	Silverflex Long-Life Shower hose TwistStop 1500 1500 mm smooth surface for easy cleaning GROHE Long-Life strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen		
	26 335 000	Chrome	4005176332166
	26 334 000	Chrome	4005176332159
<hr/>			
 	27 137 000	Chrome	4005176836237
	Silverflex Shower hose TwistStop 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen		
	28 388 000	Chrome	4005176295362
	28 388 DC0	supersteel	4005176386428
	28 388 GL0	cool sunrise	4005176427657
	28 388 DA0	warm sunset	4005176427671
	28 388 A00	hard graphite	4005176427701
	ditto, 1750mm hose		
	28 364 000	Chrome	4005176295294
	ditto, 1500 mm hose		
	28 362 000	Chrome	4005176295225
	28 362 DC0	supersteel	4005176386435
	28 362 GL0	cool sunrise	4005176427589
	28 362 DA0	warm sunset	4005176427602
	28 362 A00	hard graphite	4005176427633
	ditto, 1250 mm		
<hr/>			
 	28 161 001	Chrome	4005176935107
	Silverflex Shower hose TwistStop 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen		

GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023

	Ref. No.	Colour	EAN
	28 413 001	Chrome	4005176933257
	RotaFlex Shower hose TwistStop 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen		
	28 410 001	Chrome	4005176933240
	28 409 001	Chrome	4005176933233
	28 155 001	Chrome	4005176933226
	RelexaFlex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen		
	28 154 001	Chrome	4005176933219
	28 151 001	Chrome	4005176933202
	28 151 L01	white	4005176935091
	ditto, 1500 mm		
28 150 001	Chrome	4005176933196	
ditto, 1250 mm hose			
	28 158 000	Chrome	4005176601606
	Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE Long-Life Shine durable sparkling sheen		
	28 146 000	Chrome	4005176121753
	Metal hose 2000 mm M 15 x M 15 GROHE Long-Life Shine durable sparkling sheen		













GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023













Ref. No.	Colour	EAN
45 973 001	Chrome	4005176442919

Relaxaflex
Shower hose 1500
 1500 mm
 smooth surface for easy cleaning
 tensile strength 500 N
 pressure resistance up to 5 bar
 heat resistance 70°C
 AntiFold bendproof
 universal connection G 1/2" x 1/2"
GROHE Long-Life Shine durable sparkling sheen
 minimum order quantity 10 pieces









GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	27 055 000	Chrome	4005176830433
<p>Rainshower Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 401 000	Chrome	4005176264474
<p>Movario Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 623 000	Chrome	4005176031595
<p>Relaxa Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p>			
 	27 595 000	Chrome	4005176895937
<p>Tempesta Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 690 000	Chrome	4005176256196
<p>Sena Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen</p>			
 	27 056 000	Chrome	4005176830440
<p>Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE Long-Life Shine durable sparkling sheen</p>			











GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	
 	27 074 000 ★	Chrome	4005176833083	
	27 074 DC0 ★	supersteel	4005176374487	
	27 074 LS0	moon white	4005176873591	
	27 074 BE0	polished nickel	4005176834325	
	27 074 EN0	brushed nickel	4005176834301	
	27 074 GL0 ★	cool sunrise	4005176338984	
	27 074 GN0 ★	brushed cool sunrise	4005176427084	
	27 074 DA0 ★	warm sunset	4005176338977	
	27 074 DL0 ★	brushed warm sunset	4005176427091	
	27 074 A00	hard graphite	4005176338991	
	27 074 AL0 ★	brushed hard graphite	4005176339004	
	Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE Long-Life Shine durable sparkling sheen			
	 	22 117 KF0	phantom black	4005176782497
Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE Long-Life Shine finish				
 	27 075 000	Chrome	4005176833090	
	Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE Long-Life Shine durable sparkling sheen			
 	27 706 000	Chrome	4005176908439	
	27 706 DC0	supersteel	4005176490989	
	27 706 AL0	brushed hard graphite	4005176490972	
	Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen			
 	27 693 000	Chrome	4005176907043	
	Euphoria Cube Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen			

















GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	28 403 000	Chrome	4005176264511
Movario Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen			
 	28 622 000	Chrome	4005176041297
Relaxa Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen			
 	27 594 000	Chrome	4005176895920
Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen			
 	28 605 000	Chrome	4005176041105
Relaxa Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen			











GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	27 151 000	Chrome	4005176837012
<p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE Long-Life Shine durable sparkling sheen</p>			
 	27 531 000	Chrome	4005176889486
<p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE Long-Life Shine durable sparkling sheen</p>			
 	27 057 000	★ Chrome	4005176830457
	27 057 DC0	★ supersteel	4005176371196
	27 057 GL0	★ cool sunrise	4005176338946
	27 057 GN0	★ brushed cool sunrise	4005176426933
	27 057 DA0	★ warm sunset	4005176338939
	27 057 DL0	★ brushed warm sunset	4005176426940
	27 057 A00	hard graphite	4005176338953
	27 057 AL0	★ brushed hard graphite	4005176338960
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen</p>			
 	22 118 KF0	phantom black	4005176782503
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE Long-Life Shine finish</p>			
 	27 076 000	Chrome	4005176833106
<p>Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen</p>			













GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
	27 707 000	Chrome	4005176908446
	27 707 DC0	supersteel	4005176490897
	27 707 AL0	brushed hard graphite	4005176490880
	Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen		
	27 704 000	Chrome	4005176907159
	Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen		
		Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen	
	26 370 000	Chrome	4005176341380
	Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen		
		Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen	
	28 405 000	Chrome	4005176264559
	Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life Shine durable sparkling sheen		
		Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life Shine durable sparkling sheen	
	28 671 000	Chrome	4005176103070
	Relaxa Shower outlet elbow, 1/2" male thread GROHE Long-Life Shine durable sparkling sheen		
		Relaxa Shower outlet elbow, 1/2" male thread GROHE Long-Life Shine durable sparkling sheen	
	28 680 000	Chrome	4005176116780
	ditto , protected against backflow		
		Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE Long-Life Shine durable sparkling sheen with matt chrome cap	
	28 626 000	Chrome	4005176041358
	Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE Long-Life Shine durable sparkling sheen with matt chrome cap		
		Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE Long-Life Shine durable sparkling sheen with matt chrome cap	
	28 636 000	Chrome	4005176078606
	ditto , for IG-combination		
		Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE Long-Life Shine durable sparkling sheen with matt chrome cap	










GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	28 406 000	Chrome	4005176264566
Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE Long-Life Shine durable sparkling sheen			
 	28 628 000	Chrome	4005176041396
Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE Long-Life Shine durable sparkling sheen			
	28 679 000	Chrome	4005176116759
ditto, protected against backflow			
 	26 603 000 ★	Chrome	4005176486548
26 603 BE0 polished nickel 4005176558719			
26 603 EN0 brushed nickel 4005176558740			
26 603 GL0 ★ cool sunrise 4005176558757			
26 603 GN0 ★ brushed cool sunrise 4005176558764			
26 603 DA0 ★ warm sunset 4005176558726			
26 603 DL0 ★ brushed warm sunset 4005176558733			
26 603 A00 hard graphite 4005176558696			
26 603 AL0 ★ brushed hard graphite 4005176558702			
Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine durable sparkling sheen			
	26 602 000	Chrome	4005176486531
ditto, 600 mm			
 	22 125 KF0	phantom black	4005176782619
Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine finish			
 	28 620 000	Chrome	4005176041259
Relaxa Shower rail, 600 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen			













GROHE SHOWER ACCESSORIES

		Ref. No.	Colour	EAN
		28 621 000	Chrome	4005176041273
Relexa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen				
		28 587 000	Chrome	4005176282966
Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen				
		27 892 000	Chrome	4005176921216
Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE Long-Life Shine durable sparkling sheen				
		27 841 000	Chrome	4005176916670
ditto, 900 mm				
		27 499 000	Chrome	4005176886041
Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life Shine durable sparkling sheen				
		27 500 000	Chrome	4005176886058
ditto, 900 mm				
		27 519 000	Chrome	4005176886485
Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swival holder GROHE Long-Life Shine durable sparkling sheen available until 31 march 2023				
		27 521 000	Chrome	4005176886508
Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swival holder GROHE Long-Life Shine durable sparkling sheen				
		27 522 000	Chrome	4005176886515
ditto, 900 mm				









GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	27 523 000	Chrome	4005176886522
	Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life Shine durable sparkling sheen		
	27 524 000	Chrome	4005176886539
	ditto, 900 mm		
 	12 435 000	Chrome	4005176272141
	Relexa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen		
 	45 914 XE0	gray night time	4005176842054
	Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136		
 	45 459 000		4005176056444
	Spacer for shower rail 28 620 / 28 621		
 	48 051 000		4005176890024
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500		
 	26 385 000	Chrome	4005176375057
	Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable		

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	28 856 000		4005176603495
<p>Soap dish acrylic, clear for Relaxa shower rails (28 820 and 28 666) GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 631 000		4005176019142
<p>Relaxa Soap dish for shower rail 28 620 / 28 621 GROHE Long-Life Shine durable sparkling sheen</p>			
 	27 206 000		4005176845444
<p>Soap dish transparent surface textured in parts</p>			
 	27 596 000		4005176895944
<p>GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm</p>			
 	28 389 000	Chrome	4005176269837
<p>Sena Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 634 XX0	dark grey	4005176041440
<p>Relaxa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)</p>			

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN
 	28 874 000	Chrome	4005176042348
<p>Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 988 000	Chrome	4005176042805
<p>Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 799 000	Chrome	4005176602511
<p>Diverter GROHE Long-Life Shine durable sparkling sheen</p>			
 	27 102 000	Chrome	4005176600074
<p>Trigger Spray Wall holder set 1 spray GROHE Long-Life Shine durable sparkling sheen</p>			

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	509
	GROHE Blue Home	515
	GROHE Blue Pure	524
	GROHE Blue Accessories	529
	GROHE Red	534
	Waste separation systems	538
Premium Lines	K7	539
	Foot Control	540
	Minta / Minta SmartControl / Minta Touch	541
	Zedra / Zedra SmartControl / Zedra Touch	546
	Essence	548
	Eurocube	551
Competence Lines	Eurodisc Cosmopolitan	552
	Eurodisc	553
	Concetto	554
	Eurostyle Cosmopolitan	557
	Eurosmart Cosmopolitan	559
	Eurosmart	562
	Euroeco / Euroeco Special	565
	Costa	566
	Bau Lines	568
	Soap dispensers	571
Kitchen sinks	Stainless steel sinks	572
	Composite sinks	579

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur

Increases the operating radius of your tap.



EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE FastFixation
65 % faster installation.



SpeedClean
Remove limescale
with a single wipe.



OpenWaterHeater
The perfect flow in combination
with open water heaters.



StopValve
Includes a dishwasher shut-off
valve on the tap body.



PreWindow
To open the window, just lift
up the tap and lay it flat on the
surface.



ComfortHeight
Height of the spout allows
easy filling of large pots.



SwivelStop
Limited turn angle
prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents
the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly
from the kitchen tap – saving time,
money and the environment.



ChildLock
Integrated safety mechanism
prevents unintentional opening
by young children.



Titanium Inside
All boilers in our GROHE Red
collection are made from titanium.

GROHE BLUE HOME

WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.



KITCHEN
FITTINGS




THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

GROHE BLUE HOME

NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mousseur and two separate waterways, delivering both filtered and unfiltered water effortlessly.



CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO₂ need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

GROHE BLUE HOME PRODUCT PORTFOLIO



31 454 001
GROHE Blue Home
L-spout Starter Kit



31 455 001
GROHE Blue Home
C-spout Starter Kit



31 456 001
GROHE Blue Home
U-spout Starter Kit



31 498 001
GROHE Blue Home
Mono Starter Kit



31 539 000
GROHE Blue Home
L-spout Starter Kit
with pull-out mousseur



31 541 000
GROHE Blue Home
C-spout Starter Kit
with pull-out mousseur



31 543 000
GROHE Blue Home
U-spout Starter Kit
with pull-out mousseur

KITCHEN
FITTINGS

EACH GROHE BLUE HOME STARTER KIT CONTAINS:



GROHE BLUE HOME
CARBONATOR



CO₂ BOTTLE 425 g



S-SIZE FILTER

Colour options:

- 000/001 | StarLight Chrome
- DC0/DC1 | SuperSteel
- DL1 | Brushed Warm Sunset
- AL1 | Brushed Hard Graphite

GROHE BLUE PROFESSIONAL

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



● ●
31 323 002
GROHE Blue Professional
C-spout



● ●
31 347 003
GROHE Blue Professional
L-spout



● ●
31 325 002
GROHE Blue Professional
C-spout
with pull-out mousseur



● ●
31 326 002
GROHE Blue Professional
L-spout
with pull-out mousseur



● ●
31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX,
FILTER HEAD, CO₂ PRESSURE REDUCER
AND CLEANING ADAPTER

Filter, CO₂ bottle and cleaning cartridge
have to be ordered separately according
to your personal needs.

KITCHEN
FITTINGS

Colour options:

● 002/003 | StarLight Chrome ● DC2/DC3 | SuperSteel

GROHE RED

99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING

Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.



GROHE RED PRODUCT PORTFOLIO



30 340 001
GROHE Red Duo
L-spout, L-Size boiler



30 329 001
GROHE Red Mono
L-spout, M-Size boiler



30 058 001
GROHE Red Duo
C-spout, M-Size boiler



30 060 001
GROHE Red Mono
C-spout, M-Size boiler

KITCHEN
FITTINGS

EACH GROHE RED CONTAINS: BOILER (M- OR L-SIZE) & FILTERSET



L-SIZE BOILER

M-SIZE BOILER



40 841 001
GROHE Red mixing valve
(additional equipment)

Colour options:

● 001 | StarLight Chrome
● DC1 | SuperSteel

● DA1 | Warm Sunset
● DL1 | Brushed Warm Sunset

● A01 | Hard Graphite
● AL1 | Brushed Hard Graphite

GROHE EASYS TOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.

GROHE SMARTCONTROL

JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?

SUPERIOR DESIGN

- Sleek, streamlined and puristic

SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

PULL-OUT LAMINAR SPRAY

- For an increased operation radius

MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

LEAD AND NICKEL FREE WATER FLOW

QUICKFIX PLUS INSTALLATION

- 65% faster installation



GROHE PROFESSIONAL SPRAYS

THE COLOURFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 503 000 (chrome) / 30 503 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- | | | | | |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0 Sheer Marble | ● XC0 Dark Grey | ● YF0 Yellow | ● YR0 Orange | ● DG0 Red |
| ● DP0 Pink | ● DU0 Purple | ● GE0 Green | ● TY0 Blue | ● HG0 Dark Brown |

Exchange the hose via 4 simple steps:



Step 1
Loose the 2 screws with the screwdriver from the body and the spray.



Step 2
Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3
Take the new hose and insert it with the connection into the tap body and the spray.



Step 4
Insert the 2 screws with the screwdriver.









A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE	
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS			DRAINER	MATERIAL	FINISH				ADDITIONAL FEATURES					
K1000 			●		●			R10	●	●		●			●		***	●	
K800 			●		●		●	R10		●		●			●		***	●	
K700 U 	●		●	●	●	●		R10		●		●	●				***	●	
K700 	●		●		●			R15		●		●					***	●	
K500 	●		●		●	●	●	R65	●	●		●			●	●	***	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	***	●	
K400 	●				●	●	●	R20	●	●		●			●	●	***	●	●
K200 	●				●	●		R100/ R60	●	●				●	●	●	***	●	●

* R0 (bottom, front & back top) / R30 (right & left top)

** R0 (vertical) / R9 (bottom)

*** optional accessory 40 986 SD0

COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			***
K700 	●	○	●	●	●	R0		●	●	○	***
K500 	●	○	●	●		R0 / R9**	●	●	●	○	***
K400 	●		●	●		R15	●	●	●	●	***
K200 	●		●			R60		●	●		***





















- selected products
- all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO ₂ -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0	WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●
















* Additional waste bin is needed

GROHE FUNCTIONALITY AT A GLANCE












	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●			●	●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

KITCHEN FITTINGS

GROHE FUNCTIONALITY AT A GLANCE

















	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN FITTINGS

ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO ₂ BOTTLES		CLEANING AND ACCESSORIES				
	 40 404 001 S-Size	 40 430 001 M-Size	 40 412 001 L-Size	 40 547 001 ACTIVATED CARBON	 40 691 002 MAGNESIUM	 40 422 000 CO ₂ STARTER KIT 425 G	 40 687 000 CO ₂ REFILL 425 G	 40 423 000 CO ₂ STARTER KIT 2 KG	 40 424 000 CO ₂ REFILL 2 KG	 40 962 000 CO ₂ ADAPTER TO CO ₂ G	 40 434 001 CLEANING CARTRIDGE	 40 694 000 CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•					•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•	•	•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN
31 323 002	Chrome	4005176989933
31 323 DC2	supersteel	4005176989940

GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine durable sparkling sheen
28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher


Mobile devices and GROHE Watersystems App*** are not included in delivery
and have to be ordered separately via an authorised Apple store/store/iTunes or
Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.




GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN
31 347 003	Chrome	4005176443336
31 347 DC3	supersteel	4005176446559
<p>GROHE Blue Professional L-spout kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 12.0 or higher System requirements Android smart phone with Android 6.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. to be equipped with a non-return valve EA approved by Belgaqua</p>		



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN
31 325 002	Chrome	4005176507274
31 325 DC2	supersteel	4005176507250
<p>GROHE Blue Professional C-spout kit with pull-out mousseur Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove pull out mousseur spout swivel tubular spout swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 12.0 or higher System requirements Android smart phone with Android 6.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. to be equipped with a non-return valve EA approved by Belgaqua</p>		



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN
31 326 002	Chrome	4005176507236
31 326 DC2	supersteel	4005176507212
<p>GROHE Blue Professional L-spout kit with pull-out mousseur Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove pull out mousseur spout swivel tubular spout swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 12.0 or higher System requirements Android smart phone with Android 6.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. to be equipped with a non-return valve EA approved by Belgaqua</p>		

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN
31 302 002	Chrome	4005176443343
31 302 DC2	supersteel	4005176443350

GROHE Blue Professional C-spout kit with Mono tap
 Consisting of:
GROHE Blue Mono mixer with filter function
 monobloc installation
 C-spout
 touch operated for 3 types of filtered and chilled water
 still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
 swivel tubular spout
 swivel area 150°
GROHE Blue Professional cooler
 delivers 12 liters of chilled sparkling water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 sound level in standby 46 dB(A)
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 filter head with flexible water hardness adjustment
 GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
 delivery and have to be ordered separately
 suitable filters:
 - filter S-size, capacity 600 l at 20° dKH (40 404 001)
 - filter M-size, capacity 1500 l at 20° dKH (40 430 001)
 - filter L-size, capacity 2500 l at 20° dKH (40 412 001)
 - activated carbon filter, capacity 3000 l (40 547 001)
 - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)


System requirements Apple
 iPhone with iOS 12.0 or higher

System requirements Android
 smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery
 and have to be ordered separately via an authorised Apple store/store/iTunes or
 Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
 Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
 Other trademarks and trade names are those of their respective owners.
 ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
 Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
 the function of this device or its compliance with safety and regulatory standards.
 *** Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua



KITCHEN
FITTINGS

GROHE BLUE PROFESSIONAL

Ref. No.

Colour

EAN

40 554 002

4005176458521

GROHE Blue Professional Cooler and carbonizer

delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible


with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

compatible only with GROHE Blue taps with push button operation



System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	Colour	EAN
31 455 001	Chrome	4005176454134
31 455 DC1	supersteel	4005176454141
31 455 DL1	brushed warm sunset	4005176488962
31 455 AL1	brushed hard graphite	4005176488948

GROHE Blue Home
C-spout
 Consisting of:
 GROHE Blue Home single-lever sink mixer with filter function
 monobloc installation
 C-spout
 touch operated for 3 types of filtered and chilled water
 still, medium, sparkling
GROHE Long-Life Shine finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout, swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue Home cooler
 delivers 3 liters of chilled sparkling water per hour
 180 Watt cooling unit, 230 V, 50 Hz
 sound level in standby 44 dB(A)
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE
 Ondus app
 with Bluetooth 4.0* and WIFI interface for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated
 carbon filter and GROHE Blue magnesium + zinc filter
 GROHE Blue filter S-Size, filter head with flexible
 water hardness adjustment
 for regions with water hardness of more than 9° dKH
 for regions with water hardness below 9° dKH please order activated carbon filter
 40 547 001
GROHE Blue 425 g CO₂ bottle
System requirements Apple
 iPhone with iOS 12.0 or higher
System requirements Android
 smart phone with Android 6.0 or higher
 Mobile devices and GROHE Watersystems App*** are not included in delivery
 and have to be ordered separately via an authorised Apple store/store/iTunes or
 Google Play store.
 * The Bluetooth word mark and logos are registered trademarks owned by
 Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
 Other trademarks and trade names are those of their respective owners.
 ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
 Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
 the function of this device or its compliance with safety and regulatory standards.
 *** Available for free via iTunes app or Google Play store.
 This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data
 at: www.grohe.com/safety-data-sheets/
 to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN
31 455 000	Chrome	4005176323027
31 455 DC0	supersteel	4005176323034

GROHE Blue Home

C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible


water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle



GROHE BLUE HOME

Ref. No.	Colour	EAN
31 541 000	Chrome	4005176437038
31 541 DC0	supersteel	4005176437045

GROHE Blue Home

C-spout starter kit with pull-out mousseur

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN
31 454 001	Chrome	4005176454110
31 454 DC1	supersteel	4005176454127
31 454 DL1	brushed warm sunset	4005176488924
31 454 AL1	brushed hard graphite	4005176488900

GROHE Blue Home

L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery
and have to be ordered separately via an authorised Apple store/store/iTunes or
Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN
31 539 000	Chrome	4005176437014
31 539 DC0	supersteel	4005176437021

GROHE Blue Home

L-spout starter kit with pull-out mousseur

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN
31 456 001	Chrome	4005176454158
31 456 DC1	supersteel	4005176454165

GROHE Blue Home

U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery
and have to be ordered separately via an authorised Apple store/store/iTunes or
Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN
31 543 000	Chrome	4005176437052
31 543 DC0	supersteel	4005176437069

GROHE Blue Home

U-spout starter kit with pull-out mousseur

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME



Ref. No.	Colour	EAN
31 498 001	Chrome	4005176454172
31 498 DC1	supersteel	4005176454189
31 498 DL1	brushed warm sunset	4005176489006
31 498 AL1	brushed hard graphite	4005176488986

GROHE Blue Home

C-spout starter kit with Mono tap

Consisting of:

GROHE Blue Home Mono tap with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

swivel tubular spout

swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE HOME

Ref. No.

Colour

EAN

40 711 001

4005176454301

GROHE Blue Home Cooler

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

delivers 3 liters of chilled sparkling water per hour

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication


for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter



System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


to be equipped with a non-return valve EA approved by Belgaqua

KITCHEN
FITTINGS

GROHE BLUE PURE


Ref. No. Colour EAN

30 580 000 **Chrome** **4005176744891**




GROHE Blue Pure BauCurve Filter tap
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 C-spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses

30 581 000 **Chrome** **4005176744907**



GROHE Blue Pure BauCurve Starter kit with S-Size filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 C-spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
 Capacity 600 L at 20° dKH
 flow meter for filter lifetime measurement including 2 x AA batteries


30 582 000 **Chrome** **4005176744914**



GROHE Blue Pure BauCurve Starter kit with Ultrasafe filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 C-spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue filter head
GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead
 reduces substances responsible for unpleasant taste and odour, e.g. chlorine
 filter capacity 3000 l, the filter must be replaced after 6 months of use
 flow meter for filter lifetime measurement including 2 x AA batteries

30 583 000 **Chrome** **4005176744921**


30 583 DC0 **supersteel** **4005176744938**



GROHE Blue Pure Eurosmart Filter tap
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses


GROHE BLUE PURE

Ref. No.	Colour	EAN
30 584 000	Chrome	4005176744945




GROHE Blue Pure Eurosmart Starter kit with S-Size filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
 Capacity 600 L at 20° dKH
 flow meter for filter lifetime measurement including 2 x AA batteries

30 586 000	Chrome	4005176744969
------------	--------	---------------











GROHE Blue Pure Eurosmart Starter kit with reverse osmosis filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue reverse osmosis system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set

30 587 000	Chrome	4005176745263
------------	--------	---------------



GROHE Blue Pure Eurosmart Starter kit with reverse osmosis mineralization filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue reverse osmosis mineralization system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 mineralization filter enriches drinking water with magnesium and silicate for
 premium taste
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set

GROHE BLUE PURE

		Ref. No.	Colour	EAN
		30 588 000	Chrome	4005176744983
GROHE Blue Pure Minta Filter tap				
Consisting of:				
GROHE Blue single-lever sink mixer with filter function				
monobloc installation				
L-spout				
separate handle for filtered water				
28 mm ceramic cartridge with GROHE SilkMove				
swivel tubular spout				
swivel area 150°				
separate inner water ways for filtered and non-filtered water				
flexible connection hoses				
		30 589 000	Chrome	4005176745270
GROHE Blue Pure Minta Starter kit with S-Size filter				
Consisting of:				
GROHE Blue single-lever sink mixer with filter function				
monobloc installation				
L-spout				
separate handle for filtered water				
28 mm ceramic cartridge with GROHE SilkMove				
swivel tubular spout				
swivel area 150°				
separate inner water ways for filtered and non-filtered water				
flexible connection hoses				
GROHE Blue filter head				
GROHE Blue S-Size filter for water hardness reduction and premium taste				
Capacity 600 L at 20° dKH				
flow meter for filter lifetime measurement including 2 x AA batteries				
		30 590 000 30 590 DC0	Chrome supersteel	4005176745003 4005176745010
GROHE Blue Pure Minta Filter tap with pull-out mousseur				
Consisting of:				
GROHE Blue single-lever sink mixer with filter function				
monobloc installation				
L-spout				
pull out mousseur spout				
separate handle for filtered water				
28 mm ceramic cartridge with GROHE SilkMove				
swivel tubular spout				
swivel area 360°				
separate inner water ways for filtered and non-filtered water				
flexible connection hoses				
		30 590 KFO	phantom black	4005176781728
GROHE Blue Pure Minta Filter tap with pull-out mousseur				
Consisting of:				
GROHE Blue single-lever sink mixer with filter function				
monobloc installation				
L-spout				
pull out mousseur spout				
separate handle for filtered water				
28 mm ceramic cartridge with GROHE SilkMove				
swivel tubular spout				
swivel area 360°				
separate inner water ways for filtered and non-filtered water				
flexible connection hoses				

GROHE BLUE PURE

Ref. No. Colour EAN

30 591 000 Chrome 4005176745034

**GROHE Blue Pure Minta
Starter kit with pull-out tap**


Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout

pull out mousseur spout
separate handle for filtered water
28 mm ceramic cartridge
with **GROHE SilkMove**

swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head

GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
flow meter for filter lifetime measurement including 2 x AA batteries




41 136 000 4005176774430

**GROHE Blue
Activated carbon filter starter set**

Consisting of:

GROHE Blue filter head
GROHE Blue activated carbon filter for soft water areas below 9° dKH
reduces substances responsible for unpleasant taste and odour, e.g. chlorine
capacity 1500 l at 9° dKH
time counter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets




40 438 001 4005176984105

**GROHE Blue
S-size filter starter set**

Consisting of:

GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets and GROHE Red water systems




40 875 000 Chrome 4005176745195

**GROHE Blue
Magnesium + Zinc filter starter set**

Consisting of:

GROHE Blue filter head
GROHE Blue Magnesium + zinc filter
enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc
reduces substances responsible for unpleasant taste and odour, e.g. chlorine
reduces limescale and heavy metals
Capacity 400 L at 17° dGH
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets




40 876 000 Chrome 4005176745201

**GROHE Blue
Ultrasafe filter starter set**

Consisting of:

GROHE Blue filter head
GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead
reduces substances responsible for unpleasant taste and odour, e.g. chlorine
filter capacity 3000 l, the filter must be replaced after 6 months of use
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets



GROHE BLUE PURE



Ref. No.	Colour	EAN
40 877 000	Chrome	4005176745218


GROHE Blue
Reverse osmosis filter starter set
 Consisting of:
GROHE Blue reverse osmosis system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set
 compatible with GROHE Blue Pure single faucets







40 878 000	Chrome	4005176745225
------------	--------	---------------

GROHE Blue
Reverse osmosis with mineralization filter starter set
 Consisting of:
GROHE Blue reverse osmosis mineralization system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 mineralization filter enriches drinking water with magnesium and silicate for premium taste
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set
 compatible with GROHE Blue Pure single faucets

GROHE BLUE ACCESSORIES

		Ref. No.	Colour	EAN
		40 848 SD0 40 848 GN0 40 848 DL0 40 848 AL0	stainless steel brushed cool sunrise brushed warm sunset brushed hard graphite	4005176386008 4005176647000 4005176647017 4005176646997
<p>GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml</p>				
		40 405 001		4005176698019
<p>GROHE Blue Glass carafe with lid set crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe volume 1l</p>				
		40 636 SD0	stainless steel	4005176706707
<p>GROHE Blue Lid set set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe</p>				
		40 437 000		4005176885471
<p>GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml</p>				
		40 547 001		4005176984099
<p>GROHE Blue Activated carbon filter BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>				

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN
 	40 404 001		4005176984068
	GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 600 L at 20° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red		
	40 430 001		4005176984075
	ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high		
	40 412 001		4005176984082
	ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high		
 	40 691 002		4005176674099
	GROHE Blue Magnesium + Zinc filter BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red		
 	40 575 002		4005176674082
	GROHE Blue UltraSafe filter BWT replacement filter for GROHE Blue water systems filter capacity 3000 l, the filter must be replaced after 6 months of use retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)		
 	41 136 000		4005176774430
	GROHE Blue Activated carbon filter starter set Consisting of: GROHE Blue filter head GROHE Blue activated carbon filter for soft water areas below 9° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine capacity 1500 l at 9° dKH time counter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets		
 	40 438 001		4005176984105
	GROHE Blue S-size filter starter set Consisting of: GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets and GROHE Red water systems		




GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN
 	40 875 000	Chrome	4005176745195
<p>GROHE Blue Magnesium + Zinc filter starter set Consisting of: GROHE Blue filter head GROHE Blue Magnesium + zinc filter enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals Capacity 400 L at 17° dGH flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets</p>			
 	40 876 000	Chrome	4005176745201
<p>GROHE Blue Ultrasafe filter starter set Consisting of: GROHE Blue filter head GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead reduces substances responsible for unpleasant taste and odour, e.g. chlorine filter capacity 3000 l, the filter must be replaced after 6 months of use flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets</p>			
	40 877 000	Chrome	4005176745218
<p>GROHE Blue Reverse osmosis filter starter set Consisting of: GROHE Blue reverse osmosis system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets</p>			
	40 878 000	Chrome	4005176745225
<p>GROHE Blue Reverse osmosis with mineralization filter starter set Consisting of: GROHE Blue reverse osmosis mineralization system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms mineralization filter enriches drinking water with magnesium and silicate for premium taste flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets</p>			
	64 508 001		4005176984112
<p>GROHE Blue Filter Head for use with GROHE Blue filters, sold separately</p>			

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN
 	40 434 001		4005176985294
	GROHE Blue Cleaning cartridge for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		
	40 694 000		4005176985300
	GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately		
 	40 422 000		4005176890246
	GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		
 	40 687 000		4005176981838
	GROHE Blue Refill 425 g CO₂ bottles (4 pieces) carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		
 	40 920 000	Chrome	4005176470646
	GROHE Blue 425 g CO₂ bottle carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ sales unit 18 pieces		



GROHE BLUE ACCESSORIES



	Ref. No.	Colour	EAN
	40 423 000		4005176890253
	40 962 000		4005176529412
	40 843 000		4005176337109



**GROHE Blue
Starter kit 2 kg CO₂ bottle**
 carbondioxid from natural sources for food and beverage (E290)
 Purity: CO₂ 99.9 % v/v min.
 volume 1 bottle: 2 kg, up to 350 l sparkling water
 integrated residual pressure valve and safety carrier handle
 for refilling please order 40 424 000
 sales unit 1 piece
 not suitable for the GROHE Blue Home cooler
 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



**GROHE Blue
CO₂ adapter**
 adapter for GROHE Blue Professional CO₂ pressure reducer
 for use with 425 g CO₂ bottles
 for GROHE Blue Professional systems as of January 2019





**GROHE Blue
Extension set**
 Consisting of:
 extension cable 5 m
 hose for drinking water, 5 m
 tube cutter
 adapters and clips
 suitable for GROHE Blue Home and GROHE Blue Professional
 (from January 2019)

	Ref. No.	Colour	EAN
	30 328 001	Chrome	4005176414107
	30 328 DC1	supersteel	4005176414114
	<p>GROHE Red Duo Tap and L Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler L size reservoir for kettle hot and hot water Without safety expansion vessel, comes with safety valve assembly instead 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit</p>		
			


	30 340 001	Chrome	4005176414893
	30 340 DC1	supersteel	4005176414909
	<p>GROHE Red Duo Tap and L Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler L size reservoir for kettle hot and hot water 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit</p>		
			

	Ref. No.	Colour	EAN
	30 058 001	Chrome	4005176989162
	30 058 DC1	supersteel	4005176989179
	30 058 DL1	brushed warm sunset	4005176489280
	30 058 AL1	brushed hard graphite	4005176489266
	GROHE Red Duo Tap and M Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit		
			

	30 341 001	Chrome	4005176414916
	30 341 DC1	supersteel	4005176414923
	30 341 DL1	brushed warm sunset	4005176489327
	30 341 AL1	brushed hard graphite	4005176489303
	GROHE Red Duo Tap and M Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit		
			

	Ref. No.	Colour	EAN
	30 060 001	Chrome	4005176989186 GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit
	40 841 001	Chrome	4005176335358 GROHE Red Mixing valve for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation
	40 842 001	Chrome	4005176335365 GROHE Red Boiler Size M reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W
	40 834 001	Chrome	4005176335280 GROHE Red Boiler Size L reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W

GROHE RED



Ref. No.

Colour

EAN

40 432 000

4005176883255

GROHE Red

Tea glasses (4 pieces)

heat proof glass with GROHE Red decor

dish washer safe


volume 250 ml

GROHE WASTE SEPARATION SYSTEMS

Ref. No.

Colour

EAN



40 855 000

4005176356452

GROHE Blue

Waste bin recycling separation system

installation type: floor mounted, behind swinging door

technique: full extension



operation: manual telescopic



separation: double, 2 x up to 15 l filling volume

cabinet width: 30 cm and wider

compatible with GROHE Blue Home and GROHE Red M and L size

GROHE K7

	Ref. No.	Colour	EAN
	32 950 000	Chrome	4005176879838
	32 950 DC0	supersteel	4005176879845
	<p>K7 Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout swivel area 140° protected against backflow flexible connection hoses rapid installation system</p>		



	31 379 000	Chrome	4005176938085
	31 379 DC0	supersteel	4005176938092
	<p>K7 Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° protected against backflow flexible connection hoses rapid installation system</p>		

KITCHEN
FITTINGS

GROHE FOOT CONTROL

Ref. No.	Colour	EAN
----------	--------	-----

30 309 000		4005176351235
------------	--	---------------



Foot Control

Dual flush valve set

Foot control: activation of water via contact with sensor

battery supply 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44







upgrade set for GROHE pull-out kitchen faucets

not suitable for combination with open water heater (SKUs 32 555 000,


31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0,

31 179 000, 31 132 001

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH


	Ref. No.	Colour	EAN
	31 360 001	Chrome	4005176343025
	31 360 DC1	supersteel	4005176343032
	<p>Minta Touch Electronic single-lever sink mixer 1/2" L-spout Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>		
	31 358 002	Chrome	4005176465000
	31 358 DC2	supersteel	4005176465017
	<p>Minta Touch Electronic single-lever sink mixer 1/2" C-spout monobloc installation Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray diverter: laminar spray/SpeedClean shower jet swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>		
	31 613 000	Chrome	4005176521973
	31 613 DC0	supersteel	4005176521980
	31 613 A00	hard graphite	4005176523601
	<p>Minta SmartControl Sink mixer with SmartControl monobloc installation GROHE Long-Life Shine durable sparkling sheen pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways</p>		

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH




Ref. No.	Colour	EAN
30 274 000	Chrome	4005176314988
30 274 DC0	supersteel	4005176314995
30 274 DA0	warm sunset	4005176488672
30 274 DL0	brushed warm sunset	4005176488689
30 274 A00	hard graphite	4005176488658
30 274 AL0	brushed hard graphite	4005176488665

Minta
Single-lever sink mixer 1/2"
 L-spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system



32 321 002	Chrome	4005176465109
32 321 DC2	supersteel	4005176465116
32 321 GN2	brushed cool sunrise	4005176618529
32 321 DA2	warm sunset	4005176488757
32 321 DL2	brushed warm sunset	4005176488764
32 321 A02	hard graphite	4005176488733
32 321 AL2	brushed hard graphite	4005176488740










Minta
Single-lever sink mixer 1/2"
 C-spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 colours DA and A0 available until 31 march 2023











30 348 001	Chrome	4005176464973
------------	--------	---------------

Minta
Single-lever sink mixer 1/2"
 C-spout
 monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 shorter lever (71 mm)
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 available until 31 march 2023


GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN
	32 322 002	Chrome	4005176465123
	32 322 DC2	supersteel	4005176465130
	32 322 DA2	warm sunset	4005176488832
	32 322 DL2	brushed warm sunset	4005176488849
	32 322 A02	hard graphite	4005176488818
	32 322 AL2	brushed hard graphite	4005176488825
	<p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system colours DA and A0 available until 31 march 2023</p>		
	32 168 000	Chrome	4005176824425
	32 168 DC0	supersteel	4005176824432
	<p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>		
	32 918 000	Chrome	4005176230967
	32 918 DC0	supersteel	4005176804953
	<p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>		
	32 918 00E	Chrome	4005176866616
	<p>Ditto, with GROHE Ecojoy 5.7 l/min flow limiter</p>		
	32 511 000	Chrome	4005176295621
		<p>Minta Single-lever sink mixer 1/2" for use with displacement water heater C-spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>	

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN
	32 067 000	Chrome	4005176811142
	Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system		
	31 375 000 31 375 DC0 31 375 DA0 31 375 DL0 31 375 A00 31 375 AL0	Chrome supersteel warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176934155 4005176934162 4005176488634 4005176488641 4005176488610 4005176488627
	Minta Single-lever sink mixer 1/2" L-spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses protected against backflow rapid installation system colours DA and A0 available until 31 march 2023		
	32 917 000 32 917 DC0 32 917 DA0 32 917 DL0 32 917 A00 32 917 AL0	Chrome supersteel warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176230950 4005176804946 4005176488719 4005176488726 4005176488696 4005176488702
	Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000) colours DA and A0 available until 31 march 2023		
	32 917 KS0	velvet black	4005176980640
	Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine finish adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000)		

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH



Ref. No.	Colour	EAN
32 488 000	Chrome	4005176289552
32 488 DC0	supersteel	4005176804939
32 488 DA0	warm sunset	4005176488795
32 488 DL0	brushed warm sunset	4005176488801
32 488 A00	hard graphite	4005176488771
32 488 AL0	brushed hard graphite	4005176488788





Minta
Single-lever sink mixer 1/2"
 U spout, monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 selectable swivel area : 0° / 150° / 360°
 swivel tubular spout
 flexible connection hoses
 rapid installation system
 optional temperature limiter (46 308 000)
 colours DA and A0 available until 31 march 2023

40 684 000	Chrome	4005176940088
40 684 DC0	supersteel	4005176940095


Minta
Lever
 for Minta single lever sink mixer



GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


	Ref. No.	Colour	EAN
	30 219 002	Chrome	4005176466540
	30 219 DC2	supersteel	4005176466557
	<p>Zedra Touch Electronic single-lever sink mixer 1/2" Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses</p>		
	31 593 002	Chrome	4005176521942
	31 593 DC2	supersteel	4005176521959
	<p>Zedra SmartControl Sink mixer with SmartControl monobloc installation GROHE Long-Life Shine durable sparkling sheen pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways</p>		
	32 294 002	Chrome	4005176466496
	32 294 DC2	supersteel	4005176466502
	<p>Zedra Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways</p>		

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH




Ref. No.	Colour	EAN
32 553 002	Chrome	4005176466649
32 553 DC2	supersteel	4005176466656

Zedra
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set
 Lead and Nickel Free Inner Water Ways



Ref. No.	Colour	EAN
31 615 000	Chrome	4005176523649
31 615 DC0	supersteel	4005176523656
31 615 GL0	cool sunrise	4005176523670
31 615 GN0	brushed cool sunrise	4005176523687
31 615 DA0	warm sunset	4005176523694
31 615 DL0	brushed warm sunset	4005176523700
31 615 A00	hard graphite	4005176523717
31 615 AL0	brushed hard graphite	4005176523724

Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
pull-out spray with laminar metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways




31 928 KF0	phantom black	4005176782701
------------	---------------	---------------

Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE Long-Life Shine finish
pull-out spray with laminar metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways
professional edition



30 503 000	Chrome	4005176695698
30 503 DC0	supersteel	4005176720178




Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
professional edition
replaces Essence sink mixer 30 294 xx0

30 294 GL0	cool sunrise	4005176488078
30 294 GN0	brushed cool sunrise	4005176488085
30 294 DA0	warm sunset	4005176488498
30 294 DL0	brushed warm sunset	4005176488504
30 294 A00	hard graphite	4005176488054
30 294 AL0	brushed hard graphite	4005176488061

Colour variants for 30 503

GROHE ESSENCE




Ref. No.	Colour	EAN
30 503 KF0	phantom black	4005176782695

Essence
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set
 professional edition



30 321 GE0	green	4005176438271
30 321 XC0	Dark Grey	4005176385735
30 321 MW0	Sheer Marble	4005176385728
30 321 HG0	Dark Brown	4005176385742
30 321 DG0	red	4005176438219
30 321 DP0	pink	4005176438264
30 321 DU0	purple	4005176438257
30 321 TY0	blue	4005176438240
30 321 YF0	yellow	4005176438233
30 321 YR0	orange	4005176438226







Essence GROHFlexx kitchen hose
 Spout hose for Essence kitchen tap
 for 30 294 000/ 30 294 DC0/30 503 xxx
 flexible, hygienic **GROHFlexx kitchen** santoprene hose
 including fixing parts



30 504 000	Chrome	4005176695704
30 504 DC0	supersteel	4005176720130
30 504 GL0	cool sunrise	4005176720154
30 504 GN0	brushed cool sunrise	4005176720161
30 504 DA0	warm sunset	4005176720123
30 504 DL0	brushed warm sunset	4005176720147
30 504 A00	hard graphite	4005176720109
30 504 AL0	brushed hard graphite	4005176720116


Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 metal fixation set
 integrated temperature limiter
 professional edition
 replaces Essence sink mixer 30 270 xx0

GROHE ESSENCE

	Ref. No.	Colour	EAN	
		30 504 KF0 phantom black	4005176782688	
		<p>Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses metal fixation set integrated temperature limiter professional edition</p>		
		30 505 000 Chrome	4005176695711	
		30 505 DC0 supersteel	4005176720062	
		30 505 GL0 cool sunrise	4005176720086	
		30 505 GN0 brushed cool sunrise	4005176720352	
		30 505 DA0 warm sunset	4005176719752	
		30 505 DL0 brushed warm sunset	4005176720079	
		30 505 A00 hard graphite	4005176719738	
		30 505 AL0 brushed hard graphite	4005176719745	
		<p>Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter professional edition replaces Essence sink mixer 30 269 xx0</p>		
				30 505 KF0 phantom black
<p>Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter professional edition</p>				


GROHE EUROCUBE

Ref. No. Colour EAN



31 395 000 Chrome 4005176304774
31 395 DC0 supersteel 4005176304767

Eurocube
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life Shine finish
28 mm ceramic cartridge
with **GROHE SilkMove**
diverter: mousseur/shower jet
automatic return to laminar spray
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
rapid installation system











31 255 000 Chrome 4005176901416
31 255 DC0 supersteel 4005176994319

Eurocube
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life Shine finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel cast spout
swivel area 90°
flexible connection hoses
rapid installation system

KITCHEN
FITTINGS


GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN
 	32 257 002	Chrome	4005176886591
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system		
 	33 772 002	Chrome	4005176890796
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 271 mm S-unions		
 	32 259 003	Chrome	4005176466908
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° mousseur flexible connection hoses metal fixation set		
 	33 770 002	Chrome	4005176888137
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system		

GROHE EURODISC


Ref. No. Colour EAN

32 257 001 Chrome 4005176834165



Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system


33 770 001 Chrome 4005176828959



Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system


KITCHEN
FITTINGS

GROHE CONCETTO




Ref. No.	Colour	EAN
31 491 000	Chrome	4005176343308
31 491 DC0	supersteel	4005176343315

Concetto
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set




31 483 002	Chrome	4005176466809
31 483 DC2	supersteel	4005176466816

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 Lead and Nickel Free Inner Water Ways
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set



32 663 003	Chrome	4005176466854
32 663 DC3	supersteel	4005176466861

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 Lead and Nickel Free Inner Water Ways
 pull-out laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set




31 212 003	Chrome	4005176466762
------------	--------	---------------

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
 Lead and Nickel Free Inner Water Ways
 pull-out laminar spray
 automatic return
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set


GROHE CONCETTO

Ref. No. Colour EAN




32 661 003 Chrome 4005176466823
32 661 DC3 supersteel 4005176466830

Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
metal fixation set




30 273 001 Chrome 4005176314964
30 273 DC1 supersteel 4005176314971

Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system



31 129 001 Chrome 4005176886744
31 129 DC1 supersteel 4005176891021


Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system



31 214 001 Chrome 4005176891090


Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
medium spout
monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

GROHE CONCETTO



Ref. No.	Colour	EAN
31 128 001	Chrome	4005176886737
31 128 DC1	supersteel	4005176891007









Concetto
Single-lever sink mixer 1/2"
 medium spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system









32 659 001	Chrome	4005176886713
------------	--------	---------------

Concetto
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN
	31 482 003	Chrome	4005176466984
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set available until 31 march 2023</p>		
	31 126 004	Chrome	4005176466977
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set available until 31 march 2023</p>		
	33 975 004	Chrome	4005176467004
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses metal fixation set available until 31 march 2023</p>		
	30 221 002	Chrome	4005176984235
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter</p>		











GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN
 	31 127 002	Chrome	4005176886669
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system available until 31 march 2023</p>		
 	31 124 002	Chrome	4005176886614
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system available until 31 march 2023</p>		
 	31 159 002	Chrome	4005176888106
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses available until 31 march 2023</p>		


GROHE EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN
		31 481 001	Chrome	4005176466922
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set</p>				
		32 843 002 32 843 DC2	Chrome supersteel	4005176466939 4005176466953
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses metal fixation set</p>				
		32 843 20E	Chrome ditto, with GROHE Ecojoy	4005176466946
<p>31 180 000 Chrome 4005176889288 Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>				
		30 193 000 30 193 DC0	Chrome supersteel	4005176919459 4005176938559
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>				

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN
	30 199 000	Chrome	4005176922022
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>		
	30 195 000	Chrome	4005176919473
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses</p>		
	32 842 000	Chrome	4005176874833
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>		
	31 179 000	Chrome	4005176889172
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater low spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>		
	31 161 000	Chrome	4005176889158
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve low spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>		

GROHE EUROSMART COSMOPOLITAN




Ref. No.	Colour	EAN
31 170 000	Chrome	4005176889165

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
 for installation in front of window
 low spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 mousseur
 swivel tubular spout
 swivel area 140°
 non-removable socket height: 30 mm
 flexible connection hoses


Ref. No. Colour EAN

30 305 001 Chrome 4005176635465
30 305 DC1 supersteel 4005176635472




Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 90°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
protected against backflow
professional edition

31 869 000 Chrome 4005176693120




Eurosmart
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
low spout
automatic return to laminar spray
swivel cast spout
Lead and Nickel Free Inner Water Ways
swivel area 90°
adjustable flow rate limiter
diverter: laminar spray/SpeedClean shower jet
pull-out dual spray control - switches between regular flow and spray
metal fixation set
protected against backflow
flexible connection hoses 1/2"
professional edition

33 202 003 Chrome 4005176635588



Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
professional edition


30 468 000 Chrome 4005176635755



Eurosmart
Two handle sink mixer
high spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
cartridge: ceramic head parts, 90° turn angle
integrated temperature limiter
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 1/2"
rapid installation system
min. recommended pressure 0.2 bar
professional edition


Ref. No. Colour EAN

30 506 000 Chrome 4005176723667




Eurosmart
Single-lever sink mixer 1/2"
low spout
Cradle to Cradle Certified Gold
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement
adjustable flow rate limiter
integrated temperature limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
professional edition

33 281 003 Chrome 4005176635366
33 281 DC3 supersteel 4005176635397




Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition

33 281 30E Chrome 4005176635410












Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition

31 868 000 Chrome 4005176693113








Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
Cradle 2 Cradle certified
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
swivel area 140°
Lead and Nickel Free Inner Water Ways
adjustable flow rate limiter
mousseur with coin slot for tool free replacement
metal fixation set
swivel cast spout
flexible connection hoses 1/2"
professional edition

GROHE EUROSMART











	Ref. No.	Colour	EAN
	 30 260 003	Chrome	4005176635434
	Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 90° Lead and Nickel Free Inner Water Ways mousseur with coin slot for tool free replacement flexible connection hoses 3/8" metal fixation set professional edition		
	 32 224 003	Chrome	4005176635786
	Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 276 mm integrated temperature limiter S-unions professional edition		
	 31 391 003	Chrome	4005176635762
	Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 216 mm integrated temperature limiter S-unions professional edition		

GROHE EUROECO / EUROECO SPECIAL







		Ref. No.	Colour	EAN
		32 752 000	Chrome	4005176868252
		<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° metal lever flexible connection hoses rapid installation system</p>		
		32 750 000	Chrome	4005176868238
		<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>		
		32 786 000	Chrome	4005176871863
		<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses</p>		
		32 787 000	Chrome	4005176871870
		<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses</p>		

KITCHEN
FITTINGS











GROHE COSTA

		Ref. No.	Colour	EAN
		31 819 001	Chrome	4005176843471
<p>Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life Shine finish Carbodor headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>				
		31 067 001	Chrome	4005176845710
<p>Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life Shine finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval</p>				
		31 831 001	Chrome	4005176843280
<p>Costa L Sink mixer 1/2" metal handles heat-insulated GROHE Long-Life Shine finish GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>				
		31 930 001	Chrome	4005176843303
<p>Costa L Sink mixer 1/2" for use with displacement water heater metal handles heat-insulated GROHE Long-Life Shine finish GROHE Long-Life headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes</p>				
		31 829 001	Chrome	4005176845697
<p>Costa L Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval</p>				











GROHE COSTA

	Ref. No.	Colour	EAN
 	31 187 001	Chrome	4005176843327
	Costa L Wall mixer, 1/2" metal handles heat-insulated GROHE Long-Life Shine finish GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions		
 	30 098 001	Chrome	4005176843266
	Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life Shine finish mousseur GROHE Long-Life headparts		
 	30 064 001	Chrome	4005176843259
	Costa L Bibtap 1/2" metal handle wall mounted screwable marking: blue (cold) GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life headpart Laminar flow straightener projection 150 mm		











GROHE BAU LINES

		Ref. No.	Colour	EAN
		31 368 001	Chrome	4005176478529
<p>BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed</p>				
		31 232 001	Chrome	4005176478253
<p>BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p>				
		31 367 001	Chrome	4005176478512
<p>BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed</p>				
		31 233 001	Chrome	4005176478284
<p>BauEdge Single-lever sink mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set</p>				
		31 536 001	Chrome	4005176478567
<p>BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed</p>				













GROHE BAU LINES

		Ref. No.	Colour	EAN
		31 231 001	Chrome	4005176478260
<p>BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p>				
		31 538 001	Chrome	4005176478574
<p>GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p>				
		31 230 001	Chrome	4005176478277
<p>GROHE BauFlow Single-lever sink mixer 1/2" monobloc installation metal lever GROHE Long-Life Shine finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set</p>				
		31 535 001	Chrome	4005176478550
<p>BauClassic Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p>				
		31 234 001	Chrome	4005176478499
<p>BauClassic Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p>				




GROHE BAU LINES

	Ref. No.	Colour	EAN
	31 706 000	Chrome	4005176530449
	BauLoop Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed		
	31 693 000	Chrome	4005176530371
	BauEdge Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed		
	31 688 000	Chrome	4005176530333
	GROHE BauFlow Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set		
	31 715 000	Chrome	4005176564123
	BauCurve Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set		
	31 680 000	Chrome	4005176530487
	BauEco Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed		

GROHE SOAP DISPENSERS

	Ref. No.	Colour	EAN
		40 535 000 Chrome	4005176905490
		40 535 DC0 supersteel	4005176905520
<p>Cosmopolitan Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life Shine finish colour BE available until 31 March 2023</p>			
		40 536 000 Chrome	4005176905506
		40 536 DC0 supersteel	4005176905537
<p>Contemporary Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life Shine finish</p>			
		40 537 000 Chrome	4005176905513
		40 537 DC0 supersteel	4005176905544
<p>Authentic Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life Shine finish available until 31 march 2023</p>			
		36 194 000 Chrome	4005176140921
		<p>Soap dispenser pillar tap with push-button, for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. GROHE Long-Life Shine finish</p>	
		13 071 000 Chrome	4005176023132
		<p>Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE Long-Life Shine durable sparkling sheen</p>	
		13 034 000 Chrome	4005176022869
		<p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE Long-Life Shine finish</p>	

GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN
	31 582 SD1	stainless steel	4005176607158
	<p>K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 rh mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1.2 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system sink mountable right cut-out (top mount): 1145 x 505 mm (R3) cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10</p>		
	31 581 SD1	stainless steel	4005176607141
	<p>K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 lh mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1.2 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left cut-out (top mount): 1145 x 505 mm (R3) cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10</p>		
	31 583 SD1	stainless steel	4005176607165
	<p>K800 Stainless steel sink model: K800 60-S 51.8/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 518 x 510 mm 1 bowl: 462 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 503 x 495 mm (R3) cut-out (flush mount): 503 x 495 mm (R3) (top step outer size: -519 x 511 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8</p>		

GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 584 SD1 stainless steel 4005176607172

K800

Stainless steel sink

model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10

GROHE FastFixation

installation system
cut-out (top mount): 831 x 495 mm (R3)
cut-out (flush mount): 831 x 495 mm (R3) (top step outer size: -847 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10



31 585 SD1 stainless steel 4005176607189

K800

Stainless steel sink

model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10

GROHE FastFixation

installation system
cut-out (top mount): 1009 x 495 mm (R3)
cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12



31 586 SD1 stainless steel 4005176607196

K800

Stainless steel sink

model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper




min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10

GROHE FastFixation

installation system
cut-out (top mount): 1009 x 495 mm (R3)
cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12



GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN
	31 574 SD1	stainless steel	4005176607080
	<p>K700U Stainless steel sink model: K700U 60-S 54.4/44.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 550 x 450 mm 1 bowl: 500 x 400 x 200 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system cut-out (undermount): 502 x 402 mm (R16) cut-out (top mount): 535 x 435 mm cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8</p>		
	31 575 SD1	stainless steel	4005176607097
	<p>K700U Stainless steel sink model: K700U 80-S 76/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 760 x 450 mm 1 bowl: 500 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system sink mountable left cut-out (undermount): 712 x 402 mm (R16) cut-out (top mount): 745 x 435 mm (R3) cut-out (flush mount): 745 x 435 mm (R3) (top step outer size: -761 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 amount of fasteners included (undermount): 10</p>		
	31 576 SD1	stainless steel	4005176607103
	<p>K700U Stainless steel sink model: K700U 60-S 59.5/45 1.5 rh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system sink mountable right cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm (R3) cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8</p>		

GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 577 SD1 stainless steel 4005176607110

K700U

Stainless steel sink

model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation

installation system
sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm (R3)
cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8



31 578 SD1 stainless steel 4005176607127

K700

Stainless steel sink

model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE FastFixation

installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm (R3)
cut-out (flush mount): 449 x 449 mm (R3) (top step outer size: -465 x 465 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8



31 580 SD1 stainless steel 4005176607134

K700

Stainless steel sink

model: K700 90-S 86.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper




min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE FastFixation

installation system
cut-out (undermount): 802 x 402 mm (R11)
cut-out (top mount): 849 x 449 mm (R3)
cut-out (flush mount): 849 x 449 mm (R3) (top step outer size: -865 x 465 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8



GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN
	31 571 SD1	stainless steel	4005176626029
	<p>K500 Stainless Steel Sink with Drainer model: K500 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 420 x 170 mm outer radius: R6 (top mount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14</p>		
	31 563 SD1	stainless steel	4005176623738
	<p>K500 Stainless Steel Sink with Drainer model: K500 60-S 100/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 550 mm dimensions: 1000 x 500 mm 1 bowl: 450 x 400 x 180 mm outer radius: R6 (topmount), inner bowl radius: R75 GROHE FastFixation installation system sink mountable left or right cut-out (top-mount): 990 x 490 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16</p>		
	31 572 SD1	stainless steel	4005176626036
	<p>K500 Stainless Steel Sink with Drainer model: K500 60-S 100/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 340 x 420 x 185 mm 0.5 bowl: 170 x 320 x 125 mm outer radius: R6 (top mount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top-mount): 990 x 490 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16</p>		

GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 588 SD1 stainless steel 4005176626043

K500

Stainless Steel Sink with Drainer

model: K500 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 185 mm
2 bowl: 340 x 420 x 185 mm
outer radius: R6 (topmount), inner bowl radius: R90

GROHE FastFixation

installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 18



31 564 SD1 stainless steel 4005176623745

K200

Stainless Steel Sink with Drainer

model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 150 mm
1 bowl: 170 x 320 x 80 mm
outer radius: R10 (topmount), inner bowl radius: R100

GROHE FastFixation

installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16



31 565 SD1 stainless steel 4005176623752


Eurosmart

Kitchen sink and tap bundle



Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Eurosmart single lever sink mixer (33 281 003)
low spout
monobloc installation

GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°

Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14




GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN
	31 562 SD1	stainless steel	4005176623721
	<p>Bau Kitchen sink and tap bundle Consisting of: K200 stainless steel sink with drainer (31 552 SD1) mounting type: top mount Bau Edge single lever sink mixer (31 367 001) high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur swivel tubular spout swivel area 360° flexible connection hoses outer radius: R6 (topmount), inner bowl radius: R100 GROHE FastFixation installation system accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14</p>		
	31 552 SD1	stainless steel	4005176623714
	<p>K200 Stainless Steel Sink with Drainer model: K200 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 350 x 400 x 160 mm outer radius: R6 (topmount), inner bowl radius: R100 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14</p>		

GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 650 AT0 granite gray 4005176521294
31 650 AP0 granite black 4005176521287



K700

Composite sink

model: K700 50-C 40/50 1.0

mounting type: top mount

material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm

dimensions: 400 x 500 mm

1 bowl: 350 x 375 x 200 mm

outer radius: R6, inner bowl radius: R45

GROHE FastFixation installation system

cut-out: 380 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle,


waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 6

heat resistant up to 180° C

31 651 AT0 granite gray 4005176521317
31 651 AP0 granite black 4005176521300



K700

Composite sink

model: K700 60-C 56/51 1.0

mounting type: top mount

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 560 x 510 mm

1 bowl: 500 x 360 x 200 mm

outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out: 545 x 495 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle,


waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

heat resistant up to 180° C

31 652 AT0 granite gray 4005176521331
31 652 AP0 granite black 4005176521324



K700

Composite sink

model: K700 80-C 78/51 1.0

mounting type: top mount

material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 780 x 510 mm

1 bowl: 720 x 370 x 220 mm

outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out: 764 x 494 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 9

heat resistant up to 180° C

GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 653 AT0 granite gray 4005176521355
31 653 AP0 granite black 4005176521348

K700U

Composite sink


model: K700U 50-C 45.7/40.6 1.0
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 442 x 391 mm
cut-out (undermount): 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C



31 654 AT0 granite gray 4005176521379
31 654 AP0 granite black 4005176521382

K700U

Composite sink


model: K700U 60-C 53.3/45.7 1.0
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
outer radius: R7, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 518 x 442 mm
cut-out (undermount): 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C



31 655 AT0 granite gray 4005176521393
31 655 AP0 granite black 4005176521386

K700U

Composite sink


model: K700U 70-C 61/45.7 1.0
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system


cut-out (top mount): 594 x 442 mm
cut-out (undermount): 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C



GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 644 AT0 granite gray 4005176521171
31 644 AP0 granite black 4005176521164



K500

Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE FastFixation installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 645 AT0 granite gray 4005176521195
31 645 AP0 granite black 4005176521188



K500

Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE FastFixation installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 646 AT0 granite gray 4005176521218
31 646 AP0 granite black 4005176521201



K500

Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 647 AT0 granite gray 4005176521232
31 647 AP0 granite black 4005176521225

K500



Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: top mount
material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE FastFixation installation system

sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C



31 648 AT0 granite gray 4005176521256
31 648 AP0 granite black 4005176521249

K500


Composite sink
model: K500 60-C 55,5/46 1.5 rev
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE FastFixation installation system

sink mountable left or right
cut-out (top mount): 545 x 444 mm
cut-out (undermount): 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C



31 649 AT0 granite gray 4005176521270
31 649 AP0 granite black 4005176521263

K500


Composite sink
model: K500 90-C 86/50 2.0
mounting type: top mount
material: quartz composite

GROHE Whisper

min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system


sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C



GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 639 AT0 granite gray 4005176520464
31 639 AP0 granite black 4005176520457



K400

Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 640 AT0 granite gray 4005176520488
31 640 AP0 granite black 4005176520471



K400

Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 641 AT0 granite gray 4005176521119
31 641 AP0 granite black 4005176521102



K400

Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite







GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN
	31 642 AT0	granite gray	4005176521133
	31 642 AP0	granite black	4005176521126
		K400 Composite sink with drainer model: K400 60-C 100/50 1.5 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 335 x 420 x 205 mm 0.5 bowl: 155 x 295 x 146 mm outer radius: R6, inner bowl radius: big bowl R10, small bowl R8 GROHE FastFixation installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 heat resistant up to 180° C	
		31 643 AT0 granite gray 4005176521157 31 643 AP0 granite black 4005176521140	
		K400 Composite sink with drainer model: K400 80-C 116/50 1.5 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 heat resistant up to 180° C	
		31 656 AT0 granite gray 4005176521416 31 656 AP0 granite black 4005176521409	
		K200 Composite sink model: K200 50-C 51 1.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm inner bowl radius: Ø 380 GROHE FastFixation installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 3 heat resistant up to 180° C	



GROHE
COMMERCIAL FITTINGS





CONTENTS

Electronic Fittings	Eurocube E	594
	Essence E	597
	Bluetooth monitoring	600
	Europlus E	609
	Eurosmart Cosmopolitan E	611
	Euroeco Cosmopolitan E	620
	Bau Cosmopolitan E	624
Special Thermostats	Grohtherm Micro	627
	Grohtherm Special	628
	Grohtherm XL	632
Single-Lever Mixers	Eurosmart Care	633
	Vertica Eurostyle Cosmopolitan	638
	Commercial Showers	639
	Euroeco Special	642
	Hospita	646
	Euroeco Single Sequential	647
Self-Closing Taps	Eurodisc SE	649
	Eurosmart Cosmopolitan T	650
	Euroeco Cosmopolitan T	651

SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.





ROUND AND SQUARE



**BAUEDGE
SINGLE-LEVER MIXER**



BAU CERAMIC



**BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



ROUND AND SQUARE



**EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER**



EURO CERAMIC



**EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



**EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



ROUND FEMININE



**ESSENCE
SINGLE-LEVER MIXER**



ESSENCE



**ESSENCE E
TOUCHLESS BASIN MIXER**



EDGE MASCULINE



**EUROCUBE
SINGLE-LEVER MIXER**



CUBE CERAMIC



**EUROCUBE E
TOUCHLESS BASIN MIXER**

EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –
WITHOUT COMPROMISING ON HYGIENE



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



WC / URINAL



COMMERCIAL
FITTINGS

BASIN



new

BAU COSMOPOLITAN E

DISCOVER TOUCHLESS COMFORT

HYGIENE



TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

SUSTAINABILITY



GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



QUALITY

German perfectionism inspires ultimate customer confidence

DESIGN



GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.

TECHNOLOGY



GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



36 407 001
Remote control for
GROHE Touchless fittings

Basic functionalities can be adjusted without remote control - simply by hand.



GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control

- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



LOGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)




MAINS OPERATED



36 453 000
Touchless basin mixer
(with plug transformer 100 – 230 V AC)


GROHE EUROCUBE E

Ref. No.	Colour	EAN
36 440 000	Chrome	4005176415623




Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine durable sparkling sheen
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 441 000	Chrome	4005176415630
36 441 DC0	supersteel	4005176686818
36 441 AL0	brushed hard graphite	4005176686825



Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K


36 442 000	Chrome	4005176415647
------------	--------	---------------



Eurocube E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 laminar spray regulator 5.7 l/min
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation
 for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
 CE approved
 noise classification 1 in accordance with DIN4109

GROHE EUROCUBE E


Ref. No. Colour EAN



36 264 001 **4005176416279**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

38 748 002 **Chrome** **4005176416323**




Rapid SL
Element for wash basin with rough-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)

36 407 001 **4005176368974**



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

36 340 000 **4005176911385**



Power extension cable
length 3.00 m

36 341 000 **4005176911392**
ditto, length 10 m

COMMERCIAL
FITTINGS

GROHE EUROCUBE E


Ref. No.

Colour

EAN

36 338 000

4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief


suitable for the following products: 36 444 000, 36 440 000,

36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,

36 015 001, 36 016 001, 36 421 000, 36 453 000

GROHE ESSENCE E

Ref. No.	Colour	EAN
36 444 000	Chrome	4005176415661



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)

GROHE Long-Life Shine durable sparkling sheen

adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 445 000	Chrome	4005176415678
36 445 DC0	supersteel	4005176686542
36 445 GL0	cool sunrise	4005176686559
36 445 GN0	brushed cool sunrise	4005176686566
36 445 DA0	warm sunset	4005176686573
36 445 DL0	brushed warm sunset	4005176686788
36 445 A00	hard graphite	4005176686795
36 445 AL0	brushed hard graphite	4005176686801


Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Long-Life Shine durable sparkling sheen

adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K



GROHE ESSENCE E

Ref. No. Colour EAN

36 446 000 Chrome 4005176415685

Essence E

Infra-red electronic basin tap 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

6V lithium battery, type CR-P2

battery lifetime approx. 7 years (150 actuations a day)

GROHE Long-Life Shine durable sparkling sheen adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



36 447 000 Chrome 4005176416293

Essence E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.0 l/min

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001

CE approved

noise classification 1 in accordance

with DIN4109



36 264 001 4005176416279

Concealed mounting box


wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation

connection housing for power supply

suitable for 36 447 000, 36 442 000



GROHE ESSENCE E

Ref. No. Colour EAN

38 748 002 **Chrome** **4005176416323**


Rapid SL

Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studed walls

Includes

- wash basin fixing bolts with fixing device for ceramic
- variable distance of fixing bolts
- HT-outlet bend Ø 50 mm
- seal Ø 32 mm
- pre-mounted roughing-in set with protecting block
- fire-proof pipe for laying electronic cables
- installation box with water group, stop valve and flush elbow
- connection with noise protected fitting holder 1/2"
- connecting box for mains supply 230 V
- CE approved
- for installation with pre-mixed or cold water
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



36 407 001

4005176368974

Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring


- consumption and usage data
- thermal disinfection cycles (infrared mixers)
- auto flush cycles (infrared mixers)
- cleaning mode cycles (GROHE Blue Home)
- filter and CO₂ capacity (GROHE Blue Home)

configuration

- cleaning mode activation
- thermal disinfection (infrared mixers)
- detection range (infrared mixers)
- shut off delay (infrared mixers)
- auto flush (infrared mixers)
- filter capacity (GROHE Blue Home)

service

- send and save profile
- reset to factory or user settings
- service details
- demo mode
- error codes (GROHE Blue Home)
- 3 x 1.5 V DC (AAA) battery supply



36 340 000

4005176911385

Power extension cable

length 3.00 m

36 341 000

ditto, length 10 m

4005176911392




36 338 000

4005176896743

Switch mode power supply

for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000, 36 453 000



GROHE BLUETOOTH MONITORING


Ref. No.	Colour	EAN
36 413 000	Chrome	4005176320576

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves
 and dirt strainers
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver

monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection

configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name

service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 409 000 Chrome 4005176320538

**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system

GROHE Long-Life Shine finish

GROHE Water Saving mousseur 5.7 l/min

solenoid valve

dirt strainer

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

thermal disinfection

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

COMMERCIAL
FITTINGS

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN
36 414 000	Chrome	4005176320583

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE Long-Life Shine finish
GROHE CoolTouch
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
 swivel cast spout 219 mm
 with swivel stop at 130° or fixed
 projection 287 mm
 laminar mousseur 9 l/min
 S-unions
 escutcheon covers for S-unions
 non-return valve
 dirt strainers
 power connection cable 3.0 m
 for use with connection set
 39 383 000

with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver

monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection

configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name


service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



39 383 000	4005176356926
------------	---------------

Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
 fitting support
 2 fitting connections DN 15
 power supply connector
 wall installation
 for use with Eurosmart Cosmopolitan E thermostat 230 V



GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 410 000 Chrome 4005176320545

**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 001/36 337 001

GROHE Long-Life Shine finish

GROHE Water Saving - Less water, perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

COMMERCIAL
FITTINGS

36 337 001

4005176595417

**Euroeco Cosmopolitan E
Concealed mounting box**

wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation


stop valve

connection housing for power supply

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



36 336 001

4005176991769

**Eurosmart Cosmopolitan E
Concealed mounting box**

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation


2 stop valves

non-return valve

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 412 000 Chrome 4005176320569

Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 001

GROHE Long-Life Shine finish

GROHE Water Saving - Less water, perfect flow

laminar flow straightener 9 l/min

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 339 001

4005176595424

Eurosmart Cosmopolitan E

Concealed mounting box

with mixture

wall installation

suitable for IR-sets for final installation

2 stop valves

housing with mixing device


non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 415 000 Chrome 4005176320590

Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic for concealed thermostatic shower

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose for concealed installation box 36 416 001

GROHE Long-Life Shine durable sparkling sheen

chrome escutcheon

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name


service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 416 001

4005176595394

Eurosmart Cosmopolitan E

Concealed control unit

for shower

with integrated pre-adjustable

thermostatic mixer

suitable for infra-red set 36 415 000 and 36 463 000


2 stop valves

non-return valves with filters

connection housing for power supply

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC


allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

37 503 000 Chrome 4005176320507



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000**

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for
monitoring, configuration and service purpose

GROHE Long-Life Shine finish

flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days

configuration

detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and
have to be ordered separately via an authorised Apple store/store/iTunes or Google
Play store.


* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

37 338 000

4005176837920






**GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V**

water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid

functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	EAN
	37 504 000	Chrome	4005176320521
	<p>Tectron Skate Bluetooth Infra-red electronic for WC for flushing cistern GD 2 / Rapid SL 1.13 m only with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with additional manual actuation GROHE Long-Life Shine finish front plate 156 x 197 mm servo motor for use with Rapid SLX please order shaft 66 791 000 (sold separately) with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.</p>		
	36 340 000		4005176911385
	<p>Power extension cable length 3.00 m</p> <p>36 341 000 ditto, length 10 m</p>		
	36 338 000		4005176896743
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p>		

COMMERCIAL
FITTINGS

GROHE BLUETOOTH MONITORING


Ref. No.

Colour

EAN

36 407 001

4005176368974



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)


service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE EUROPLUS E

Ref. No. Colour EAN

36 207 001 Chrome 4005176929373



Europlus E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses

- non-return valve
- dirt strainers
- solenoid valve
- rapid installation system
- multistage battery status display
- 7 pre-set programs
- auto flush
- thermal disinfection
- cleaning mode
- additional functions and precise settings by remote control 36 407
- CE approved
- noise classification 1 in accordance with DIN4109
- type of protection faucet IP 59K

36 208 001 Chrome 4005176929380
ditto, without mixing device


36 015 001 Chrome 4005176929359

Europlus E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Water Saving mousseur 5.7 l/min








- flexible connection hoses
- non-return valve
- dirt strainers
- solenoid valve
- rapid installation system
- 7 pre-set programs
- auto flush
- thermal disinfection
- cleaning mode
- additional functions and precise settings by remote control 36 407
- CE approved
- noise classification 1 in accordance with DIN4109
- type of protection faucet IP 59K



36 016 001 Chrome 4005176929366
ditto, without mixing device

COMMERCIAL
FITTINGS

GROHE EUROPLUS E

	Ref. No.	Colour	EAN
 	36 407 001		4005176368974
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>		
 	36 340 000		4005176911385
	<p>Power extension cable length 3.00 m</p>		
	36 341 000		4005176911392
	<p>ditto, length 10 m</p>		
 	36 338 000		4005176896743
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p>		
	36 209 000	Chrome	4005176207105
	<p>Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE Long-Life Shine durable sparkling sheen</p>		

GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN

36 327 002 Chrome 4005176695599

Eurosmart Cosmopolitan E


Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59
replaces 36 327 001



36 331 001 Chrome 4005176305795
ditto, with pop-up waste set 1 1/4"

36 422 001 Chrome 4005176695636

Eurosmart Cosmopolitan E


Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59
replaces 36 422 000




COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN

36 325 002 Chrome 4005176318771



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59
 replaces 36 325 001

36 421 001 Chrome 4005176695612




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59
 replaces 36 421 000

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN

36 439 001 Chrome 4005176695605




Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59
 replaces 36 439 000

36 330 002 Chrome 4005176695667



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
 with hidden mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59
 replaces 36 330 001



36 324 001 Chrome 4005176305757






Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
for use with displacement water heater
 fixed build in static flow limiter 5 l/min
 on the hose connection
 non-return valve
 dirt strainers
 flexible connection hoses
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved
 type of protection faucet IP 59K
 min. recommended pressure 1.0 bar







COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN
	36 386 001	Chrome	4005176311673
	<p>Eurosmart Cosmopolitan E Powerbox infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Water Saving 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p>		
	36 454 000	Chrome	4005176487774
	<p>Eurosmart Cosmopolitan E Special Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode) two additional detection modes adjustable (hand-hand or body-body) GROHE Long-Life Shine durable sparkling sheen GROHE CoolTouch laminar mousseur 9 l/min non-return valve dirt strainers GROHE SafetyPlus fixed temperature stop temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable with S-unions, chrome nuts and covers self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p>		
	36 455 000	Chrome	4005176487781
	ditto, projection 255 mm		




GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN
		36 332 000 Chrome	4005176896682
		<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode) two additional detection modes adjustable (hand-hand or body-body) GROHE Long-Life Shine durable sparkling sheen laminar mousseur 9 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p>	
	36 333 000 Chrome ditto, projection 255 mm		4005176896699
		36 334 SD0 stainless steel	4005176896705
		<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 1.0 bar</p>	
	36 335 SD0 stainless steel ditto, projection 172 mm		4005176896712
		36 337 001	4005176595417
		<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>	

COMMERCIAL
FITTINGS


GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN



36 336 001 4005176991769

**Eurosmart Cosmopolitan E
Concealed mounting box**
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve




36 376 000 Chrome 4005176932243

**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable
temperature limiter**

with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 001
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 Chrome 4005176896590
ditto, projection 172 mm




36 339 001 4005176595424

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN

36 457 000 Chrome 4005176494765




Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 ergonomic metal handle
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch
 non-return valve
 dirt strainers
GROHE SafetyPlus fixed temperature stop
 temperature scale handle with pre-adjustable
 safety stop between 35°C and 41°C (calibration required)
 metal temperature safety stop
 full unmixed hot or cold water in extreme handle position for legionella sampling
 shower bottom outlet 1/2" with
 integrated non return-valve
 with S-unions, chrome nuts and covers
 self-sealing escutcheons
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109

36 456 000 Chrome 4005176494758



Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed thermostatic shower
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 for concealed installation box 36 458 000 and 36 459 000
 ergonomic metal handle
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus fixed temperature stop
 temperature scale handle with pre-adjustable
 safety stop between 35°C and 41°C (calibration required)
 metal temperature safety stop
 full unmixed hot or cold water in extreme handle position for legionella sampling
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109











36 458 000 4005176494772









Eurosmart Cosmopolitan E
Concealed control unit
 for shower
 with integrated thermostatic mixer
 suitable for infra-red set 36 456 000
 2 stop valves
 non-return valves with filters
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN
 	36 459 000		4005176576188
<p>Eurosmart Cosmopolitan E Concealed control unit for shower with integrated thermostatic mixer suitable for infra-red set 36 456 000 2 stop valves non-return valves with filters connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	47 780 000		4005176836541
<p>Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve</p>			
 	36 463 000	Chrome	4005176576690
<p>Eurosmart Cosmopolitan E Infra-red electronic for concealed thermostatic shower with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 416 000 and 36 464 000 for hidden thermostatic mixer GROHE Long-Life Shine durable sparkling sheen 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p>			
 	36 464 000		4005176576706
<p>Eurosmart Cosmopolitan E Concealed control unit for shower with integrated pre-adjustable thermostatic mixer suitable for infra-red set 36 463 000 2 stop valves non-return valves with filters 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	36 416 001		4005176595394
<p>Eurosmart Cosmopolitan E Concealed control unit for shower with integrated pre-adjustable thermostatic mixer suitable for infra-red set 36 415 000 and 36 463 000 2 stop valves non-return valves with filters connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			

GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN
 	36 407 001		4005176368974
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>		
 	36 340 000		4005176911385
	<p>Power extension cable length 3.00 m</p>		
	36 341 000		4005176911392
	<p>ditto, length 10 m</p>		
 	36 338 000		4005176896743
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p>		

COMMERCIAL
FITTINGS

GROHE EUROECO COSMOPOLITAN E


Ref. No. Colour EAN

36 271 000 Chrome 4005176893193




Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 269 000 Chrome 4005176893179



Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
without power supply 36 338 000 (required)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 272 000 Chrome 4005176893209




Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainer
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved

GROHE EUROECO COSMOPOLITAN E

Ref. No. Colour EAN

36 384 000 Chrome 4005176982774



Euroeco Cosmopolitan E

Powerbox


infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system

GROHE Water Saving 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system

Powerbox

power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

36 274 000 Chrome 4005176893223




Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal body
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved

36 273 000 Chrome 4005176893216











Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Water Saving mousseur 5.7 l/min
chrome escutcheon
chrome spout
projection 172 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109

GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN
 	36 337 001		4005176595417
<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	36 336 001		4005176991769
<p>Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	36 407 001		4005176368974
<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000		4005176911385
<p>Power extension cable length 3.00 m</p>			
	36 341 000		4005176911392
<p>ditto, length 10 m</p>			

GROHE EUROECO COSMOPOLITAN E


Ref. No.

Colour

EAN

36 338 000

4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief


suitable for the following products: 36 444 000, 36 440 000,

36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,

36 015 001, 36 016 001, 36 421 000, 36 453 000


GROHE BAU COSMOPOLITAN E

Ref. No.	Colour	EAN
36 451 000	Chrome	4005176473678



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59

36 452 000	Chrome	4005176473685
------------	--------	---------------




Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59

GROHE BAU COSMOPOLITAN E


Ref. No. Colour EAN

36 453 000 Chrome 4005176473791




Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59

36 407 001 4005176368974



Remote control
 for all GROHE one eye infra-red products
 as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared mixers)
 auto flush cycles (infrared mixers)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode activation
 thermal disinfection (infrared mixers)
 detection range (infrared mixers)
 shut off delay (infrared mixers)
 auto flush (infrared mixers)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 service details
 demo mode
 error codes (GROHE Blue Home)
 3 x 1.5 V DC (AAA) battery supply

36 340 000 4005176911385



Power extension cable
 length 3.00 m

36 341 000 4005176911392
 ditto, length 10 m

COMMERCIAL
FITTINGS

GROHE BAU COSMOPOLITAN E


Ref. No.

Colour

EAN

36 338 000

4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief

suitable for the following products: 36 444 000, 36 440 000,


36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,

36 015 001, 36 016 001, 36 421 000, 36 453 000

GROHE GROHTHERM MICRO


Ref. No. Colour EAN

34 487 000 Chrome 4005176936234



Grohtherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
GROHE TurboStat thermoelement
GROHE Long-Life Shine durable sparkling sheen
 built-in non return valves
 dirt strainer
 without connection set







47 533 000 Chrome 4005176207181











Grohtherm Micro
Connection set
 for Grohtherm Micro (34 487 000)
 Consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
GROHE Long-Life Shine durable sparkling sheen

COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL









	Ref. No.	Colour	EAN
 	34 667 000	Chrome	4005176351570
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p>		
 	34 725 000	Chrome	4005176457081
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) Thermostatic cartridge max.temperature 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions, chrome nuts and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafetyPlus fixed temperature stop TMV3 approved product</p>		
 	34 665 000	Chrome	4005176351556
	<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p>		

GROHE GROHTHERM SPECIAL











	Ref. No.	Colour	EAN
	34 681 000	Chrome	4005176354090
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen</p>		
	34 671 000	Chrome	4005176351587
	<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen</p>		
	34 666 000	Chrome	4005176351563
	<p>Grotherm Special Thermostat basin mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p>		
	13 378 000	Chrome	4005176351532
	<p>Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE Long-Life Shine finish</p>		
	13 380 000	Chrome	4005176351549
	ditto, length 175 mm		

COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN
 	29 094 000	Chrome	4005176354106
	Grotherm Special Thermostatic shower mixer set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE Long-Life Shine durable sparkling sheen TMV2 compliant when used with 35 050 000		
	35 500 000		4005176831522
	GROHE Rapido T thermostatic mixer for concealed installation		
 	29 095 000	Chrome	4005176354113
	Grotherm Special Thermostatic bath/shower mixer trim set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE Long-Life Shine durable sparkling sheen TMV2 compliant when used with 35 050 000		
	35 500 000		4005176831522
	GROHE Rapido T thermostatic mixer for concealed installation		
 	29 096 000	Chrome	4005176354120
	Grotherm Special Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop GROHE Long-Life Shine durable sparkling sheen TMV2 compliant when used with 35 050 000		
	35 500 000		4005176831522
	GROHE Rapido T thermostatic mixer for concealed installation		
 	35 500 000		4005176831522
	GROHE Rapido T Thermostatic mixer for concealed installation for use with Grotherm Special and Grotherm F without finishing trim set flat installation depth 70 mm - 95 mm GROHE TurboStat compact cartridge with wax thermoelement two top outlets 1/2", lockable bottom outlet 1/2" - can only be used with separate stopvalve body of DR brass built-in non return valve and dirt strainers min. recommended pressure 1.0 bar		

GROHE GROHTHERM SPECIAL


	Ref. No.	Colour	EAN
	47 994 000		4005176364723
	Grotherm Special Temperature unlocking handle unlocking of temperature handle for thermal disinfection		
 	12 051 000	Chrome	4005176213588
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life Shine durable sparkling sheen		
 	47 780 000		4005176836541
	Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve		
	47 781 000		4005176836558
	ditto, for use with bath thermostats with Aquadimmer		
	29 007 000		4005176837678
	Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000		
 	28 874 000	Chrome	4005176042348
	Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen		
 	28 988 000	Chrome	4005176042805
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen		

COMMERCIAL FITTINGS

GROHE GROHTHERM XL


Ref. No. Colour EAN

35 085 000 Chrome 4005176207068















Grotherm XL
Thermostat mixer 1"
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/4"
outlet thread 1 1/2"
changeable top/bottom outlet
without connection unions for wall mounting
GROHE Long-Life Shine durable sparkling sheen

35 087 000 Chrome 4005176207082















Grotherm XL
Thermostat mixer 1 1/4"
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/2"
outlet thread 2"
changeable top/bottom outlet
without connection unions for wall mounting
GROHE Long-Life Shine durable sparkling sheen

GROHE EUROSMART CARE

	Ref. No.	Colour	EAN
	  23 988 003	Chrome	4005176644351
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving mousseur 4.2 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition		
	  23 989 003	Chrome	4005176644368
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving mousseur 4.2 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition		
	  23 986 003	Chrome	4005176643859
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition		

COMMERCIAL
FITTINGS

GROHE EUROSMART CARE

	Ref. No.	Colour	EAN
	 23 987 003	Chrome	4005176644344
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition		
	 23 980 003	Chrome	4005176644207
	Eurosmart Basin mixer 1/2" S-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition		
	 23 981 003	Chrome	4005176644214
	Eurosmart Basin mixer 1/2" M-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition		
	 25 241 003	Chrome	4005176644221
	Eurosmart Single-lever bath/shower mixer 1/2" wall mounted loop metal lever lever length 123 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition		

GROHE EUROSMART CARE

Ref. No.


Colour

EAN

25 242 003

Chrome

4005176644238



Eurosmart

Single-lever shower mixer 1/2"

wall mounted

loop metal lever

lever length 115 mm

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter

shower bottom outlet 1/2" with

integrated non return-valve

S-unions

metal wall escutcheons

protected against backflow


professional edition

GROHE EUROSMART CARE

Ref. No. Colour EAN




23 984 003 Chrome 4005176643835



**Eurosmart
Basin mixer 1/2"
S-Size**
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
lever length 147 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straightener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition




23 985 003 Chrome 4005176643842



**Eurosmart
Basin mixer 1/2"
M-Size**
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
lever length 147 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straightener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition




23 982 003 Chrome 4005176644245



**Eurosmart
Basin mixer 1/2"
S-Size**
monobloc installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition









23 983 003 Chrome 4005176644313



**Eurosmart
Basin mixer 1/2"
M-Size**
monobloc installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE EUROSMART CARE


	Ref. No.	Colour	EAN
 	25 243 003	Chrome	4005176644320
<p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted long metal lever lever length 124 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p>			
 	25 244 003	Chrome	4005176644337
<p>Eurosmart Single-lever shower mixer 1/2" wall mounted long metal lever lever length 120 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p>			
 	34 667 000	Chrome	4005176351570
<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p>			

COMMERCIAL
FITTINGS

GROHE VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN
----------	--------	-----

23 302 000	Chrome	4005176923876
------------	--------	---------------













**Eurostyle Cosmopolitan
Vertica-OHM-Bath Mixer, 1/2"**











wall mounted
metal lever

GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
lockable automatic diverter: bath/shower
lockable spout
integrated non-return valve
in the shower outlet 1/2"
elbow union 45°
metal wall escutcheons
optional temperature limiter (46 375 000)
protected against backflow
noise classification 1 in accordance
with DIN4109




GROHE COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN
 	28 587 000	Chrome	4005176282966
Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen			
 	28 671 000	Chrome	4005176103070
Relexa Shower outlet elbow, 1/2" male thread GROHE Long-Life Shine durable sparkling sheen			
 	28 405 000	Chrome	4005176264559
Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life Shine durable sparkling sheen			
 	28 406 000	Chrome	4005176264566
Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE Long-Life Shine durable sparkling sheen			
 	28 161 001	Chrome	4005176935107
Silverflex Shower hose TwistStop 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen			

GROHE COMMERCIAL SHOWERS









	Ref. No.	Colour	EAN
 	28 142 000	Chrome	4005176601330
	Relexaflex Metal Long-Life Metal shower hose 1250 1250 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen		
	28 143 KS0	velvet black	4005176842252
	28 143 LS0	moon white	4005176842269
	28 143 000	Chrome	4005176601347
	ditto, 1500 mm hose		
 	28 145 000	Chrome	4005176601354
	Relexaflex Metal Long-Life Metal shower hose 2000 2000 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen		
 	28 002 000	Chrome	4005176858796
	Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection		
 	28 948 000	Chrome	4005176209871
	Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system		
 	28 094 000	Chrome	4005176601132
	Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life Shine durable sparkling sheen adjustable flow rate without shower arm		

GROHE COMMERCIAL SHOWERS










	Ref. No.	Colour	EAN
 	28 988 000	Chrome	4005176042805
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen		
 	28 874 000	Chrome	4005176042348
	Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen		
 	28 429 000	Chrome	4005176601910
	Relaxa Shower arm 55 mm connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen		
 	28 541 000	Chrome	4005176040528
	Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life Shine durable sparkling sheen		

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL






	Ref. No.	Colour	EAN
	32 763 000	Chrome	4005176871030
	Euroeco Special Basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses		
	32 762 000	Chrome	4005176871023
	ditto, smooth body		
	32 766 000	Chrome	4005176871061
	Euroeco Special Basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses		
	32 765 000	Chrome	4005176871054
	ditto, smooth body		
	30 208 000	Chrome	4005176927836
	Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm 302 mm smooth body GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses		
	32 776 000	Chrome	4005176871764
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions		
			

GROHE EUROECO SPECIAL







	Ref. No.	Colour	EAN
	32 778 000	Chrome	4005176871788
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 205 mm metal lever lever length 170 mm S-unions</p> 		
	32 779 000	Chrome	4005176871795
	<p>ditto, with lockable S unions, projection 221 mm</p>		
	32 770 000	Chrome	4005176871702
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 157 mm metal lever lever length 120 mm S-unions</p> 		
	32 768 000	Chrome	4005176871689
	<p>ditto, with lockable S unions, projection 174 mm</p>		
	32 767 000	Chrome	4005176871078
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions</p> 		
	32 771 000	Chrome	4005176871719
	<p>ditto, with lockable S unions, projection 214 mm</p>		
	32 773 000	Chrome	4005176871733
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min projection 257 mm metal lever lever length 170 mm S-unions</p> 		
	32 774 000	Chrome	4005176871740
	<p>ditto, with lockable S unions, projection 274 mm</p>		

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN
	32 775 000	Chrome	4005176871757
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 342 mm metal lever lever length 170 mm with lockable S-unions		
	32 772 000	Chrome	4005176871726
	Euroeco Special Single-lever basin mixer wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter laminar flow straightener 9 l/min cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving		
	32 786 000	Chrome	4005176871833
	Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses		
	32 787 000	Chrome	4005176871870
	Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses		

GROHE EUROECO SPECIAL


	Ref. No.	Colour	EAN
 	12 051 000	Chrome	4005176213588
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life Shine durable sparkling sheen		
 	34 487 000	Chrome	4005176936234
	Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE Long-Life Shine durable sparkling sheen built-in non return valves dirt strainer without connection set		
 	47 533 000	Chrome	4005176207181
	Grotherm Micro Connection set for Grotherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE Long-Life Shine durable sparkling sheen		

COMMERCIAL
FITTINGS

GROHE HOSPITA


Ref. No.	Colour	EAN
----------	--------	-----

30 978 000	Chrome	4005176098918
------------	--------	---------------











Hospita
Sink pillar tap, 1/2"
red/blue markers
GROHE Long-Life Shine durable sparkling sheen

45 314 000	Chrome	4005176099250
------------	--------	---------------



Lever
projection 150 mm
marking: blue/red
for use with ceramic headparts
GROHE Long-Life Shine durable sparkling sheen

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN
		32 788 000 Chrome	4005176871887
		<p>Euroeco Special Single-lever safety basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>	
		32 789 000 Chrome ditto, smooth body	4005176871894
		32 790 000 Chrome	4005176871900
		<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" monobloc installation smooth body high version GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>	
		32 823 000 Chrome	4005176877995
		<p>Euroeco Special Single-lever safety basin mixer 1/2" ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions for wall mounting</p>	
		32 795 000 Chrome	4005176871955
		<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions</p>	

COMMERCIAL FITTINGS


GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN
	32 792 000	Chrome	4005176871924
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions</p>		
	32 793 000	Chrome	4005176871931
	<p>ditto, projection 256 mm</p>		
	46 278 000		4005176131868
<p>Ceramic cartridge for Euroeco special mixer</p>			
	28 874 000	Chrome	4005176042348
	<p>Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen</p>		
	28 988 000	Chrome	4005176042805
	<p>Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p>		
			

GROHE EURODISC SE


Ref. No. Colour EAN

36 233 000 Chrome 4005176283338



Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
 6V lithium battery, type CR-P2
GROHE Long-Life Shine durable sparkling sheen
 flexible connection hoses
 start-stop function
 self-closing electronic
 safety stop after 180 sec.
 Flow time infinitely adjustable from 2-180 sec.
 Automatic flushing: 5 min after 3 days
 without use
 thermal desinfection for 3,5 or 11 min
 CE approved
 type of protection faucet IP 59K

36 249 000 Chrome 4005176283345



Eurodisc SE
Self-closing basin tap 1/2"
 6V lithium battery, type CR-P2
 for cold or premixed water
 marking: blue (cold)
GROHE Long-Life Shine durable sparkling sheen
 flexible connection hose
 dirt strainer
 rapid installation system
 start-stop function
 self-closing electronic
 safety stop after 180 sec.
 external access to flow time adjustment
 Flow time infinitely adjustable from 2-180 sec.
 Automatic flushing: 5 min after 3 days
 without use
 CE approved
 type of protection faucet IP 59K

36 209 000 Chrome 4005176207105



Security cover cap
 vandal-proof, covered and pre-adjustable
 suitable for single hole mixers
 Europlus E and Eurodisc SE
 Consisting of:
 special mixing device for actuation by
 screwdriver
 metallic cap
GROHE Long-Life Shine durable sparkling sheen









42 886 000 4005176200670













Battery
 6V lithium battery, type CR-P2

COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN T

	Ref. No.	Colour	EAN
		36 318 000 Chrome	4005176896521
		Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE Long-Life Shine durable sparkling sheen pop-up waste set 1 1/4" 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses non-return valve dirt strainers min. recommended pressure 1.0 bar	
	36 317 000	Chrome	4005176896514
ditto, without pop-up waste set			
		36 320 000 Chrome	4005176896545
		Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall mounted GROHE Long-Life Shine durable sparkling sheen mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers	
	36 321 000	Chrome	4005176896552
		Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box 36 322 001 without concealed body	
		36 322 001	Chrome
		Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	
		36 322 001	Chrome

GROHE EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN
 	36 265 000	Chrome	4005176893131
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>			
 	36 266 000	Chrome	4005176893148
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall mounted marking: blue/red GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow 5.7 l/min flow rate 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>			
 	36 316 000	Chrome	4005176896279
<p>Euroeco Cosmopolitan T Extension, 42 mm for self-closing pillar tap 1/2" (36 266 000) GROHE Long-Life Shine durable sparkling sheen</p>			
 	36 268 000	Chrome	4005176893162
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p>			
 	36 267 000	Chrome	4005176893155
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>			

COMMERCIAL
FITTINGS

GROHE SENSIA SHOWER TOILETS





CONTENTS

GROHE Sensia Arena
Manual bidet seat

658
661



GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT PERFECTLY HYGIENIC WITH TWIN SHOWER

COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



SOFT CLOSE SEAT

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



RETRACTABLE NOZZLES

The two retractable spray arms are protected for extra hygiene.



SPRAY ARM CLEANING FUNCTION

Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE SENSIA ARENA

Ref. No. Colour EAN

39 354 SH1 alpine white 4005176470448

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
 separate water way for lady spray
 oscillating spray (automatic forward and reverse motion of the spray)
 pulsating spray for massage
 adjustable spray intensity
 automatic pre- and post-rinsing of spray nozzle with fresh water
 integrated instant heater provides unlimited warm water
 adjustable temperature

Additional functions

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

soft close

infra-red user detection

seat control operation

power switch

inside bowl night light

hidden water supply and power supply connection

remote control

smart phone app for iOS and Android

includes:

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

pressure 0.05 - 1 MPa (0.5 - 10 bar)


nominal voltage 220-240 V AC

main frequency 50-60 Hz

type of protection IPX4

complies with EN 1717

CE approved



GROHE SENSIA ARENA

Ref. No. Colour EAN

39 596 000 4005176527494

Rapid SLX


Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:

factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)




39 598 000

4005176527517

Rapid SLX





3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager



SHOWER TOILET


GROHE SENSIA ARENA

	Ref. No.	Colour	EAN
	46 944 001		4005176479977
	40 899 000		4005176413896
 	14 926 002		4005176572128

GROHE MANUAL BIDET SEAT


Ref. No. Colour EAN

39 648 SH0 alpine white 4005176575310




Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717

39 651 SH0 alpine white 4005176575327





Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

39 652 SH0 alpine white 4005176575334



Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grotherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)

14 074 000 4005176575365



Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8"
flexible connection hose
795 mm
3/8" x 3/8"

GROHE
CERAMICS





CONTENTS

Essence	670
Cube Ceramic	675
Euro Ceramic	678
BauEdge Ceramic	684
Bau Ceramic	686
Acrylic shower trays	695

FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



ESSENCE
BEAUTY IN ITS PUREST FORM



CUBE CERAMIC
A CLEAR STYLE STATEMENT



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE



BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



QUICK RELEASE SEAT

EASY REMOVAL FOR EASY CLEANING



SEAT & COVER SOFT CLOSE

GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE
COSMOPOLITAN



EUROSTYLE



EUROSMArt
COSMOPOLITAN



EUROSMArt



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCuBE



LINEARE















ALLURE













ALLURE
BRILLIANT













GROHE ESSENCE

	Ref. No.	Colour	EAN	
		39 564 00H alpine white	4005176485602	
<p>Essence Wash basin 70 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			39 565 00H alpine white	4005176485619
<p>Essence Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			39 566 00H alpine white	4005176485626
<p>Essence Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			39 567 00H alpine white	4005176485633
<p>Essence Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 800 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			39 568 00H alpine white	4005176485640
<p>Essence Vanity basin 60 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			39 608 00H alpine white	4005176566493
<p>Essence Vessel basin 60 without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>				









GROHE ESSENCE

	Ref. No.	Colour	EAN
		39 609 00H alpine white	4005176566509
		Essence Vessel basin 45 without overflow 450 x 450 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing	
		39 570 000 alpine white	4005176484865
		Essence Half pedestal including fixation set sanitary ware	
		39 571 00H alpine white	4005176485671
		Essence Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 000 (soft close)	
		39 572 00H alpine white	4005176485688
		Essence Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet wash down rimless flush volume 4.5/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 000 (soft close)	
		39 573 00H alpine white	4005176485794
		Essence Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall for concealed cistern rimless flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 000 (soft close)	












GROHE ESSENCE

		Ref. No.	Colour	EAN
		39 578 000	alpine white	4005176485145
Essence Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware				
		39 579 000	alpine white	4005176485152
Essence Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware				
		39 577 000	alpine white	4005176485138
Essence WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Essence bowls				
		39 574 00H	alpine white	4005176485800
Essence Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 575 00H	alpine white	4005176485817
Essence Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 611 000	alpine white	4005176571275
Essence Bathtub free standing 180 x 80 cm height 57,5 cm water volume 240 l usable volume 170 l without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats				













GROHE ESSENCE

	Ref. No.	Colour	EAN
	39 729 000	alpine white	4005176594991
	Essence Bathtub free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats		
	39 617 000	alpine white	4005176571312
	Essence Bathtub built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately		
	39 620 00H	alpine white	4005176571336
	Essence Bathtub built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately		
	39 622 000	alpine white	4005176571350
	Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats		













GROHE ESSENCE

	Ref. No.	Colour	EAN
 	49 113 000 49 113 SH0	Chrome alpine white	4005176571398 4005176571404
Essence Waste set for free standing bathtubs dual function of overflow and waste water drainage concealed overflow electric pressure sensor unlocks the overflow drainage mains supply necessary for installation			
 	19 025 000	Chrome	4005176209154
Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen			
 	19 952 000	★ Chrome	4005176174230
Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000			
 	28 943 000		4005176209178
Talento Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow			
 	28 991 000		4005176174032
Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set			
	49 115 000	Chrome	4005176571411
Essence Feet for built-in bathtubs individual height adjustment of each foot GROHE FastFixation installation system			

GROHE CUBE CERAMIC


	Ref. No.	Colour	EAN	
		39 386 00H alpine white	4005176438356	
Cube Ceramic Wash basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			39 469 00H alpine white	4005176438363
Cube Ceramic Wash basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			39 473 00H alpine white	4005176438370
Cube Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			39 474 00H alpine white	4005176438387
Cube Ceramic Wash basin 50 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			39 475 00H alpine white	4005176442599
Cube Ceramic Counter top basin 100 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			39 476 00H alpine white	4005176442605
Cube Ceramic Counter top basin 80 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				

GROHE CUBE CERAMIC


	Ref. No.	Colour	EAN
 	39 477 00H	alpine white	4005176442612
<p>Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			
 	39 478 00H	alpine white	4005176442629
<p>Cube Ceramic Counter top basin 50 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			
 	39 481 00H	alpine white	4005176442650
<p>Cube Ceramic Vessel basin 50 without overflow 500 x 470 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			
 	39 482 00H	alpine white	4005176442667
<p>Cube Ceramic Vessel basin 40 without overflow 410 x 410 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			
 	39 480 00H	alpine white	4005176442643
<p>Cube Ceramic Under-counter wash basin 50 installation from below with overflow 492 x 370 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			
 	39 479 00H	alpine white	4005176442636
<p>Cube Ceramic Counter basin 60 flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p>			

GROHE CUBE CERAMIC


Ref. No. Colour EAN




39 483 00H alpine white **4005176442674**
Cube Ceramic
Hand rinse basin 45
 wall hung
 1 hole punched
 with overflow
 455 x 350 mm
 sanitary ware
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing




39 245 00H alpine white **4005176524479**
Cube Ceramic
Wall hung WC
 horizontal outlet
 rimless
 flush volume 4.5/3 l
 including fixation set
 sanitary ware
 fully skirted with invisible fixation
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing
 compatible with seat and cover 39 488 000 (soft close)



39 484 00H alpine white **4005176442698**
Cube Ceramic
Floor standing WC for close coupled combination
 close coupled
 universal trap for horizontal and vertical outlet
 rimless
 flush volume 4.5/3 l
 including fixation set
 cistern to be ordered separately
 sanitary ware
 fully skirted with invisible fixation
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing
 compatible with seat and cover 39 488 000 (soft close)













39 490 000 alpine white **4005176442759**
Cube Ceramic
Exposed flushing cistern for close coupled combination
 bottom inlet
 inlet and outlet concealed
 including flushing set GROHE AV1
 including fixation set
 sanitary ware













39 488 000 alpine white **4005176442735**
Cube Ceramic
WC seat soft close
 with lid
 quick release function
 detachable
 material: Duroplast
 including fixation set
 stainless steel hinges
 easy fixation from above
 weight bearing capacity 150 kg
 compatible with all Cube Ceramic bowls











GROHE EURO CERAMIC

	Ref. No.	Colour	EAN
		39 585 00H alpine white	4005176519178
Euro Ceramic Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 584 00H alpine white	4005176519161
Euro Ceramic Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 323 000 alpine white 39 323 00H alpine white	4005176407116 4005176417344
Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 514 mm wall fixings not included sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)			
		39 335 000 alpine white 39 335 00H alpine white	4005176407239 4005176417351
Euro Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 595 x 482 mm sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)			
		39 337 000 alpine white 39 337 00H alpine white	4005176407253 4005176418334
Euro Ceramic Counter top basin 60 1 hole punched with overflow 596 x 483 mm wall fixings not included sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)			









GROHE EURO CERAMIC

	Ref. No.	Colour	EAN
	39 336 000 39 336 00H	alpine white alpine white	4005176407246 4005176417368
	Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm wall fixings not included sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)		
	39 423 000	alpine white	4005176406201
	Bau Ceramic Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware		
	39 324 000 39 324 00H	alpine white alpine white	4005176407123 4005176417375
	Euro Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 396 mm wall fixings not included sanitary ware distance between installation holes: 160 mm optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)		
	39 327 000 39 327 00H	alpine white alpine white	4005176390104 4005176418341
	Euro Ceramic Compact handrinse basin wall hung 1 hole punched 370 x 180 mm wall fixings not included sanitary ware no pedestals recommended optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)		
	39 201 000	alpine white	4005176344947
	Euro Ceramic Semi pedestal for wash basin 39 230, 39 335 and 39 336 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H		









GROHE EURO CERAMIC

		Ref. No.	Colour	EAN
		39 325 000	alpine white	4005176407130
		Euro Ceramic Semi pedestal for hand rinse basin 39 324 000 invisible fixation set included sanitary ware suitable for hand rinse basins 39 324 000/39 324 00H		
		39 202 000	alpine white	4005176344954
		Euro Ceramic Full pedestal for wash basin 39230,39335,39336 and 39324 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H		
		39 328 000 39 328 00H	alpine white alpine white	4005176407161 4005176417382
		Euro Ceramic Wall hung WC for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)		
		39 554 000	alpine white	4005176484452
		Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung WC with Triple Vortex (39 328 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set 4 pieces per pallet		
		39 206 000 39 206 00H	alpine white alpine white	4005176344992 4005176418495
		Euro Ceramic Wall hung compact WC horizontal outlet Triple Vortex rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)		









GROHE EURO CERAMIC

	Ref. No.	Colour	EAN
	39 693 000	alpine white	4005176581281
	<p>Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung compact WC with Triple Vortex (39 206 000) horizontal outlet Triple Vortex rimless flush volume 3/5 l sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set</p>		
	39 538 000	alpine white	4005176468292
	<p>Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>		
	39 703 000	alpine white	4005176583896
	<p>Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung WC, 3/5 l (39 538 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set</p>		
	39 338 000 39 338 00H	alpine white alpine white	4005176407260 4005176418501
	<p>Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>		













GROHE EURO CERAMIC

	Ref. No.	Colour	EAN
 	39 332 000	alpine white	4005176407208
<p>Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware</p>			
 	39 333 000	alpine white	4005176407215
<p>Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware</p>			
 	39 462 000 39 462 00H	alpine white alpine white	4005176454608 4005176454615
<p>Euro Ceramic Bundle close coupled WC Consisting of: Euro Ceramic WC (39 338 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Euro Ceramic cistern (39 332 000) bottom inlet including flushing set & button sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable including fixation set material: Duroplast 4 pieces per pallet</p>			
 	39 339 000 39 339 00H	alpine white alpine white	4005176407277 4005176418525
<p>Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			



GROHE EURO CERAMIC

	Ref. No.	Colour	EAN
 	39 330 001	alpine white	4005176468834
<p>Euro Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Euro Ceramic bowls</p>			
 	39 331 001	alpine white	4005176468827
<p>Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg suitable for all GROHE Euro Ceramic WCs</p>			
 	39 208 000 39 208 00H	alpine white alpine white	4005176345029 4005176418532
<p>Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)</p>			
 	39 340 000 39 340 00H	alpine white alpine white	4005176423697 4005176423703
<p>Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)</p>			













GROHE BAUEDGE CERAMIC

	Ref. No.	Colour	EAN
 	39 808 000	alpine white	4005176637087
<p>BauEdge Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 600 x 448 mm sanitary ware</p>			
 	39 807 000	alpine white	4005176636479
<p>BauEdge Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 400 mm sanitary ware</p>			
 	39 806 000	alpine white	4005176636462
<p>BauEdge Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 350 mm sanitary ware</p>			
 	39 809 000	alpine white	4005176637094
<p>BauEdge Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l sanitary ware compatible with seat and cover 39 813 000</p>			
 	39 810 000	alpine white	4005176637100
<p>BauEdge Ceramic Floor standing WC back to wall for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l including fixation set sanitary ware compatible with seat and cover 39 813 000</p>			
 	39 811 000	alpine white	4005176637117
<p>BauEdge Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 4.5/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 813 000</p>			











GROHE BAUEDGE CERAMIC

	Ref. No.	Colour	EAN
	<p>39 861 000</p> <p>BauEdge Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware</p>	<p>alpine white</p>	<p>4005176653889</p>
	<p>39 813 000</p> <p>BauEdge Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all BauEdge ceramic bowls</p>	<p>alpine white</p>	<p>4005176637131</p>











GROHE BAU CERAMIC

	Ref. No.	Colour	EAN
		39 420 000 Bau Ceramic Wash basin 65 wall hung 1 hole punched with overflow 646 x 468 mm wall fixings not included sanitary ware	alpine white 4005176405983
		39 421 000 Bau Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 609 x 442 mm wall fixings not included sanitary ware	alpine white 4005176428906
		39 440 000 Bau Ceramic Wash basin 55 wall hung 1 hole punched with overflow 553 x 386 mm wall fixings not included sanitary ware	alpine white 4005176405976
		39 422 000 Bau Ceramic Counter Drop-in basin 55 built-in 1 hole punched with overflow 560 x 400 mm fixings included sanitary ware	alpine white 4005176406195
		39 423 000 Bau Ceramic Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware	alpine white 4005176406201
		39 424 000 Bau Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 453 x 354 mm wall fixings not included sanitary ware distance between installation holes: 205 mm	alpine white 4005176406218











GROHE BAU CERAMIC

	Ref. No.	Colour	EAN
 	39 426 000	alpine white	4005176406232
<p>Bau Ceramic Half pedestal including fixation set sanitary ware suitable to all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000</p>			
 	39 425 000	alpine white	4005176406225
<p>Bau Ceramic Full pedestal including fixation set sanitary ware</p>			
 	39 910 000	alpine white	4005176720444
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless universal outlet flush volume 3/6 l including fixation set cistern to be ordered separately sanitary ware fully skirted with visible fixation compatible with seat and cover 39 913 000 (soft close) compatible with Bau Ceramic cisterns 39 911 000 and 39 912 000 professional edition</p>			
 	39 912 000	alpine white	4005176720468
<p>Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware compatible with Bau Ceramic bowl 39 910 000 professional edition</p>			
 	39 913 000	alpine white	4005176720475
<p>Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowl 39 910 000 professional edition</p>			











GROHE BAU CERAMIC

	Ref. No.	Colour	EAN
 	39 427 000	alpine white	4005176406249
<p>Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)</p>			
 	39 491 000	alpine white	4005176449994
<p>Bau Ceramic Wall hung WC for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>			
 	39 428 000	alpine white	4005176406256
<p>Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>			
 	39 349 000	alpine white	4005176449659
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p>			
 	39 429 000	alpine white	4005176406263
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p>			









GROHE BAU CERAMIC

		Ref. No.	Colour	EAN
		39 436 000	alpine white	4005176406331
Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware				
		39 437 000	alpine white	4005176406348
Bau Ceramic Exposed flushing cistern connection from the left/right hand side including flushing set & button sanitary ware				
		39 430 000	alpine white	4005176406270
Bau Ceramic Floor standing WC wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)				
		39 431 000	alpine white	4005176406287
Bau Ceramic Floor standing WC wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)				
		39 898 000	alpine white	4005176713972
Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000				







GROHE BAU CERAMIC

	Ref. No.	Colour	EAN
 	39 923 000	alpine white	4005176724008
<p>Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 349 000 and 39 429 000</p>			
 	39 492 000	alpine white	4005176450013
<p>Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls except 39 910 000</p>			
 	39 493 000	alpine white	4005176450020
<p>Bau Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above compatible with all Bau Ceramic bowls except 39 910 000</p>			
 	39 433 000	alpine white	4005176406300
<p>Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware</p>			
 	39 432 000	alpine white	4005176406294
<p>Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware</p>			

GROHE BAU CERAMIC


	Ref. No.	Colour	EAN
 	39 438 000	alpine white	4005176406355
	Bau Ceramic Urinal concealed inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000		
 	39 439 000	alpine white	4005176406362
	Bau Ceramic Urinal top inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately		
 	39 351 000	alpine white	4005176450006
	Bau Ceramic Wall hung WC set Consisting of: Bau Ceramic wall hung WC (39 427 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware Bau Ceramic WC seat (39 493 000) soft close quick release function detachable material: Duroplast including fixation set		
 	39 497 000	alpine white	4005176450068
	Bau Ceramic Wall hung WC set Consisting of: Bau Ceramic wall hung WC (39 491 000) for concealed cistern horizontal outlet wash down boxed rim flush volume 3/5 l sanitary ware Bau Ceramic WC seat (39 492 000) quick release function detachable material: Duroplast including fixation set		


GROHE BAU CERAMIC

	Ref. No.	Colour	EAN
 	39 347 000	alpine white	4005176449680
	Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 428 000) wash down boxed rim horizontal outlet, concealed flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set		
 	39 346 000	alpine white	4005176449673
	Bau Ceramic Bundle close coupled WC Bau Ceramic floor standing toilet with vertical outlet (39 429 000) wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set		
 	39 496 000	alpine white	4005176450051
	Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 349 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 494 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set		

GROHE BAU CERAMIC


	Ref. No.	Colour	EAN
	39 604 000	alpine white	4005176524486
	<p>Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 349 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 436 000) bottom inlet inlet and outlet concealed including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid quick release function detachable material: Duroplast including fixation set 4 pieces per pallet</p>		
	39 648 SH0	alpine white	4005176575310
	<p>Bau Ceramic Manual bidet seat WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity Duroplast WC seat and lid with soft close function flexible water connection 3/8" includes: mounting plate filter pressure 0.1 - 1 MPa (1 - 10 bar) complies with EN 1717</p>		
	39 651 SH0	alpine white	4005176575327
	<p>Bau Ceramic Manual bidet seat 2-in-1 set wall hung Consisting of: Bau manual bidet seat soft close (39 648 SH0) WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity adjustable spray intensity Duroplast WC seat and lid with soft close function flexible water connection 3/8" Bau Ceramic wall hung WC (39 427 000) for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware</p>		

	Ref. No.	Colour	EAN
	39 652 SH0	alpine white	4005176575334
	<p>Bau Ceramic Manual bidet seat 3-in-1 set, wall hung Consisting of: Bau manual bidet seat soft close (39 648 SH0) WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity adjustable spray intensity Duroplast WC seat and lid with soft close function flexible water connection 3/8"</p> <p>Bau Ceramic wall hung WC (39 427 000) for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware Grotherm Micro 34 487 000 small under-basin thermostat thermostatic scalding protection temperature adjustment 15-43° C (± 2° C)</p>		

	14 074 000		4005176575365
	<p>Accessory set shower hose and T piece for manual bidet seat Consisting of: T unit 3/8" flexible connection hose 795 mm 3/8" x 3/8"</p>		



GROHE ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN
39 300 000	alpine white	4005176346026





Acrylic shower tray 1000 x 1000
 dimensions: 1000 x 1000 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)
 or
 MEPA mounting frame SF (# 150183)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014416
 recommended Schedel installation set SD 90083

39 301 000	alpine white	4005176346033
------------	--------------	---------------




Acrylic shower tray 900 x 900
 dimensions: 900 x 900 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)
 or
 MEPA mounting frame SF (# 150183)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014408
 recommended Schedel installation set SD 90081

39 302 000	alpine white	4005176346040
------------	--------------	---------------




Acrylic shower tray 800 x 800
 dimensions: 800 x 800 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)
 or
 MEPA mounting frame SF (# 150183)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014411
 recommended Schedel installation set SD 90080


39 306 000	alpine white	4005176346088
------------	--------------	---------------




Acrylic shower tray 800 x 1000
 dimensions: 800 x 1000 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)
 or
 MEPA mounting frame SF (# 150183)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014412
 recommended Schedel installation set SD 90082


GROHE ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN
	49 533 000	Chrome	4005176478475
	49 533 SH0	alpine white	4005176560033



Waste set for universal shower tray
 Ø 112 mm
 vertical outlet
GROHE Long-Life Shine durable sparkling sheen
 flow rate 1.1 l/s according to DIN EN 274

	49 534 000	Chrome	4005176478482
	49 534 SH0	alpine white	4005176560040




Waste set for universal shower tray
 Ø 112 mm
 horizontal outlet
GROHE Long-Life Shine durable sparkling sheen
 flow rate 0.7 l/s (42 l/min) according to DIN EN 274



GROHE
INSTALLATION SYSTEMS





CONTENTS

Rapid SLX	Rapid SLX	700
Rapid SL	Rapid SL for WC	702
	Rapid SL for Urinal	713
	Rapid SL for Wash Basin and Bidet	715
	Rapid SL for the Disabled	718
	Rapid SL Fitting Supports	720
	Rapid SL Accessories	721

GROHE RAPID SLX

Ref. No. Colour EAN

39 596 000 4005176527494

Rapid SLX


Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:

factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)





39 603 000 Chrome 4005176527562

Rapid SLX

3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
front wall brackets (38 558 00M)
including flow manager



GROHE RAPID SLX



Ref. No.

Colour

EAN

39 598 000

4005176527517



Rapid SLX

3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l

Consisting of:

Rapid SLX element for WC (39 596 000) with integrated power socket


front wall brackets (38 558 00M)

WC set for noise protection (37 131 000)

including flow manager


GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN
39 374 KS0	velvet black	4005176344770



Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

39 374 LS0	moon white	4005176344787
------------	------------	---------------




Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 528 001 4005176863943



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TUV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:


water supply from left/right or back
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 002 000

4005176936920



Rapid SL

Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2, 6 l - 9 l

with flush pipe for external odour extraction

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set









flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)


GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN
	39 500 000	Chrome	4005176453861
	<p>Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M) WC set for noise protection (37 131 000)</p>		
	38 827 000	Chrome	4005176870477
	<p>Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)</p>		
	38 750 001	Chrome	4005176863363
	<p>Rapid SL 4-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)</p>		
	38 860 000	Chrome	4005176878084
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan flush plate, chrome (38 765 000) front wall brackets (38 558 00M)</p>		

GROHE RAPID SL FOR WC

Ref. No. Colour EAN


38 888 000 Chrome 4005176879630



Rapid SL
4-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 I

Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
front wall brackets (38 558 00M)


38 885 000 Chrome 4005176879609



Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 I

Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
front wall brackets (38 558 00M)


39 501 000 Chrome 4005176453878



Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 I - 9 I

Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates









39 503 000 Chrome 4005176454097











Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 I - 9 I

Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air S flush plate, chrome, vertical installation (37 965 000)
front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN
 	39 504 000	Chrome	4005176454103
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Arena Cosmopolitan S flush plate, chrome (37 624 000) front wall brackets (38 558 00M) including revision shaft 40 911 000 for mounting of small flush plates</p>			
 	39 581 000	Chrome	4005176496011
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan S flush plate, chrome (37 601 000) front wall brackets (38 558 00M)</p>			
 	38 721 001	Chrome	4005176863431
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) front wall brackets (38 558 00M)</p>			
 	38 722 001	alpine white	4005176863424
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, alpine white, vertical installation (38 505 SH0) front wall brackets (38 558 00M)</p>			


GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN
	38 772 001	Chrome	4005176863288
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) front wall brackets (38 558 00M)</p>		
	38 772 20A		4005176771613
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l including WRAS approved filling valve Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) front wall brackets (38 558 00M)</p>		
	38 761 000	Chrome	4005176841620
	<p>Rapid SL 3-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Skate Air flush plate, chrome, horizontal installation (38 506 000) front wall brackets (38 558 00M)</p>		
	38 773 000	Chrome	4005176850288
	<p>Rapid SL 3-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Skate Cosmopolitan flush plate, chrome (38 732 000) front wall brackets (38 558 00M)</p>		

GROHE RAPID SL FOR WC


Ref. No. Colour EAN

38 773 20A 4005176771606




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
 including WRAS approved filling valve
 Consisting of:
 Rapid SL element for WC (38 526 000)
 Skate Cosmopolitan flush plate, chrome (38 732 000)
 front wall brackets (38 558 00M)

38 868 000 Chrome 4005176878091




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 526 000)
 Nova Cosmopolitan flush plate, chrome (38 765 000)
 front wall brackets (38 558 00M)

38 764 001 alpine white 4005176863301



Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 l - 9 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

38 947 000 4005176911217




Rapid SL
2-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 525 001)
 front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 948 000

4005176911224



Rapid SL

2-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l


Consisting of:

Rapid SL element for WC (38 526 000)
front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 536 001 4005176863929



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls powder coated steel frame, self-supporting with fixed connections

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

water supply from left/right or back

1/2" water supply connection including integrated angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

38 539 001

4005176863912

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 l - 9 l, containing following features:

factory set 6 l and 3 l

pneumatic discharge valve offering 2 modes of

operation: dual flush or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

inspection shaft for vertical or horizontal use


allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation

including WC set for noise protection (37 131 000)

for mounting of small flush plates please order


revision shaft 40 911 000 (sold separately)



GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 675 001 4005176863516



Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l

for WC bowls 70 cm projection

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TUV approved

2 WC fixing bolts
fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold


separately)

for the mounting of support rails for the disabled please order fixing element 38

559 001 (sold separately)

38 994 000

4005176932335



Rapid SL

Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m

for small, narrow bathrooms

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

with fixed connections

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:

water supply from top or back

water supply 1/2" and push fit flexible hose union


including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 949 000 (sold separately)

38 525 001

4005176863967



Rapid SL

Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

TUV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

water supply from left/right or back

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union






for on-the-wall installation please order wall brackets 38 558 00M (sold

separately)

for mounting of small flush plates please order revision shaft 40 950 000 (sold

separately)


GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN
 	38 526 000		4005176291050
	<p>Rapid SL Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>		
	40 899 000		4005176413896
	<p>Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm</p>		
 	38 558 00M		4005176291418
	<p>Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces</p>		
 	42 333 000		4005176845888
	<p>4.5 l adapter for GD2 to reduce the maximum flush volume to 3.8 l (big flush) and 1.8 l (small flush)</p>		
 	42 327 000		4005176838705
	<p>PP-outlet bend Ø 90 mm variable depth adjustment</p>		

GROHE RAPID SL FOR URINAL

Ref. No. Colour EAN

38 786 001 4005176864025




Rapid SL

Element for urinal with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studed walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during
construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)

38 803 001

4005176864049




Rapid SL

Element for urinal with infra-red electronic with GROHE Rapido U 1.13 and 1.30 m installation height

for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TUV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device
for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during
construction phase
including wall brackets 38 558 00M for on-the-wall installation

39 376 000

4005176342998



Rapid SL

Element for urinal with temperature sensor with roughing-in set for T sensor 1.13 and 1.30 m installation height

for on-the-wall installations or studed walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold
separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)

GROHE RAPID SL FOR URINAL


Ref. No.

Colour

EAN

38 558 00M

4005176291418



Rapid SL


Front wall brackets

for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm

2 pieces

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No. Colour EAN




38 554 001 4005176863806

Rapid SL
Element for wash basin, single hole installation with noise protection

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
 - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



39 052 000 4005176935961


Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection

1.13 m finished installation height
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable
- fixing material
- TÜV approved
- fixing and connecting traverse, height adjustable

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
 - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001 4005176863783

Rapid SL
Element for wash basin, single hole installation

1.13 m finished installation height
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable
- fixing material
- TÜV approved

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No. Colour EAN

38 748 002 Chrome 4005176416323

Rapid SL


Element for wash basin with roughin-in set for infra-red electronic
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height

for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



38 546 000

4005176291289

Rapid SL

Element for wash basin, for wall mounted fittings

1.30 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections


quick adjustment, lockable

fixing material

TÜV approved

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



38 541 000

4005176291234

Rapid SL


Element for wash basin, single hole installation

1.0 m finished installation height

for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



38 553 001

4005176863813

Rapid SL

Element for bidet, 1.13 m installation height



vertical support for ceramics with small bearing area (< 205 mm)

for on-the-wall installations or studded walls

height adjustable fitting connections


Includes:

bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 fitting connections DN 15
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No. Colour EAN



38 545 000 **4005176291272**

Rapid SL
Element for bidet, 1.00 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections


Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections DN 15
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 543 000 **4005176291258**

Rapid SL
Element for bidet, 0.82 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections

Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections DN 15
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 558 00M **4005176291418**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE RAPID SL FOR THE DISABLED


Ref. No. Colour EAN

38 675 001 4005176863516




Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
 with flush cistern 6 - 3 l
for WC bowls 70 cm projection
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union
 for on-the-wall installation please order wall brackets 38 558 00M (sold
 separately)
 for the mounting of support rails for the disabled please order
 fixing element 38 559 001 (sold separately)

39 140 000 4005176315268




Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2 , 6 l - 9 l
 for the disabled
for WC bowls 70 cm projection
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 with fixed connections
 TÜV approved
 2 WC fixing bolts
 4 wall brackets
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 PP reducer Ø 90/110 mm
 inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l, containing following features:
 water supply from left/right or back
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union
 including wall brackets 38 558 00M for on-the-wall installation
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

38 541 000 4005176291234



Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
 for on-the-wall installations or studded walls
Includes
 wash basin fixing bolts with
 fixing device for ceramic
 HT-outlet bend Ø 50 mm
 seal Ø 32 mm
 for on-the-wall installation please order wall brackets 38 558 00M (sold
 separately)

GROHE RAPID SL FOR THE DISABLED



Ref. No.

Colour

EAN

38 559 001

4005176863776

Rapid SL

Fixing element, 1.13 m installation height

to fix **support** for the disabled


0.31 m wide


powder coated steel frame

waterproof plywood

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)













GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	EAN
	37 998 000		4005176262586













Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty elements
2 noise protected fitting connections 1/2"



GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN
 	38 558 00M		4005176291418
	Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces		
 	38 629 000		4005176293191
	Rapid SL Flush pipe extension for floor constructions from 200 up to 350 mm fixing material not suitable for project elements		
 	38 733 000		4005176837289
	Rapid SL Xtra wall brackets, flexible placing for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces		
 	38 562 001		4005176863752
	Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°		
 	38 779 000		4005176855306
	Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		
 	37 131 000		4005176144585
	Set for noise protection for WC sound insulation 2 rubber pipes		

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN
	42 766 000		4005176222115
	Distance pipe 3"		
 	38 338 000		4005176286179
	Water supply pipe connector Scandinavian adapter		
 	40 911 000		4005176416132
	Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern		
 	40 950 000	Chrome	4005176478994
	Inspection shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height		
 	40 949 000	Chrome	4005176477881
	Inspection shaft for small flush plates for combination with 80 mm cistern		
	66 791 000		4005176866562
	Inspection shaft for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)		

GROHE RAPID SL ACCESSORIES



Ref. No.

Colour

EAN

43 617 000

4005176841163

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic

GROHE
FLUSHING SYSTEMS























CONTENTS

WC	Flushing Cisterns	726
	Accessories for Flushing Cisterns	729
	WC Flush Valves	735
	Electronic Actuators for WC	737
Urinal	Electronic Actuators for Urinal	742
	Urinal Flush Valves	747

GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN
	37 762 SH0	alpine white	4005176213250
	<p>Flushing cistern for WC for concealed bath furniture installation non-interruptible flush cycle flush button not included min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side</p>		
	37 945 SH0	alpine white	4005176256387
	<p>Flushing cistern for WC 6L for concealed bath furniture installation non-interruptible flush cycle flush button not included ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right</p>		
	37 791 SH0	alpine white	4005176217241
	<p>Flushing cistern for WC 6 l / 3 l exposed installation interruptible flush cycle hidden flush pipe connection servo actuation low level made of PS low noise (group I acc. to German Noise Specification) fully insulated against condensation with isolation valve 1/2" copper pipe mounting template flush pipe bend WC inlet connector</p>		
	38 661 000		4005176294907
	<p>WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>		
	38 987 000		4005176924798
	<p>WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets flush pipe and connector for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>		


GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN
	38 863 000		4005176832345
	<p>Flushing cistern for WC 80 mm 6 l / 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply connection from top with push fit flexible hose union with isolation valve 1/2" Inspection shaft incl. protection during construction phase, for vertical flush plates only fixing brackets for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)</p>		
	38 422 000		4005176275203
	<p>Flushing cistern for WC 6 l / 3 l 0.82 m finished installation height front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE Water Saving - Less water, perfect flow</p>		
	38 422 20A		4005176771590
	<p>Flushing cistern for WC 6 l flush 0.82 m finished installation height including WRAS approved filling valve front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE Water Saving - Less water, perfect flow</p>		
	38 691 000		4005176815454
	<p>Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush water supply from left/right or back with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar</p> <p>air button front/top actuation extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation GROHE Water Saving - Less water, perfect flow</p>		

GROHE FLUSHING CISTERNS


Ref. No. Colour EAN

39 053 000 4005176935978




Concealed flushing cistern
6 l / 3 l
Dual Flush
water supply from bottom
 min. recommended pressure 0.2 bar
 mechanical round push button actuation Ø 50 mm with Eco button
 mechanical actuation from front, top, left or right
 for walls 18 -24 mm thickness
 bowden cable 0.5 m length
 for more flexibility in push button position
 fixing brackets
 flush pipe
 WC inlet connector
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow

39 054 000 4005176936289















Concealed flushing cistern
6 l / 3 l
Dual Flush
 min. recommended pressure 0.2 bar
 mechanical round push button actuation Ø 50 mm with Eco button
 mechanical actuation from front, top, left or right
 for walls 18 -24 mm thickness
 bowden cable 0.5 m length
 for more flexibility in push button position
 fixing brackets
 flush pipe
 WC inlet connector
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow

39 056 000 Chrome 4005176936302










Round push button actuation Ø 50 mm with Eco button
 in combination with bath furniture
 for combination with flushing cistern 39 053 000 & 39 054 000
 for walls 18 -24 mm thickness
GROHE Long-Life Shine durable sparkling sheen













GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN
	37 095 000		4005176145124
	Filling valve 3/8" universal application		
	37 093 000		4005176145070
	ditto, but with stand pipe for bottom inlet		
	37 092 000		4005176145049
	ditto, with adaptor		
	43 537 000		4005176157653
	Filling valve for concealed flushing cisterns 6 l		
			
	42 181 000		4005176286872
	Filling valve 1/2" made of ABS for use with cistern 37 762 SH0		
			
	42 297 PI0	matt chrome/chrome	4005176832048
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid GROHE Water Saving - Less water, perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.		
			
	42 253 000		4005176814532
	Dual Flush discharge valve AV1 pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat		
			
	43 907 PI0	matt chrome/chrome	4005176177545
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE Long-Life Shine durable sparkling sheen **) max. shortening 100 mm		
			












GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN
 	37 078 PI0	matt chrome/chrome	4005176160783
	Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE Long-Life Shine durable sparkling sheen **) max. shortening 100 mm		
 	37 088 PI0	matt chrome/chrome	4005176149672
	Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes \varnothing 16 - 35 mm fixing material GROHE Long-Life Shine durable sparkling sheen		
	37 085 PI0	matt chrome/chrome	4005176149641
	ditto, with push button for lid hole \varnothing 40 mm		
 	37 100 SH0	alpine white	4005176142093
	Flush pipe 390 x 350 mm		
	43 733 000		4005176158926
	Membrane filling valve		
	43 758 00M		4005176159121
	ditto, 10 pieces per set		
 	38 735 000		4005176837500
	Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable GROHE Water Saving - Less water, perfect flow		

GROHE ACCESSORIES FOR FLUSHING CISTERNS

		Ref. No.	Colour	EAN
		38 736 000		4005176837517
<p>Dual flush valve set for flushing cistern GD 2 / Rapid SL 1.13 m only 6 l / 3 l dual flush discharge valve AV1 consisting of valve seat without wall plate/actuation</p>				
		42 320 000		4005176837487
<p>Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l / 3 l without valve seat without actuation</p>				
		42 314 000		4005176835636
<p>Discharge valve AV1 complete pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat</p>				
		42 137 000		4005176259524
<p>Servo discharge valve</p>				
		43 486 000		4005176157158
<p>Servo discharge valve interruptible flush cycle without valve seat</p>				
		42 774 000		4005176221590
<p>Dual Flush discharge valve for pneumatic actuation</p>				






GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN
	42 233 000	Chrome	4005176300653
	Connecting hose		
 	43 908 000		4005176160257
	Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm		
 	37 311 K00	black	4005176160851
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts		
 	37 489 000		4005176167386
	Flush pipe extension length 200 mm		
	43 352 000		4005176832413
	Ditto, length 300 mm without connector 37 119 000		
 	37 104 K00	black	4005176160844
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long		
 	37 105 K00	black	4005176141904
	Flush pipe extension length 300 mm		











GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN
 	37 119 000		4005176144370
	Connector Ø 55 mm		
 	42 327 000		4005176838705
	PP-outlet bend Ø 90 mm variable depth adjustment		
 	42 333 000		4005176845888
	4.5 l adapter for GD2 to reduce the maximum flush volume to 3.8 l (big flush) and 1.8 l (small flush)		
 	37 131 000		4005176144585
	Set for noise protection for WC sound insulation 2 rubber pipes		
	43 544 000		4005176157738
	Outlet piston		
	42 242 000		4005176804977
	4" outlet adaptor for Rapid SL		













GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN
 	38 714 000		4005176828454
	42 593 000		4005176566417
 	40 911 000		4005176416132
	40 950 000	Chrome	4005176478994
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
	40 949 000	Chrome	4005176477881
	ditto, for combination with 80 mm cistern		







GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN
 	37 347 000	Chrome	4005176837999
<p>Rondo A.S. Flush valve for WC 3/4" brass GROHE Long-Life Shine durable sparkling sheen for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 l / 3 l with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>			
 	37 141 000	Chrome	4005176143113
<p>DAL-Full-automatic flush valve for WC 3/4" brass GROHE Long-Life Shine durable sparkling sheen for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p>			
 	37 139 000	Chrome	4005176143083
<p>DAL-Automatic flush valve for WC 3/4" brass GROHE Long-Life Shine durable sparkling sheen for wash-down and wash-out bowls with flow rate adjustment</p>			
 	37 132 000	Chrome	4005176144608
<p>Fixing device hidden fixing screws for flush pipes \varnothing 28 mm for distance to the wall from 15 - 85 mm</p>			
 	37 133 000		4005176144622
<p>Inlet adaptor for corner installation 3/4"</p>			

GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN
 	37 107 000	Chrome	4005176141713
<p>Flush pipe for WC flush valve Ø 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>			
 	37 112 000		4005176141911
<p>Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass</p>			
 	37 108 000	Chrome	4005176141720
<p>Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>			
 	37 114 000	Chrome	4005176141935
<p>Flush pipe extension Ø 28 x 26 mm 260 mm brass</p>			
 	37 135 000		4005176144653
<p>Connector Ø 55 mm for flush valve to pedestal WC</p>			
 	37 131 000		4005176144585
<p>Set for noise protection for WC sound insulation 2 rubber pipes</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC


	Ref. No.	Colour	EAN
		38 698 SD1 stainless steel	4005176929571
		<p>Tectron Skate Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>	
		38 699 001 Chrome	4005176929588
		<p>Tectron Surf Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine durable sparkling sheen with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>	
		37 419 000 Chrome	4005176933806
		37 419 SD0 stainless steel	4005176933813
<p>Tectron Skate Infra-red electronic for WC flushing cistern with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No. Colour EAN

37 504 000 Chrome 4005176320521

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with additional manual actuation
GROHE Long-Life Shine finish
 front plate 156 x 197 mm
 servo motor
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver



monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days

configuration
 detection range and shut off delay
 auto flush
 cleaning mode

2 on/off timers
 identification by name

service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.












39 881 000 Chrome 4005176706790
 39 881 SH0 alpine white 4005176706806









Tectron Bau E
Infra-red electronic for WC flushing cistern
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
GROHE Long-Life Shine durable sparkling sheen
 with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC
 for new installations and retrofit to all GD2 cisterns
 servo motor
 concealed installation
 front plate 156 x 197 mm
 hidden anti-theft device
 infra-red control
 7 pre-set programs
 auto flush
 cleaning mode
 pre-flush on/off
 additional functions and precise settings
 by remote control 36 407
 adjustable flush (3 - 9 l) by hand or remote
 CE approved



GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN
	 39 881 KF0	phantom black	4005176715099
	Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine finish with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved		
			
	 39 882 000 39 882 SH0	Chrome alpine white	4005176706813 4005176706820
	Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine durable sparkling sheen 6V lithium battery, type CR-P2 for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved		
			
	 39 882 KF0	phantom black	4005176715105
	Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine finish 6V lithium battery, type CR-P2 for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode additional functions and precise settings by remote control 36 407 pre-flush on/off adjustable flush (3 - 9 l) by hand or remote CE approved		
			

GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN
 	43 617 000		4005176841163
	<p>Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic</p>		
 	38 778 000		4005176855269
	<p>Radio transmitter for an additional flush plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2 / Rapid SL 1.13 m only for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p>		
 	36 340 000		4005176911385
	<p>Power extension cable length 3.00 m</p>		
 	36 341 000		4005176911392
	<p>Power extension cable length 10.00 m</p>		

GROHE ELECTRONIC ACTUATIONS FOR WC


Ref. No.

Colour

EAN

36 407 001

4005176368974



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration


cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN
37 421 000	Chrome	4005176935572









Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 metal housing
 exposed installation
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 G 1/2
 with **integrated stop valve**
 flush pipe with rubber connector
 multistage battery status display
 7 pre-set programs
 auto flush
 cleaning mode
 pre-flush on/off
 additional functions and precise settings
 by remote control 36 407
 adjustable flow time by hand or remote
 CE approved


GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN
 	37 336 001	Chrome	4005176929540
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>		
 	37 337 001	Chrome	4005176929557
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved</p>		
 	37 321 001	Chrome	4005176929496
	37 321 SD1	stainless steel	4005176929502
<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No. Colour EAN

37 324 001 Chrome 4005176929526
37 324 SD1 stainless steel 4005176929533



Tectron Skate


Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

37 503 000 Chrome 4005176320507

Tectron Skate Bluetooth Infra-red electronic for Urinal for Rapido U 37 338 000

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE Long-Life Shine finish
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No. Colour EAN

37 338 000 4005176837920




GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

38 787 000 4005176855689




GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection during construction phase

36 407 001 4005176368974



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

39 368 000 4005176341540




Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No. Colour EAN

39 367 000 4005176341533



Temperature sensor for urinal
 6V lithium battery, type CR-P2
 with water connection set and stop valve
 Waste trap with temperature sensor
 cartridge with solenoid valve and dirt strainer
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 7 pre-set programs
 auto flush
 cleaning mode
 pre-flush on/off
 CE approved
 only for certain urinal ceramics, check online TPI













39 369 000 4005176341557









Temperature sensor with Bluetooth for urinal
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
 Waste trap with temperature sensor
 cartridge with solenoid valve and dirt strainer
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 with Bluetooth module for bi-directional communication for monitoring,
 configuration and service purpose
 with Bluetooth 4.0* for wireless data communication
 Bluetooth transmitter frequency: 2.4 GHz
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 for Apple** and Android devices
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
configuration
 shut-off delay
 auto flush
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
 * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
 ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
 *** Available for free via iTunes app or Google Play store.

GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN
 	37 339 000	Chrome	4005176837937
<p>Rondo Flush valve for urinal 1/2" brass integrated stop valve GROHE Long-Life Shine durable sparkling sheen with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar</p>			
 	37 396 000	Chrome	4005176907968
<p>Press urinal flush valve 1/2" brass GROHE Long-Life Shine durable sparkling sheen with wall escutcheon</p>			
 	37 044 000		4005176160776
<p>Urinal inlet connector, 1/2"</p>			
 	37 035 000	Chrome	4005176143731
<p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated straight</p>			
 	37 037 000	Chrome	4005176143762
<p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 20 mm</p>			
 	37 038 000	Chrome	4005176143786
<p>ditto, offset 30 mm</p>			

GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN
 	37 039 000	Chrome	4005176143793
	Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 40 mm		
	37 040 000	Chrome	4005176143861
	ditto, offset 50 mm		
 	37 043 000	Chrome	4005176143922
	Urinal flush pipe Ø 18 mm 400 mm brass straight		
 	37 042 000	Chrome	4005176143908
	Flush pipe extension Ø 16 mm 200 mm brass		



GROHE
ACTUATIONS






CONTENTS

WC	Flush Plates for WC	752
	GROHE Fresh	760
	Flush Plates for WC Flush Valves	761
Urinal	Flush Plates for Urinal	762

GROHE FLUSH PLATES FOR WC



Ref. No.	Colour	EAN
37 535 000	Chrome	4005176416019
37 535 P00	matt chrome	4005176416026
37 535 SH0	alpine white	4005176416033
37 535 DC0	supersteel	4005176416040
37 535 BE0	polished nickel	4005176431340
37 535 EN0	brushed nickel	4005176431319
37 535 GL0	cool sunrise	4005176431302
37 535 GN0	brushed cool sunrise	4005176431296
37 535 DA0	warm sunset	4005176431333
37 535 DL0	brushed warm sunset	4005176431326
37 535 A00	hard graphite	4005176431364
37 535 AL0	brushed hard graphite	4005176431357

Skate Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m


for vertical installation

130 x 172 mm
made of ABS

GROHE Long-Life Shine durable sparkling sheen

GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



37 601 000	Chrome	4005176416057
37 601 P00	matt chrome	4005176416064
37 601 SH0	alpine white	4005176416071
37 601 DC0	supersteel	4005176416088
37 601 BE0	polished nickel	4005176529009
37 601 EN0	brushed nickel	4005176529047
37 601 GL0	cool sunrise	4005176524271
37 601 GN0	brushed cool sunrise	4005176529016
37 601 DA0	warm sunset	4005176524288
37 601 DL0	brushed warm sunset	4005176529023
37 601 A00	hard graphite	4005176528996
37 601 AL0	brushed hard graphite	4005176529030

Nova Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m

for vertical installation









130 x 172 mm
made of ABS

GROHE Long-Life Shine durable sparkling sheen









GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)









GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN		
 	37 624 000	Chrome	4005176416095		
	37 624 P00	matt chrome	4005176416101		
	37 624 SH0	alpine white	4005176416118		
	37 624 DC0	supersteel	4005176416125		
	37 624 BE0	polished nickel	4005176529085		
	37 624 EN0	brushed nickel	4005176529122		
	37 624 GL0	cool sunrise	4005176529054		
	37 624 GN0	brushed cool sunrise	4005176529092		
	37 624 DA0	warm sunset	4005176529061		
	37 624 DL0	brushed warm sunset	4005176529108		
	37 624 A00	hard graphite	4005176529078		
	37 624 AL0	brushed hard graphite	4005176529115		
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) colours BE and EN available until 31 March 2023				
 	37 973 000	Chrome	4005176479021		
	37 973 DC0	supersteel	4005176479052		
	37 973 SH0	alpine white	4005176479038		
	37 973 P00	matt chrome	4005176479045		
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for horizontal installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)				
 	37 965 000	Chrome	4005176442506		
	Skate Air S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)				
	 	40 911 000		4005176416132	
		Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern			
		40 950 000	Chrome	4005176478994	
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height					
	40 949 000	Chrome	4005176477881		
ditto, for combination with 80 mm cistern					









GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN
	38 915 KS0	velvet black	4005176897108
	38 915 LS0	moon white	4005176897115
	<p>Veris Light Flush plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE Water Saving - Less water, perfect flow not suitable for GROHE Fresh</p>		
	38 809 000	Chrome	4005176864681
		<p>Nova Cosmopolitan Light Flush plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>	
	38 765 000	Chrome	4005176846830
	38 765 SH0	alpine white	4005176846854
	38 765 P00	matt chrome	4005176846847
	<p>Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>		
	38 845 LS0	moon white	4005176878336
	38 845 KS0	velvet black	4005176878343
	38 845 MF0	chrome/ daVinci satin	4005176878619
	<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>		

GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN
 	38 916 0A0	mirror glass	4005176896941
<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
 	38 957 000	Chrome	4005176914409
<p>Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate</p>			
 	38 821 000	Chrome	4005176868986
<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation vandal-proof for pneumatic drop valve AV1 for vertical installation made of metal GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
 	38 732 SD0	stainless steel	4005176847691
<p>Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE Long-Life Shine finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
	38 776 SD0	stainless steel	4005176853555
<p>ditto, horizontal installation</p>			













GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN
 	38 732 000	Chrome	4005176836114
	38 732 DC0	supersteel	4005176431371
	38 732 SH0	alpine white	4005176836138
	38 732 P00	matt chrome	4005176836121
	38 732 BE0	polished nickel	4005176427749
	38 732 EN0	brushed nickel	4005176427756
	38 732 GL0	cool sunrise	4005176339103
	38 732 GN0	brushed cool sunrise	4005176427725
	38 732 DA0	warm sunset	4005176339097
	38 732 DL0	brushed warm sunset	4005176427732
	38 732 A00	hard graphite	4005176339110
	38 732 AL0	brushed hard graphite	4005176339127
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		
	38 732 BR0	titanium	4005176873676
ditto, with anti-fingerprint surface			
 	38 732 KF0	phantom black	4005176784125
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		
 	38 844 000	Chrome	4005176874963
	38 844 SH0	alpine white	4005176874970
	38 844 P00	matt chrome	4005176875687
	Arena Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE Water Saving - Less water, perfect flow GROHE Long-Life Shine durable sparkling sheen for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		
	38 858 000	Chrome	4005176876714
	38 858 P00	matt chrome	4005176876721
	38 858 SH0	alpine white	4005176876738
ditto, horizontal installation			
 	38 505 000	Chrome	4005176290053
	38 505 SH0	alpine white	4005176290046
	38 505 P00	matt chrome	4005176290060
Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 506 000	Chrome	4005176290121
	38 506 SH0	alpine white	4005176290114
	38 506 P00	matt chrome	4005176290138
ditto, horizontal installation			










GROHE FLUSH PLATES FOR WC

		Ref. No.	Colour	EAN
		38 505 KF0	phantom black	4005176784132
		Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve for vertical installation 156 x 197 mm made of ABS GROHE Long-Life Shine finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		
		38 862 000 38 862 SH0 38 862 P00	Chrome alpine white matt chrome	4005176832314 4005176832338 4005176832321
		Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		
		38 862 SD0	stainless steel	4005176834721
		Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm material: stainless steel GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		
		38 861 000	Chrome	4005176832284
		Surf Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)		


GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN
	38 564 000	Chrome	4005176291784
	38 564 SH0	alpine white	4005176291777
	Skate Air Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow		
	38 565 000	Chrome	4005176291845
	ditto, horizontal installation		
	38 573 000	Chrome	4005176292316
	38 573 SH0	alpine white	4005176292309
	Skate Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow		
	38 672 SD0	stainless steel	4005176296468
	Skate Wall plate, stainless steel for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE Water Saving - Less water, perfect flow		
	38 574 000	Chrome	4005176292385
	Surf Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow		
	37 059 000	Chrome	4005176142857
	Surf Air button GROHE Long-Life Shine durable sparkling sheen made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm		
	37 060 000	Chrome	4005176142901
	Air button GROHE Long-Life Shine durable sparkling sheen made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267		

GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN
	38 488 000	Chrome	4005176289866
	<p>Air button with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE Long-Life Shine finish</p>		
	38 496 000	Chrome	4005176289958
	 <p>Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE Long-Life Shine finish</p>		
	38 771 000	Chrome	4005176848551
	 <p>Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose GROHE Long-Life Shine durable sparkling sheen</p>		
	37 761 000	Chrome	4005176213243
	 <p>Air button GROHE Long-Life Shine durable sparkling sheen for use with Adagio cistern 37 762 SH / 37 945 SH</p>		
	38 714 000		4005176828454
	 <p>WC wall plate extension set 70 mm with pneumatic discharge valve</p>		



Ref. No. Colour EAN



38 805 000 Chrome 4005176865596

**Skate Cosmopolitan Set Fresh
Flush plate**

for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
for chlorine-free tablets only
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 796 000 4005176857034

**GROHE Fresh
Dual flush valve set**

for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
**not suitable for flush plates with
wood or glass or metal surface or new small flush plates**
fixing frame with opening function
for chlorine-free tablets only
for all GROHE wall plates
156 x 197 mm



38 882 000 4005176879197









**GROHE Fresh
Tabs**

2 x 50 g WC-Tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data
sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/





GROHE FLUSH PLATES FOR WC FLUSH VALVES

		Ref. No.	Colour	EAN
		37 547 000 37 547 P00 37 547 SH0	Chrome matt chrome alpine white	4005176189425 4005176189449 4005176189418
<p>Skate Flush plate for vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life Shine durable sparkling sheen</p>				
		38 445 SD0	stainless steel	4005176282850
<p>Skate Wall plate, stainless steel for vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws</p>				
		37 063 000 37 063 SH0	Chrome alpine white	4005176142185 4005176142307
<p>Surf Flush plate 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life Shine durable sparkling sheen</p>				
		37 069 000	Chrome	4005176142352
<p>Surf Flush plate for vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE Long-Life Shine durable sparkling sheen</p>				

GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN
	38 846 LS0	moon white	4005176878367
	38 846 KS0	velvet black	4005176878268
	<p>Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated compatible with Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable</p>		
	38 784 000	Chrome	4005176855535
	38 784 SH0	alpine white	4005176855559
	38 784 P00	matt chrome	4005176855542
	<p>Skate Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p>		
	38 784 SD0	stainless steel	4005176877407
	<p>Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws</p>		
			
	38 804 000	Chrome	4005176861512
	38 804 SH0	alpine white	4005176861529
	38 804 P00	matt chrome	4005176861536
	<p>Nova Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p>		

GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN
	38 857 000	Chrome	4005176875694
	38 857 SH0	alpine white	4005176875793
	38 857 P00	matt chrome	4005176875663
	<p>Arena Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p>		
	38 808 000	Chrome	4005176864056
	38 808 SH0	alpine white	4005176864070
	38 808 P00	matt chrome	4005176864063
	<p>Surf Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p>		

GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS

Angle Valves

766

WAS valves

770











Safety Systems

771













GROHE ANGLE VALVES

	Ref. No.	Colour	EAN
 	22 043 000	Chrome	4005176305597
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p>			
 	22 037 000	Chrome	4005176305535
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p>			
 	22 074 KF0	phantom black	4005176782640
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p>			
 	22 046 000	Chrome	4005176305627
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE Long-Life Shine finish</p>			
 	22 023 000	Chrome	4005176305405
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p>			

GROHE ANGLE VALVES

	Ref. No.	Colour	EAN
 	22 018 000	Chrome	4005176305382
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p>			
 	22 029 000	Chrome	4005176305467
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE Long-Life Shine finish</p>			
 	22 032 000	Chrome	4005176305481
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE Long-Life Shine finish</p>			
 	22 053 000	Chrome	4005176349027
<p>Angle valve 3/8" pre-roughened connection thread for easy sealing wall connection 3/8" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm</p>			
 	22 017 00M	Chrome	4005176940613
<p>Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal GROHE Long-Life Shine finish sales unit 10 pieces</p>			


GROHE ANGLE VALVES

	Ref. No.	Colour	EAN
 	22 016 00M	Chrome	4005176940606
 	22 939 000	Chrome	4005176829369
 	22 940 000	Chrome	4005176829376
 	22 958 00M	Chrome	4005176034237
 	22 917 000	Chrome	4005176501388
 	22 012 000 22 012 DC0 22 012 AL0	Chrome supersteel brushed hard graphite	4005176906343 4005176525742 4005176585944

GROHE ANGLE VALVES

Ref. No. Colour EAN


22 013 000 Chrome 4005176909689



Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon


GROHE WAS VALVES

Ref. No.	Colour	EAN
22 035 000	Chrome	4005176305511




Original WAS combination service valve 1/2"
 pre-roughened connection thread for easy sealing
 wall connection 1/2"
 outlet thread 3/8"
 with length compensation
 with compression nut Ø 10 mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve type EB
 long connecting shaft
 ergonomic handle
 marking: neutral
 metal push-on escutcheon Ø 55 mm
 for combination with pipe ventilating valve type HB 41 239 000

22 033 000	Chrome	4005176305498
------------	--------	---------------




Original WAS combination service valve 3/8"
 wall connection 3/8"
 outlet thread 3/8"
 with length compensation
 with compression nut Ø 10 mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve type EB
 long connecting shaft
 ergonomic handles
 marking: neutral
 metal push-on escutcheon Ø 55 mm
 for combination with pipe ventilating valve type HB 41 239 000

41 007 000	Chrome	4005176281815
------------	--------	---------------



Eggemann
Original WAS T-piece 3/8"
 for service valve
 with compression nut
GROHE Long-Life Shine durable sparkling sheen

GROHE SAFETY SYSTEMS



Ref. No.	Colour	EAN
41 275 000	Chrome	4005176280481

Original WAS inclined filter 3/4"
suitable for cold and warm water up to + 80 C
transparent cap
mesh width 315 µm
stainless steel filter insert
GROHE Long-Life Shine durable sparkling sheen

GROHE
SPARE PARTS






CONTENTS

Cartridges	774
Thermo elements and thermostatic cartridges	776
Aquadimmer	779
Head parts	780
Spare parts for two-handle taps	783
Extension sets	784
Unions	785
Outlets and spouts	786
Flow straighteners	787
Waste sets and traps	789
Connections and non-return valves	792
Spare parts for electronics	793
Diverter	794
Hoses	795
Spare parts for kitchen taps	796
Spare parts for showers	797
Miscellaneous	799
Special tools	800
Cleaning and care	801
Spare parts for sanitary systems	802
Spare parts for shower toilet	804
Spare parts for Ceramics	805







GROHE CARTRIDGES

	Ref. No.	Colour	EAN
	46 580 000		4005176831867
Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000		4005176169076
Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000		4005176008283
Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers			
	46 386 000		4005176169410
Cartridge GROHE SilkMove			
	46 278 000		4005176131868
Ceramic cartridge for Euroeco special mixer			
	46 308 000		4005176131769
Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			







GROHE CARTRIDGES

	Ref. No.	Colour	EAN
	46 375 000		4005176169083
	Temperature limiter for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media		
	48 359 000		4005176442810
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000		
	07 000 000		4005176016899
	Cartridge from 1974 for Euromix and Ladylux		
	42 383 000	Chrome	4005176903281
	Cartridge for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)		
	42 384 000	Chrome	4005176903298
	Cartridge for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)		

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN
	47 450 000		4005176076190
	Thermo-element wax element with stainless steel slider to avoid corrosion		
	47 282 000		4005176061592
	ditto, for reverse waterways, 1/2"		
	47 310 000		4005176079238
	Wax thermo-element-cartridge wax element		
	47 349 000		4005176141461
	Wax thermo-element-cartridge 3/8" wax element		
	47 217 000		4005176241246
	Thermo-element wax element with non-rising spindle		
	47 220 000		4005176241253
	Wax thermo-element-cartridge wax element with non-rising spindle		
	47 111 000		4005176009921
	Thermo-element wax element for Grohmix Thermostat		

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN
	47 025 000		4005176009549
	Wax thermo-element-cartridge wax element for Grohmix Thermostat		
	47 532 000		4005176206795
	Thermostatic cartridge		
	00 798 000	Chrome	4005176229008
	Wax thermo-element		
	47 598 000		4005176229169
	Control unit		
	47 600 000		4005176228995
	Control unit		
	47 439 000		4005176811975
	Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement		
	47 175 000		4005176803895
	ditto, for reverse waterways, 1/2"		







GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN
	47 885 000		4005176924729
	Thermostatic compact cartridge 1/2" GROHE Turbostat C3 compact cartridge with wax thermoelement		
	47 483 000		4005176815409
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement		
	47 186 000		4005176803901
	ditto, for reverse waterways, 3/4"		
	49 028 000		4005176442827
	Thermostatic compact cartridge 3/4" for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut		
	47 167 000		4005176010125
	Stop ring and regulating nut		







GROHE AQUADIMMER

	Ref. No.	Colour	EAN
	47 364 000		4005176171819
	Aquadimmer for thermostatic mixers		
	12 433 000		4005176272752
	Aquadimmer for exposed fittings		
	47 262 000		4005176118722
	Aquadimmer for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"		





GROHE HEAD PARTS

	Ref. No.	Colour	EAN
	07 146 000		4005176017261
	Headpart 1/2" short spindle, 1/2"		
	45 346 000		4005176104572
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand		
	45 342 000		4005176129865
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand		
	45 885 000		4005176189913
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand		
	45 869 000		4005176189876
	Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand		
	45 882 000		4005176189883
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand		

GROHE HEAD PARTS

	Ref. No.	Colour	EAN
	45 883 000		4005176189890
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand		
	45 888 000		4005176189944
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90° stop: right-hand		
	06 188 000		4005176002519
	Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"		
	07 025 000		4005176016929
	Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"		
	19 830 000	Chrome	4005176030697
	Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) GROHE Long-Life Shine durable sparkling sheen		
	19 831 000	Chrome	4005176030703
	ditto, marking red		

GROHE HEAD PARTS

	Ref. No.	Colour	EAN
 	19 841 000	Chrome	4005176030765
	Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner GROHE Long-Life Shine durable sparkling sheen		
	19 840 000	Chrome	4005176030758
	ditto, installation depth infinitely adjustable 20-80 mm		
 	19 470 000	Chrome	4005176848018
	Grohtherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve		









GROHE SPARE PARTS FOR TWO-HANDLE TAPS

Ref. No.	Colour	EAN
10 099 00M	Chrome	4005176812965

Cover Cap
multi-packaging: 2 pieces





GROHE EXTENSION SETS



	Ref. No.	Colour	EAN
 	14 048 000		4005176413483
<p>GROHE Rapido SmartBox Universal extension set single-lever mixers, 25 mm fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox</p>			
 	14 056 000		4005176466298
<p>Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>			
 	14 057 000		4005176466304
<p>Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>			
 	14 058 000		4005176466311
<p>Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox</p>			

GROHE UNIONS




	Ref. No.	Colour	EAN
 	12 400 000	Chrome	4005176004582
<p>S-union 1/2" x 3/4" adjustment range 10 mm GROHE Long-Life Shine durable sparkling sheen</p>			
 	12 051 000	Chrome	4005176213588
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life Shine durable sparkling sheen</p>			
 	12 693 000	Chrome	4005176829918
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE Long-Life Shine durable sparkling sheen</p>			
 	18 862 000	Chrome	4005176028120
<p>Wall union</p>			
 	18 121 000	Chrome	4005176815812
<p>Pillar union, pair GROHE Long-Life Shine durable sparkling sheen</p>			

GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN
 	13 034 000	Chrome	4005176022869
<p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE Long-Life Shine finish</p>			

 	13 071 000	Chrome	4005176023132
<p>Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE Long-Life Shine durable sparkling sheen</p>			

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN
	48 189 000	Chrome	4005176928772
	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>		
	48 190 000	Chrome	4005176928987
	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>		
	48 191 000	Chrome	4005176928994
	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>		
	13 928 000	Chrome	4005176025365
	<p>Flow restrictor internal thread M 22 x 1 (LP) 13.5 l/min at 3 bar GROHE Long-Life Shine finish female thread</p>		
	13 960 000	Chrome	4005176109522
	<p>Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar GROHE Long-Life Shine finish male thread</p>		
	13 929 000	Chrome	4005176025440
	<p>Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar GROHE Long-Life Shine finish male thread</p>		

GROHE FLOW STRAIGHTENERS













	Ref. No.	Colour	EAN
 	13 952 000	Chrome	4005176079818
 	13 927 000	Chrome	4005176005541
 	13 220 000		4005176855504

Flow restrictor
external thread
M 24 x 1
flow class C
30 l/min. at 3 bar
GROHE Long-Life Shine finish
male thread










Flow restrictor
external thread
M 28 x 1
30 l/min. at 3 bar
GROHE Long-Life Shine finish
male thread

Flow restrictor
flow class Z
7.5 l/min at 3 bar
including disassembly key


GROHE WASTE SETS AND TRAPS


	Ref. No.	Colour	EAN
 	28 910 000	Chrome	4005176603846
<p>Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings</p>			
 	40 565 000 40 565 DC0 40 565 AL0	Chrome supersteel brushed hard graphite	4005176912757 4005176491702 4005176491696
<p>Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life Shine durable sparkling sheen</p>			
 	65 807 000 ★ 65 807 LS0 65 807 BE0 65 807 GL0 ★ 65 807 DA0 ★ 65 807 A00	Chrome moon white polished nickel cool sunrise warm sunset hard graphite	4005176849893 4005176849916 4005176467691 4005176467738 4005176467752 4005176467721
<p>Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life Shine durable sparkling sheen</p>			
 	65 807 DC0 ★ 65 807 EN0 65 807 GN0 ★ 65 807 DL0 ★ 65 807 AL0 ★	supersteel brushed nickel brushed cool sunrise brushed warm sunset brushed hard graphite	4005176442797 4005176467707 4005176467745 4005176467769 4005176467714
<p>Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life Shine finish</p>			
 	29 510 KF0	phantom black	4005176781704
<p>Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life Shine finish</p>			
 	65 808 000	Chrome	4005176860065
<p>Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable GROHE Long-Life Shine durable sparkling sheen</p>			


GROHE WASTE SETS AND TRAPS


	Ref. No.	Colour	EAN
 	40 824 000	Chrome	4005176332975
<p>Waste set with push-open plug for wash basins with overflow removable plug closable</p>			
	07 182 000	Chrome	4005176017438
<p>Chrome bath plug for waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen</p>			
	07 052 000		4005176003370
<p>Eccentric rod for waste set 1 1/4" length 180 mm GROHE Long-Life Shine durable sparkling sheen</p>			
	07 341 000	Chrome	4005176017728
<p>Eccentric rod for waste set 1 1/4" length 350 mm GROHE Long-Life Shine durable sparkling sheen</p>			
 	28 920 000	Chrome	4005176603914
<p>Bottle trap, 1 1/4" for basins with fixed dip tube wall connection escutcheon GROHE Long-Life Shine durable sparkling sheen</p>			
 	40 564 000	Chrome	4005176912740
	40 564 DC0	supersteel	4005176491795
	40 564 A00	hard graphite	4005176491849
	40 564 AL0	brushed hard graphite	4005176491788
<p>Bottle trap for wash basin GROHE Long-Life Shine durable sparkling sheen brass body</p>			

GROHE WASTE SETS AND TRAPS





	Ref. No.	Colour	EAN
	28 912 000	★ Chrome	4005176266751
	28 912 DC0	★ supersteel	4005176467905
	28 912 EN0	brushed nickel	4005176467837
	28 912 GN0	★ brushed cool sunrise	4005176467875
	28 912 DL0	★ brushed warm sunset	4005176467899
	28 912 AL0	★ brushed hard graphite	4005176467844
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life Shine durable sparkling sheen		





	29 509 KF0	phantom black	4005176782657
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life Shine finish		



GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN
	46 914 000		4005176326424
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive		
	47 189 000	Chrome	4005176010330
	Non-return valve multi-packaging: 2 pieces GROHE Long-Life Shine durable sparkling sheen		
	14 116 00M		4005176006005
	Non-return valve 1/2" multi-packaging: 2 pieces		
	14 117 00M		4005176006012
	Backflow preventer multi-packaging: 2 pieces		

GROHE SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN
	42 229 000		4005176299223
	Solenoid valve for Europlus E		
	42 886 000		4005176200670
	Battery 6V lithium battery, type CR-P2		

GROHE DIVERTERS



Ref. No.	Colour	EAN
08 915 000	Chrome	4005176020124

Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
automatic diverter: bath/shower



46 058 000	Chrome	4005176008467
------------	--------	---------------

Diverter
for universal single-lever mixer for concealed installation 1/2" bath
including diverter knob
until 2010
GROHE Long-Life Shine durable sparkling sheen




GROHE HOSES












Ref. No.	Colour	EAN
48 293 000		4005176358593

Shower hose
for sink mixer with pull-out dual spray or mousseur
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
including weight and knurled nuts G 1/2
approx. 1425 mm
M15 x 1
GROHE Long-Life Shine finish






GROHE SPARE PARTS FOR KITCHEN TAPS

	Ref. No.	Colour	EAN
	42 586 SD0	stainless steel	4005176563430
	Turning handle for kitchen sinks with automatic waste fitting including fixation form: square 46 x 46 mm GROHE Long-Life Shine finish		
	42 587 SD0	stainless steel	4005176563447
	Turning handle for kitchen sinks with automatic waste fitting including fixation form: round Ø 46 mm GROHE Long-Life Shine finish		
	46 575 000	Chrome	4005176830099
	K4 Hand shower GROHE Long-Life Shine durable sparkling sheen		

GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN
 	28 634 XX0	dark grey	4005176041440
<p>Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)</p>			
 	28 817 000	Chrome	4005176602962
<p>Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE Long-Life Shine durable sparkling sheen</p>			
	06 765 000	Chrome	4005176831973
<p>Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen</p>			
 	07 659 000	Chrome	4005176003707
<p>Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen</p>			
	12 140 000	Chrome	4005176288319
<p>Sliding piece suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen</p>			
	45 650 IP0	chrome/ matt chrome	4005176137228
<p>Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen</p>			

GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN
 	12 435 000	Chrome	4005176272141
	Relaxa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen		
	48 099 000	Chrome	4005176908583
	Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen		
	48 177 000	Chrome	4005176924248
	Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen		
	45 363 000	Chrome	4005176112324
	Cover plate for shower rail Relaxa and Tempesta ø 25 mm		


GROHE MISCELLANEOUS

Ref. No.	Colour	EAN
07 264 00M	Chrome	4005176228797



Filter
multi-packaging: 2 pieces

49 002 00M		4005176372193
------------	--	---------------



Temperature limiter
GROHE SafeStop Plus at 43°C
contains two types of temperature limiters to be retrofitted in thermostat handles
10 pcs.

07 587 000	Chrome	4005176229015
------------	--------	---------------




Slider

GROHE SPECIAL TOOLS

Ref. No. Colour EAN

19 332 000 4005176823695



Socket Spanner
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat
thermostatic compact cartridge
32 mm for disassembly of 35 mm cartridge

GROHE CLEANING AND CARE

Ref. No.	Colour	EAN
----------	--------	-----

45 937 000

4005176279683



Grohe Special grease
25 g
sales unit 15 pieces

Ref. No.	Colour	EAN
----------	--------	-----







48 166 000

4005176923197







Grohclean
Detergent for fittings and bathrooms
500 ml spray bottle
based on citric acid
in display box
sales unit 10 pieces

GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN
	42 303 000	Chrome	4005176835391
	Skate Flush plate for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation for vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow		
	42 304 000	Chrome	4005176835469
	Skate Air Flush plate for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for vertical installation 156 x 197 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow		
	42 305 000	Chrome	4005176835490
	Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS GROHE Water Saving - Less water, perfect flow GROHE Long-Life Shine durable sparkling sheen		
	42 740 000		4005176230653
	Solenoid Valve		
	43 544 000		4005176157738
	Outlet piston		
	43 506 000		4005176157356
	Bellow		

GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN
	42 593 000		4005176566417
	Valve seat including flow manager reduces flow of the flush prevents overflow in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		
	42 764 00M		4005176222092
	Threaded bolt for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces		
	42 233 000	Chrome	4005176300653
	Connecting hose		
	43 758 00M		4005176159121
	Membrane filling valve multi-packaging: 10 pieces		

GROHE SPARE PARTS FOR SHOWER TOILET

Ref. No. Colour EAN

14 917 000


4005176307607



Connecting PIPE
for Sensia IGS shower WC system
flush- and waste pipe

14 926 002

4005176572128



GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN
	49 516 000		4005176373381
	Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces		
	49 510 000		4005176373329
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H		
	49 024 000	Chrome	4005176454196
	Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H		
	37 095 000		4005176145124
	Filling valve 3/8" universal application		
	49 526 000	Chrome	4005176421129
	Dual flush push button for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000		

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
00			13 486 ALO	4005176756641	67	19 381 000	4005176874673	221
00 798 000	4005176229008	777	13 486 DCO	4005176756658	67	19 382 000	4005176874697	226
06			13 487 000	4005176761683	35	19 383 000	4005176874765	225
06 188 000	4005176002519	781	13 487 ALO	4005176761706	35	19 386 002	4005176512995	48
06 765 000	4005176831973	797	13 487 DAO	4005176761713	35	19 386 A02	4005176512971	48
07			13 487 DCO	4005176761720	35	19 386 DL2	4005176512872	48
07 000 000	4005176016899	775	13 487 GLO	4005176761737	35	19 386 GN2	4005176512810	48
07 025 000	4005176016929	781	13 540 000	4005176005411	259	19 409 001	4005176409158	128
07 052 000	4005176003370	790	13 927 000	4005176005541	788	19 409 AL1	4005176586170	128
07 146 000	4005176017261	780	13 928 000	4005176025365	787	19 409 DC1	4005176412752	128
07 182 000	4005176017438	790	13 929 000	4005176025440	787	19 446 002	4005176512797	51
07 264 00M	4005176228797	799	13 952 000	4005176079818	788	19 446 A02	4005176512773	51
07 341 000	4005176017728	790	13 960 000	4005176109522	787	19 446 DL2	4005176512674	51
07 587 000	4005176229015	799	14			19 446 GN2	4005176512612	51
07 659 000	4005176003707	797	14 014 000	4005176929274	406	19 470 000	4005176848018	782
08			14 048 000	4005176413483	364, 784	19 506 002	4005176887185	204
08 915 000	4005176020124	794	14 053 00M	4005176413513	364	19 506 003	4005176334399	215
10			14 055 000	4005176413520	263, 364	19 506 LS3	4005176334542	215
10 099 00M	4005176812965	783	14 056 000	4005176466298	364, 784	19 507 002	4005176887079	204
12			14 056 000	4005176466298	364, 784	19 507 003	4005176334337	214
12 051 000	4005176213588	631, 645	14 057 000	4005176466304	365, 784	19 507 LS3	4005176334528	214
12 140 000	4005176288319	797	14 058 000	4005176466311	365, 784	19 571 002	4005176886973	201
12 400 000	4005176004582	785	14 074 000	4005176575365	661, 694	19 571 003	4005176334269	210
12 433 000	4005176272752	779	14 116 00M	4005176006005	792	19 571 LS3	4005176334498	210
12 435 000	4005176272141	483, 798	14 117 00M	4005176006012	792	19 573 002	4005176887659	186
12 693 000	4005176829918	785	14 917 000	4005176307607	804	19 575 001	4005176888366	193
13			14 926 002	4005176572128	660, 804	19 576 002	4005176429088	198
13 034 000	4005176022869	571, 786	18			19 577 001	4005176409233	131
13 071 000	4005176023132	571, 786	18 121 000	4005176815812	785	19 577 AL1	4005176586224	131
13 220 000	4005176855504	788	18 608 001	4005176985140	331	19 577 DC1	4005176412820	131
13 255 001	4005176556722	248, 254	18 700 000	4005176940811	335	19 577 EN1	4005176413018	131
13 261 000	4005176877384	226	18 862 000	4005176028120	785	19 590 001	4005176512599	53
13 262 000	4005176877391	226	18 968 001	4005176514586	49	19 590 A01	4005176512575	53
13 264 001	4005176515149	53	18 968 A01	4005176514562	49	19 590 DL1	4005176512476	53
13 276 002	4005176887246	205	18 968 DL1	4005176514463	49	19 590 GN1	4005176512414	53
13 278 002	4005176887871	189	18 968 GN1	4005176514401	49	19 808 001	4005176843204	259
13 280 001	4005176888687	198	19			19 809 001	4005176853876	259
13 281 001	4005176888694	198	19 025 000	4005176209154	133, 162	19 830 000	4005176030697	781
13 303 000	4005176906350	149	19 309 002	4005176499982	48	19 831 000	4005176030703	781
13 303 ALO	4005176585562	149	19 309 A02	4005176514302	48	19 840 000	4005176030758	782
13 303 DCO	4005176525100	149	19 309 DL2	4005176514227	48	19 841 000	4005176030765	782
13 304 000	4005176906367	149	19 309 GN2	4005176514173	48	19 895 000	4005176901072	143
13 317 001	4005176514869	53	19 315 001	4005176514159	49	19 895 AL0	4005176585494	143
13 317 A01	4005176514845	53	19 315 A01	4005176514135	49	19 897 001	4005176429101	148
13 317 DL1	4005176514746	53	19 315 DL1	4005176514036	49	19 897 AL1	4005176585548	148
13 317 GN1	4005176514685	53	19 315 GN1	4005176513978	49	19 897 DC1	4005176525087	148
13 378 000	4005176351532	629	19 316 001	4005176513954	52	19 910 000	4005176987014	150
13 380 000	4005176351549	629	19 316 A01	4005176513930	52	19 952 000	4005176174230	133, 162
13 383 001	4005176418167	133	19 316 DL1	4005176513831	52	19 952 A00	4005176352874	262
13 383 DC1	4005176418174	133	19 316 GN1	4005176513770	52	19 952 AL0	4005176353376	133, 162
13 404 003	4005176529788	160	19 317 001	4005176513756	49	19 952 BE0	4005176468094	262
13 404 DC3	4005176574115	160	19 317 A01	4005176513732	49	19 952 DAO	4005176351945	262
13 448 003	4005176613555	237	19 317 DL1	4005176513633	49	19 952 DCO	4005176467776	133, 162
13 484 000	4005176757716	76	19 317 GN1	4005176513572	49	19 952 DLO	4005176468124	262
13 484 DAO	4005176757730	76	19 332 000	4005176823695	800	19 952 EN0	4005176468100	262
13 484 IGO	4005176757747	76	19 334 001	4005176513558	53	19 952 GLO	4005176352423	262
13 485 000	4005176756603	67	19 334 A01	4005176513534	53	19 952 GN0	4005176468117	262
13 485 AL0	4005176756610	67	19 334 DL1	4005176513435	53	19 954 000	4005176175732	263
13 485 DCO	4005176756627	67	19 334 GN1	4005176513374	53	19 965 001	4005176409240	132
13 486 000	4005176756634	67	19 345 001	4005176888953	196	19 966 000	4005176986864	148
			19 346 001	4005176889080	197	19 968 000	4005176993657	180
			19 380 002	4005176513190	50	19 969 000	4005176993671	180
			19 380 A02	4005176513176	50	19 974 002	4005176305948	186
			19 380 DL2	4005176513077	50	19 976 001	4005176307218	177
			19 380 GN2	4005176513015	50	19 997 000	4005176342189	136
						19 998 000	4005176342196	136

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
20			20 627 AL0	4005176760181	60	21 138 DA0	4005176510571	39
20 186 001	4005176874437	257	20 627 DC0	4005176760198	60	21 138 DC0	4005176510557	39
20 187 000	4005176874680	221	20 628 000	4005176760204	61	21 138 GL0	4005176510496	39
20 188 001	4005176499685	47	20 628 AL0	4005176760228	61	21 140 000	4005176510458	43
20 188 A01	4005176499753	47	20 628 DC0	4005176760235	61	21 140 AL0	4005176510410	43
20 188 DL1	4005176499746	47	20 629 000	4005176760242	61	21 140 DA0	4005176510373	43
20 188 GN1	4005176499722	47	20 629 AL0	4005176759611	61	21 140 DC0	4005176510359	43
20 189 002	4005176499784	47	20 629 DC0	4005176759628	61	21 140 GL0	4005176510298	43
20 189 A02	4005176499852	47	20 634 SD0	4005176759635	24	21 142 000	4005176510052	39
20 189 DL2	4005176499845	47	20 635 SD0	4005176759642	24	21 142 AL0	4005176510014	39
20 189 GN2	4005176499821	47	20 643 000	4005176762871	31	21 142 DA0	4005176509971	39
20 193 002	4005176499883	47	20 643 AL0	4005176762901	31	21 142 DC0	4005176509957	39
20 193 A02	4005176499951	47	20 643 DA0	4005176762918	31	21 142 GL0	4005176509896	39
20 193 DL2	4005176499944	47	20 643 DC0	4005176762925	31	21 144 000	4005176763267	30
20 193 GN2	4005176499920	47	20 643 GL0	4005176762932	31	21 144 AL0	4005176763274	30
20 201 000	4005176883354	261	20 649 000	4005176762949	31	21 144 DA0	4005176763281	30
20 203 000	4005176883378	261	20 649 AL0	4005176762963	31	21 144 DC0	4005176763298	30
20 205 000	40051768833682	261	20 649 DA0	4005176762970	31	21 144 GL0	4005176763304	30
20 208 002	4005176886980	201	20 649 DC0	4005176762987	31	21 145 000	4005176763311	30
20 216 001	4005176888373	193	20 649 GL0	4005176762994	31	21 145 AL0	4005176763335	30
20 296 001	4005176307072	170	20 658 000	4005176763007	30	21 145 DA0	4005176763342	30
20 299 001	4005176307096	171	20 658 AL0	4005176763014	30	21 145 DC0	4005176763359	30
20 301 003	4005176529757	155	20 658 DA0	4005176763021	30	21 145 GL0	4005176763366	30
20 304 001	4005176409141	127	20 658 DC0	4005176763038	30	21 149 000	4005176762017	31
20 351 000	4005176901041	143	20 658 GL0	4005176763045	30	21 149 AL0	4005176761225	31
20 351 AL0	4005176584688	143	20 661 000	4005176763090	32	21 149 DA0	4005176761232	31
20 351 DC0	4005176525001	143	20 661 AL0	4005176763113	32	21 149 DC0	4005176761249	31
20 393 001	4005176842993	257	20 661 DA0	4005176763120	32	21 149 GL0	4005176761256	31
20 404 001	4005176842986	257	20 661 DC0	4005176763137	32	21 375 001	4005176843037	257
20 421 001	4005176556173	243	20 661 EN0	4005176763144	32	21 390 001	4005176843006	257
20 421 10M	4005176556180	243	20 661 GL0	4005176763151	32	22		
20 422 001	4005176529504	249	20 662 000	4005176763168	31	22 012 000	4005176906343	151, 768
20 575 000	4005176388422	255	20 662 AL0	4005176763182	31	22 012 AL0	4005176585944	151, 768
20 587 000	4005176512070	43	20 662 DA0	4005176763199	31	22 012 DC0	4005176525742	151, 768
20 587 AL0	4005176512032	43	20 662 DC0	4005176763205	31	22 013 000	4005176909689	151, 769
20 587 DA0	4005176511998	43	20 662 GL0	4005176763212	31	22 016 00M	4005176940606	768
20 587 DC0	4005176511974	43	20 664 SD0	4005176763243	24	22 017 00M	4005176940613	767
20 587 GL0	4005176511936	43	20 665 SD0	4005176763250	24	22 018 000	4005176305382	767
20 589 000	4005176511691	40	20 666 000	4005176761546	72	22 023 000	4005176305405	766
20 589 AL0	4005176511653	40	20 666 IGO	4005176761553	72	22 029 000	4005176305467	767
20 589 DA0	4005176511615	40	20 667 000	4005176795510	60	22 032 000	4005176305481	767
20 589 DC0	4005176511592	40	20 667 AL0	4005176795534	60	22 033 000	4005176305498	770
20 589 GL0	4005176503306	40	20 667 DC0	4005176795527	60	22 035 000	4005176305511	770
20 593 000	4005176511516	43	20 668 000	4005176795008	60	22 037 000	4005176305535	766
20 593 AL0	4005176499272	43	20 668 AL0	4005176795022	60	22 043 000	4005176305597	766
20 593 DA0	4005176511479	43	20 668 DC0	4005176795015	60	22 046 000	4005176305627	766
20 593 DC0	4005176511455	43	20 669 000	4005176795039	60	22 053 000	4005176349027	767
20 593 GL0	4005176511417	43	20 669 AL0	4005176795053	60	22 054 001	4005176554162	249
20 595 000	4005176511233	40	20 669 DC0	4005176795046	60	22 074 KF0	4005176782640	766
20 595 AL0	4005176511219	40	20 670 000	4005176791680	60	22 115 000	4005176775529	470
20 595 DA0	4005176511172	40	20 670 AL0	4005176791703	60	22 117 KF0	4005176782497	477
20 595 DC0	4005176511158	40	20 670 DC0	4005176791697	60	22 118 KF0	4005176782503	479
20 595 GL0	4005176511110	40	20 671 000	4005176791710	60	22 119 KF0	4005176782510	384
20 619 000	4005176757921	73	20 671 AL0	4005176791734	60	22 120 KF0	4005176782527	389
20 619 DA0	4005176757945	73	20 671 DC0	4005176791727	60	22 121 KF0	4005176782558	411
20 619 IGO	4005176757952	73	20 672 000	4005176791741	60	22 122 KF0	4005176782565	412
20 622 000	4005176757976	73	20 672 AL0	4005176791963	60	22 123 KF0	4005176782572	409
20 622 IGO	4005176757990	73	20 672 DC0	4005176791758	60	22 124 KF0	4005176782589	409
20 623 000	4005176758010	73	21			22 125 KF0	4005176782619	436, 481
20 623 IGO	4005176758027	73	21 134 000	4005176499067	43	22 126 KF0	4005176782626	447
20 624 000	4005176758034	72	21 134 AL0	4005176510977	43	22 127 KF0	4005176782633	430
20 624 IGO	4005176758058	72	21 134 DA0	4005176510939	43	22 917 000	4005176501388	768
20 626 000	4005176760136	60	21 134 DC0	4005176510915	43	22 939 000	4005176829369	768
20 626 AL0	4005176760143	60	21 134 GL0	4005176510854	43	22 940 000	4005176829376	768
20 626 DC0	4005176760150	60	21 138 000	4005176499081	39	22 958 00M	4005176034237	768
20 627 000	4005176760167	60	21 138 AL0	4005176510618	39			

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
23			23 403 001	4005176499487	46	23 720 LS3	4005176365164	211
23 037 002	4005176886355	199	23 403 A01	4005176499555	46	23 722 003	4005176365188	211
23 039 002	4005176886881	199	23 403 DL1	4005176499548	46	23 722 LS3	4005176365195	211
23 043 003	4005176472732	201	23 403 GN1	4005176499524	46	23 725 003	4005176365249	215
23 048 003	4005176429132	205	23 405 001	4005176409134	127	23 726 003	4005176365256	212
23 049 002	4005176887536	183	23 405 AL1	4005176586163	127	23 726 LS3	4005176365263	212
23 051 002	4005176887567	183	23 405 DC1	4005176412745	127	23 730 003	4005176365324	215
23 054 003	4005176472596	185	23 406 000	4005176941658	142	23 739 002	4005176472602	192
23 055 002	4005176887680	186	23 406 ALO	4005176584671	142	23 741 001	4005176371509	178
23 058 003	4005176313790	399	23 406 DC0	4005176524998	142	23 741 DC1	4005176371516	178
23 060 001	4005176888021	190	23 425 000	4005176993596	180	23 743 003	4005176613401	232
23 106 001	4005176409110	127	23 427 000	4005176993619	180	23 751 000	4005176388149	255
23 106 AL1	4005176586149	127	23 428 000	4005176993633	180	23 752 000	4005176388156	255
23 106 DC1	4005176412721	127	23 429 000	4005176993695	26, 48	23 753 000	4005176388163	255
23 127 00E	4005176901591	141	23 430 000	4005176993725	181	23 754 000	4005176388170	255
23 132 00E	4005176906725	141	23 431 000	4005176993749	181	23 755 000	4005176388187	256
23 135 000	4005176901027	142	23 432 000	4005176993763	185	23 756 000	4005176388392	256
23 135 00E	4005176906732	142	23 444 001	4005176411977	128	23 757 001	4005176556340	245
23 137 000	4005176901096	141	23 444 AL1	4005176586187	128	23 760 001	4005176556418	245
23 138 000	4005176901133	144	23 444 DC1	4005176412769	128	23 761 001	4005176556449	246
23 140 000	4005176901157	145	23 445 000	4005176998706	141	23 762 001	4005176555763	250
23 140 AL0	4005176585531	145	23 445 ALO	4005176584657	141	23 763 001	4005176555800	251
23 140 DC0	4005176525056	145	23 445 DC0	4005176524974	141	23 764 001	4005176555848	252
23 141 000	4005176901164	145	23 446 000	4005176998720	142	23 790 001	4005176408380	126
23 145 000	4005176901270	144	23 447 000	4005176998737	143	23 791 001	4005176409097	126
23 145 AL0	4005176585524	144	23 448 002	4005176998744	185	23 791 AL1	4005176586125	126
23 145 DC0	4005176525049	144	23 449 002	4005176998768	185	23 791 DC1	4005176412707	126
23 147 001	4005176313271	399	23 450 001	4005176998775	192	23 792 001	4005176409257	132
23 200 000	4005176908354	62, 143	23 451 001	4005176998799	192	23 792 AL1	4005176586231	132
23 200 002	4005176519901	62, 144	23 456 003	4005176613272	229	23 792 DC1	4005176412837	132
23 296 001	4005176409127	127	23 480 001	4005176306921	167	23 792 EN1	4005176413001	132
23 296 DC1	4005176412738	127	23 537 003	4005176313395	231	23 843 003	4005176496547	154
23 302 000	4005176923876	638	23 559 001	4005176556326	243	23 843 DC3	4005176574085	154
23 319 000	4005176931192	74	23 564 003	4005176334146	206	23 844 003	4005176496554	155
23 322 003	4005176613302	230	23 567 003	4005176334214	208	23 845 003	4005176496677	159
23 323 003	4005176613319	232	23 569 003	4005176334238	209	23 846 003	4005176496684	160
23 324 003	4005176613326	230	23 570 003	4005176334245	209	23 846 AL3	4005176585722	160
23 325 000	4005176933974	218	23 570 LS3	4005176334474	209	23 846 DC3	4005176574177	160
23 327 000	4005176934094	219	23 571 000	4005176334276	128, 172	23 851 003	4005176496523	154
23 327 KW0	4005176565205	219	23 602 001	4005176556029	253	23 851 AL3	4005176585623	154
23 328 001	4005176556241	243	23 604 001	4005176556593	247	23 851 DC3	4005176574078	154
23 330 001	4005176556302	243	23 633 001	4005176555923	252	23 856 001	4005176499586	47
23 331 001	4005176556494	246	23 635 001	4005176556524	246	23 856 A01	4005176499654	47
23 335 001	4005176529566	249	23 654 000	4005176342080	135	23 856 DL1	4005176499647	47
23 337 001	4005176555725	249	23 656 000	4005176342103	135	23 856 GN1	4005176499623	47
23 338 001	4005176555893	252	23 657 000	4005176342110	135	23 870 003	4005176529719	153
23 372 003	4005176613241	231	23 658 000	4005176342127	135	23 871 003	4005176529726	153
23 373 20E	4005176936661	200	23 661 000	4005176342158	135	23 871 AL3	4005176585616	153
23 374 003	4005176334153	207	23 664 000	4005176342202	136	23 871 DC3	4005176574061	153
23 374 20E	4005176936678	200	23 665 000	4005176342219	136	23 872 003	4005176529733	154
23 374 LS3	4005176334450	207	23 666 000	4005176342226	137	23 873 003	4005176529986	154
23 376 00E	4005176936623	218	23 667 001	4005176429019	139	23 877 001	4005176554025	250
23 377 00E	4005176936630	217	23 672 001	4005176429002	149	23 878 001	4005176554032	249
23 378 00E	4005176936647	218	23 672 AL1	4005176585555	149	23 879 001	4005176554049	250
23 380 10E	4005176938245	191	23 672 DC1	4005176525094	149	23 883 001	4005176554179	250
23 382 20E	4005176936708	184	23 707 003	4005176364778	206	23 885 001	4005176554216	251
23 384 20E	4005176936722	184	23 707 LS3	4005176364785	206	23 886 001	4005176554247	251
23 385 10E	4005176938269	191	23 708 003	4005176364990	206	23 887 001	4005176554254	251
23 387 20E	4005176938382	199	23 709 003	4005176365003	207	23 891 001	4005176554322	252
23 389 20E	4005176938412	184	23 709 LS3	4005176365010	207	23 894 001	4005176554896	244
23 390 00E	4005176938436	141	23 715 003	4005176365065	208	23 895 001	4005176554902	243
23 392 00E	4005176938450	141	23 716 003	4005176365072	208	23 896 001	4005176554919	244
23 393 30E	4005176613340	231	23 718 003	4005176365096	209	23 899 001	4005176555022	244
23 394 30E	4005176613364	232	23 718 LS3	4005176365102	209	23 911 001	4005176555237	245
23 395 30E	4005176613357	231	23 719 003	4005176365119	209	23 917 001	4005176555787	251
23 396 00E	4005176938504	219	23 719 LS3	4005176365126	209	23 920 001	4005176583421	193
			23 720 003	4005176365157	211	23 921 000	4005176583438	220

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
23 922 003	4005176613227	228	24 063 DC1	4005176465727	130	24 171 A01	4005176711428	165
23 923 003	4005176613333	230	24 064 001	4005176465710	130	24 171 AL1	4005176711435	165
23 924 003	4005176613265	230	24 064 AL1	4005176586255	130	24 171 DA1	4005176711459	165
23 925 000	4005176583353	216	24 064 DC1	4005176465734	130	24 171 DC1	4005176711466	165
23 926 000	4005176583360	219	24 075 000	4005176465987	322	24 171 DL1	4005176711473	165
23 927 000	4005176583377	218	24 076 000	4005176465994	322	24 171 GL1	4005176711497	165
23 928 000	4005176583384	219	24 077 000	4005176466007	322	24 171 GN1	4005176712036	165
23 929 003	4005176583995	206	24 078 000	4005176466038	320	24 172 001	4005176698316	165
23 930 003	4005176584008	207	24 079 000	4005176466045	320	24 172 A01	4005176712043	165
23 931 001	4005176584015	190	24 080 000	4005176466052	320	24 172 AL1	4005176712050	165
23 932 001	4005176584022	192	24 093 003	4005176530050	158	24 172 DA1	4005176712074	165
23 933 001	4005176584039	220	24 093 AL3	4005176585760	158	24 172 DC1	4005176712081	165
23 958 003	4005176605642	152	24 093 DC3	4005176574214	158	24 172 DL1	4005176712098	165
23 959 003	4005176605659	152	24 094 000	4005176480638	138, 146	24 172 GL1	4005176712111	165
23 965 003	4005176611544	227	24 094 AL0	4005176585593	146	24 172 GN1	4005176712128	165
23 967 003	4005176611568	227	24 094 DC0	4005176574047	146	24 172 KF1	4005176782398	165
23 968 003	4005176611575	227	24 095 001	4005176480645	131	24 173 001	4005176698323	167
23 969 003	4005176613180	227	24 095 AL1	4005176586262	131	24 173 A01	4005176712005	167
23 970 003	4005176613418	231	24 095 DC1	4005176480652	131	24 173 AL1	4005176712012	167
23 971 003	4005176613425	232	24 153 000	4005176481178	138, 146	24 173 DA1	4005176711275	167
23 972 001	4005176634451	244	24 153 AL0	4005176585913	138, 146	24 173 DC1	4005176711282	167
23 975 003	4005176644153	228	24 153 DC0	4005176574221	138, 146	24 173 DL1	4005176711299	167
23 976 003	4005176644160	231	24 154 000	4005176481185	64, 138	24 173 GL1	4005176711312	167
23 980 003	4005176644207	239, 634	24 154 AL0	4005176585920	64, 138	24 173 GN1	4005176711329	167
23 981 003	4005176644214	239, 634	24 154 DC0	4005176574238	64, 138	24 174 001	4005176698330	168
23 982 003	4005176644245	240, 636	24 155 000	4005176481192	139, 147	24 174 A01	4005176711527	168
23 983 003	4005176644313	241, 636	24 155 AL0	4005176585937	139, 147	24 174 AL1	4005176711534	168
23 984 003	4005176643835	240, 636	24 155 DC0	4005176574245	139, 147	24 174 DA1	4005176711558	168
23 985 003	4005176643842	240, 636	24 160 001	4005176596230	48	24 174 DC1	4005176711565	168
23 986 003	4005176643859	238, 633	24 160 A01	4005176598708	48	24 174 DL1	4005176711572	168
23 987 003	4005176644344	239, 634	24 160 DL1	4005176598692	48	24 174 GL1	4005176711596	168
23 988 003	4005176644351	238, 633	24 160 GN1	4005176596278	48	24 174 GN1	4005176711602	168
23 989 003	4005176644368	238, 633	24 167 001	4005176698422	175	24 175 001	4005176698347	166
24			24 167 A01	4005176712227	175	24 176 001	4005176698378	168
24 036 000	4005176993701	181	24 167 AL1	4005176712234	175	24 176 KF1	4005176782367	168
24 042 003	4005176613616	236	24 167 DA1	4005176712258	175	24 177 001	4005176698408	169
24 043 003	4005176613548	236	24 167 DC1	4005176712265	175	24 177 KF1	4005176782350	169
24 044 000	4005176465185	225	24 167 DL1	4005176712272	175	24 178 001	4005176698415	172
24 045 000	4005176465291	225	24 167 GL1	4005176712296	175	24 178 A01	4005176711701	172
24 046 003	4005176465307	213	24 167 GN1	4005176712302	175	24 178 AL1	4005176711718	172
24 046 LS3	4005176465314	213	24 167 KF1	4005176782343	175, 176	24 178 DA1	4005176712388	172
24 047 003	4005176465321	214	24 168 001	4005176698453	175	24 178 DC1	4005176712395	172
24 047 LS3	4005176465338	214	24 168 A01	4005176712135	175	24 178 DL1	4005176712401	172
24 048 003	4005176465345	213	24 168 AL1	4005176712142	175	24 178 GL1	4005176712425	172
24 048 LS3	4005176465352	213	24 168 DA1	4005176712166	175	24 178 GN1	4005176712432	172
24 049 003	4005176465369	213	24 168 DC1	4005176712173	175	24 179 001	4005176698439	166
24 049 LS3	4005176465376	213	24 168 DL1	4005176712180	175	24 180 001	4005176698446	166
24 051 002	4005176465383	204	24 168 GL1	4005176712203	175	24 183 001	4005176698491	167
24 052 002	4005176465390	204	24 168 GN1	4005176712210	175	24 192 003	4005176723964	230
24 053 001	4005176465406	196	24 169 001	4005176698477	176	24 193 001	4005176723971	245
24 054 001	4005176465413	196	24 169 A01	4005176712319	176	24 259 000	4005176758348	75
24 055 002	4005176465420	181, 188	24 169 AL1	4005176712326	176	24 259 IG0	4005176758355	75
24 056 002	4005176465437	182, 189	24 169 DA1	4005176712340	176	24 260 000	4005176758362	75
24 059 003	4005176529832	158	24 169 DC1	4005176712357	176	24 260 DA0	4005176758379	75
24 059 AL3	4005176585708	158	24 169 DL1	4005176712364	176	24 260 IG0	4005176758386	75
24 059 DC3	4005176574153	158	24 169 GL1	4005176711503	176	24 277 000	4005176759918	63
24 060 003	4005176529825	158	24 169 GN1	4005176711510	176	24 277 AL0	4005176759925	63
24 060 AL3	4005176585692	158	24 170 001	4005176698293	169	24 277 DC0	4005176759932	63
24 060 DC3	4005176574146	158	24 170 A01	4005176711619	169	24 279 000	4005176759949	63
24 061 000	4005176465680	137, 145	24 170 AL1	4005176711626	169	24 279 AL0	4005176759956	63
24 061 AL0	4005176585586	145	24 170 DA1	4005176711640	169	24 279 DC0	4005176759963	63
24 062 000	4005176465697	137, 146	24 170 DC1	4005176711657	169	24 340 000	4005176759970	64
24 062 AL0	4005176585579	146	24 170 DL1	4005176711664	169	24 340 AL0	4005176759987	64
24 062 DC0	4005176553905	146	24 170 GL1	4005176711688	169	24 340 DC0	4005176759994	64
24 063 001	4005176465703	130	24 170 GN1	4005176711695	169	24 341 000	4005176759659	58
24 063 AL1	4005176586248	130	24 170 KF1	4005176782374	170	24 341 AL0	4005176759673	58
			24 171 001	4005176698309	165	24 341 DC0	4005176759680	58

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
24 342 000	4005176759697	58	24 364 DC0	4005176760952	26	24 418 DC0	4005176794926	59
24 342 AL0	4005176759703	58	24 364 GL0	4005176760969	26	24 419 000	4005176795480	59
24 342 DC0	4005176759710	58	24 365 000	4005176760976	25	24 419 AL0	4005176795503	59
24 344 000	4005176759734	58	24 365 AL0	4005176760983	25	24 419 DC0	4005176795497	59
24 344 AL0	4005176759741	58	24 365 DA0	4005176760990	25	24 422 000	4005176795169	66
24 344 DC0	4005176759758	58	24 365 DC0	4005176761003	25	24 422 AL0	4005176795183	66
24 345 000	4005176759765	58	24 365 GL0	4005176761010	25	24 422 DC0	4005176795176	66
24 345 AL0	4005176759772	58	24 366 000	4005176762239	26	24 423 000	4005176795312	66
24 345 DC0	4005176759789	58	24 366 AL0	4005176761027	26	24 423 AL0	4005176795336	66
24 346 000	4005176759796	59	24 366 DA0	4005176761034	26	24 423 DC0	4005176795329	66
24 346 AL0	4005176759819	59	24 366 DC0	4005176761041	26	24 424 000	4005176795190	66
24 346 DC0	4005176759826	59	24 366 GL0	4005176761058	26	24 424 AL0	4005176795213	66
24 347 000	4005176759833	62	24 367 000	4005176762246	27	24 424 DC0	4005176795206	66
24 347 AL0	4005176759857	62	24 367 AL0	4005176761065	27	24 425 000	4005176795220	63
24 347 DC0	4005176759864	62	24 367 DA0	4005176761072	27	24 425 AL0	4005176795244	63
24 348 000	4005176759871	66	24 367 DC0	4005176761089	27	24 425 DC0	4005176795237	63
24 348 001	4005176770616	66	24 367 GL0	4005176761096	27	24 426 000	4005176795251	63
24 348 AL0	4005176759895	66	24 368 000	4005176761102	30	24 426 AL0	4005176795275	63
24 348 DC0	4005176759901	66	24 368 AL0	4005176761119	30	24 426 DC0	4005176795268	63
24 353 000	4005176761300	32	24 368 DA0	4005176761126	30	24 427 000	4005176795282	63
24 353 AL0	4005176761317	32	24 368 DC0	4005176761133	30	24 427 AL0	4005176795305	63
24 353 DA0	4005176761324	32	24 368 EN0	4005176761140	30	24 427 DC0	4005176795299	63
24 353 DC0	4005176761331	32	24 368 GL0	4005176761157	30	24 428 000	4005176795343	64
24 353 GL0	4005176761560	32	24 369 000	4005176758089	72	24 428 AL0	4005176795367	64
24 354 000	4005176762062	27	24 369 DA0	4005176758102	72	24 428 DC0	4005176795350	64
24 354 AL0	4005176761577	27	24 369 IGO	4005176758119	72	24 429 000	4005176795374	64
24 354 DA0	4005176761584	27	24 370 000	4005176758133	72	24 429 AL0	4005176795398	64
24 354 DC0	4005176761591	27	24 370 IGO	4005176758157	72	24 429 DC0	4005176795381	64
24 354 GL0	4005176761607	27	24 371 000	4005176758164	72	24 430 000	4005176795404	64
24 355 000	4005176762079	27	24 371 IGO	4005176758171	72	24 430 AL0	4005176794889	64
24 355 AL0	4005176761614	27	24 372 000	4005176758195	74	24 430 DC0	4005176795411	64
24 355 DA0	4005176761621	27	24 372 IGO	4005176758218	74			
24 355 DC0	4005176761638	27	24 373 000	4005176758232	74	25		
24 355 GL0	4005176761645	27	24 373 IGO	4005176758256	74	25 098 003	4005176644290	235
24 356 000	4005176762086	28	24 374 000	4005176758263	74	25 102 000	4005176881671	197
24 356 AL0	4005176761652	28	24 374 IGO	4005176758287	74	25 104 000	4005176881794	131
24 356 DA0	4005176761669	28	24 375 000	4005176758300	76	25 105 003	4005176644306	236
24 356 DC0	4005176761164	28	24 375 IGO	4005176758317	76	25 109 000	4005176881848	197
24 356 GL0	4005176761171	28	24 395 KF1	4005176782428	173	25 113 000	4005176881862	131
24 357 000	4005176762093	28	24 396 000	4005176786204	42	25 128 000	4005176905209	224
24 357 AL0	4005176761188	28	24 396 AL0	4005176786242	42	25 129 000	4005176905216	224
24 357 DA0	4005176761195	28	24 396 DA0	4005176786235	42	25 132 003	4005176529870	159
24 357 DC0	4005176761201	28	24 396 DC0	4005176786211	42	25 133 003	4005176529887	159
24 357 GL0	4005176761218	28	24 396 GL0	4005176786228	42	25 136 000	4005176906763	148
24 358 000	4005176762109	29	24 397 000	4005176795541	58	25 137 000	4005176906770	148
24 358 AL0	4005176761348	29	24 397 AL0	4005176795565	58	25 216 001	4005176556654	248
24 358 DA0	4005176761355	29	24 397 DC0	4005176795558	58	25 217 001	4005176556661	248
24 358 DC0	4005176761362	29	24 398 000	4005176795572	58	25 219 001	4005176466373	225
24 358 GL0	4005176761379	29	24 398 AL0	4005176795596	58	25 221 001	4005176509438	51
24 359 000	4005176762116	29	24 398 DC0	4005176795589	58	25 221 A01	4005176509414	51
24 359 AL0	4005176761386	29	24 399 000	4005176794933	58	25 221 DL1	4005176509315	51
24 359 DA0	4005176761393	29	24 399 AL0	4005176794957	58	25 221 GN1	4005176509254	51
24 359 DC0	4005176761409	29	24 399 DC0	4005176794940	58	25 222 001	4005176509230	52
24 359 GL0	4005176761416	29	24 400 000	4005176794964	58	25 222 A01	4005176509216	52
24 362 000	4005176760846	25	24 400 AL0	4005176795428	58	25 222 DL1	4005176509117	52
24 362 AL0	4005176760853	25	24 400 DC0	4005176794971	58	25 222 GN1	4005176509056	52
24 362 DA0	4005176760860	25	24 408 000	4005176795435	58	25 224 000	4005176508950	45
24 362 DC0	4005176760877	25	24 408 AL0	4005176795459	58	25 224 AL0	4005176508912	45
24 362 GL0	4005176760884	25	24 408 DC0	4005176795442	58	25 224 DA0	4005176508875	45
24 363 000	4005176762215	25	24 414 000	4005176795466	58	25 224 DC0	4005176508851	45
24 363 AL0	4005176760891	25	24 414 AL0	4005176794865	58	25 224 GL0	4005176508790	45
24 363 DA0	4005176760907	25	24 414 DC0	4005176794056	58	25 226 000	4005176508554	41
24 363 DC0	4005176760914	25	24 417 000	4005176794872	59	25 226 AL0	4005176508516	41
24 363 GL0	4005176760921	25	24 417 AL0	4005176794902	59	25 226 DA0	4005176508479	41
24 364 000	4005176762222	26	24 417 DC0	4005176794896	59	25 226 DC0	4005176508455	41
24 364 AL0	4005176760938	26	24 418 000	4005176794919	59	25 226 GL0	4005176508394	41
24 364 DA0	4005176760945	26	24 418 AL0	4005176795473	59	25 227 000	4005176508356	44

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
25 227 AL0	4005176508318	44	26 051 001	4005176443954	424, 454	26 335 001	4005176775321	469
25 227 DA0	4005176508271	44	26 052 000	4005176937064	414	26 346 000	4005176332173	473
25 227 DC0	4005176508257	44	26 056 000	4005176937101	413	26 346 001	4005176775314	469
25 227 GL0	4005176508196	44	26 060 000	4005176937149	413	26 352 000	4005176333835	466
25 229 000	4005176507977	41	26 062 000	4005176937163	414	26 353 000	4005176333866	466
25 229 AL0	4005176507939	41	26 063 000	4005176937170	414	26 354 000	4005176333873	466
25 229 DA0	4005176507892	41	26 066 000	4005176937200	413	26 355 ILO	4005176333880	466
25 229 DC0	4005176507878	41	26 066 A00	4005176427237	413	26 356 ILO	4005176333903	467
25 229 GL0	4005176507816	41	26 066 AL0	4005176427220	413	26 357 000	4005176333927	467
25 231 001	4005176554599	254	26 066 DA0	4005176427206	413	26 358 000	4005176333941	467
25 232 001	4005176554605	254	26 066 DC0	4005176371172	413	26 361 000	4005176347580	379
25 241 003	4005176644221	239, 634	26 066 DLO	4005176427213	413	26 361 LSO	4005176409707	379
25 242 003	4005176644238	240, 635	26 066 GL0	4005176427183	413	26 363 000	4005176339264	396
25 243 003	4005176644320	241, 637	26 066 GN0	4005176427190	413	26 370 000	4005176341380	98, 480
25 244 003	4005176644337	241, 637	26 067 000	4005176937217	413	26 381 001	4005176451980	405
25 246 001	4005176674228	247	26 067 A00	4005176427312	413	26 383 000	4005176369025	397
25 248 001	4005176698255	178	26 067 AL0	4005176427305	413	26 385 000	4005176375057	382, 407
25 248 A01	4005176711336	178	26 067 DA0	4005176427282	413	26 405 000	4005176385162	449
25 248 AL1	4005176711343	178	26 067 DC0	4005176371189	413	26 406 001	4005176451881	459
25 248 DA1	4005176711367	178	26 067 DLO	4005176427299	413	26 408 000	4005176390111	423, 462
25 248 DC1	4005176711374	178	26 067 GL0	4005176427268	413	26 409 000	4005176390128	423, 462
25 248 DL1	4005176711381	178	26 067 GN0	4005176427275	413	26 410 000	4005176390142	423, 462
25 248 GL1	4005176711404	178	26 070 000	4005176937248	413	26 412 000	4005176390173	416, 460
25 248 GN1	4005176711411	178	26 071 000	4005176937255	414	26 413 000	4005176390180	461
25 249 001	4005176698262	174	26 073 000	4005176937279	415, 449	26 414 000	4005176408090	461
25 250 001	4005176698354	174	26 075 001	4005176648014	392	26 443 000	4005176409875	380
25 250 A01	4005176712449	174	26 075 A00	4005176425387	392	26 443 LSO	4005176409882	380
25 250 AL1	4005176712456	174	26 075 AL0	4005176425370	392	26 446 000	4005176409905	380
25 250 DA1	4005176712470	174	26 075 DA0	4005176425356	392	26 446 LSO	4005176409912	380
25 250 DC1	4005176712487	174	26 075 DC0	4005176371219	392	26 449 000	4005176409790	318, 382
25 250 DL1	4005176712494	174	26 075 DLO	4005176425363	392	26 450 000	4005176409813	381, 408
25 250 GL1	4005176711169	174	26 075 GL0	4005176425332	392	26 450 LSO	4005176409820	381, 408
25 250 GN1	4005176711176	174	26 075 GN0	4005176425349	392	26 455 000	4005176416903	421, 446
25 250 KF1	4005176782404	174	26 082 002	4005176443268	450	26 457 000	4005176416934	421, 446
25 251 001	4005176698361	177	26 083 002	4005176451546	451	26 458 000	4005176416958	415, 445
25 251 A01	4005176711824	177	26 084 002	4005176451645	453	26 459 000	4005176416965	415, 445
25 251 AL1	4005176711831	177	26 085 001	4005176444036	464	26 460 000	4005176416972	415, 445
25 251 DA1	4005176711855	177	26 086 001	4005176451904	464	26 461 000	4005176416989	415, 445
25 251 DC1	4005176711862	177	26 087 000	4005176940828	395	26 468 000	4005176423963	442
25 251 DL1	4005176711114	177	26 089 001	4005176444067	417, 464	26 472 000	4005176424908	419
25 251 GL1	4005176711893	177	26 090 001	4005176443992	417, 453	26 474 EN0	4005176424946	420
25 252 001	4005176698385	173	26 130 001	4005176443909	450	26 475 000	4005176423758	408
25 252 A01	4005176711183	173	26 145 000	4005176986000	426	26 475 A00	4005176557095	408
25 252 AL1	4005176711190	173	26 146 000	4005176986017	426	26 475 AL0	4005176557101	408
25 252 DA1	4005176711213	173	26 146 LSO	4005176997266	426	26 475 DA0	4005176557125	408
25 252 DC1	4005176711220	173	26 161 001	4005176444104	455	26 475 DC0	4005176526237	408
25 252 DL1	4005176711237	173	26 162 001	4005176451713	457	26 475 DLO	4005176557132	408
25 252 GL1	4005176711251	173	26 164 001	4005176451867	459	26 475 GL0	4005176557156	408
25 252 GN1	4005176711268	173	26 171 000	4005176997310	414	26 475 GN0	4005176557163	408
25 252 KF1	4005176782381	173	26 187 000	4005176310744	395	26 475 LSO	4005176425899	408
25 268 000	4005176762147	33	26 223 001	4005176408144	404	26 477 000	4005176423772	409
25 268 AL0	4005176761447	33	26 224 001	4005176408168	404	26 477 A00	4005176557170	409
25 268 DA0	4005176761454	33	26 243 000	4005176316326	399	26 477 AL0	4005176557187	409
25 268 DC0	4005176761461	33	26 250 000	4005176316999	379	26 477 DA0	4005176557200	409
25 268 GL0	4005176761478	33	26 250 LSO	4005176317002	379	26 477 DC0	4005176526244	409
25 272 000	4005176762154	33	26 254 000	4005176317026	381, 408	26 477 DLO	4005176557217	409
25 272 AL0	4005176761485	33	26 254 LSO	4005176409806	381, 408	26 477 GL0	4005176557231	409
25 272 DA0	4005176761492	33	26 256 000	4005176318597	412	26 477 GN0	4005176557248	409
25 272 DC0	4005176761508	33	26 257 000	4005176317927	413	26 477 LSO	4005176425912	409
25 272 EN0	4005176761515	33	26 264 001	4005176417108	381, 408	26 479 000	4005176425196	409
25 272 GL0	4005176761522	33	26 267 001	4005176444197	417, 460	26 479 A00	4005176557255	409
25 450 001	4005176843372	258	26 302 001	4005176408137	402	26 479 AL0	4005176557262	409
25 452 001	4005176843075	258	26 308 001	4005176843129	258	26 479 DC0	4005176526251	409
25 460 10A	4005176456541	258	26 330 001	4005176843112	258	26 479 DLO	4005176557293	409
26			26 334 000	4005176332159	473	26 479 GN0	4005176557323	409
26 050 001	4005176444166	423, 462	26 334 001	4005176775338	469	26 479 LSO	4005176425936	409
			26 335 000	4005176332166	473	26 481 000	4005176425219	410

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
26 481 A00	4005176557330	410	26 574 DLO	4005176558498	430	26 681 000	4005176580680	423, 462
26 481 AL0	4005176557347	410	26 574 GLO	4005176558511	430	26 682 000	4005176580697	416, 460
26 481 DCO	4005176526268	410	26 574 GNO	4005176558528	430	26 683 000	4005176580703	416, 461
26 481 DLO	4005176557378	410	26 574 LSO	4005176485923	430	26 685 000	4005176580727	423, 462
26 481 GNO	4005176557408	410	26 575 000	4005176485947	430	26 687 000	4005176580741	416, 460
26 481 LSO	4005176425950	410	26 578 000	4005176485985	431	26 688 000	4005176580758	416, 461
26 483 000	4005176425103	410	26 578 LSO	4005176486197	431	26 689 000	4005176580765	401
26 484 000	4005176425110	410	26 579 LSO	4005176486203	431	26 691 000	4005176580789	403
26 507 000	4005176457586	161, 389	26 580 000	4005176486210	431	26 723 000	4005176648021	393
26 507 A00	4005176557415	389	26 580 LSO	4005176486227	431	26 801 000	4005176722769	94
26 507 AL0	4005176557422	161, 389	26 581 000	4005176486234	431	26 801 A00	4005176722806	94
26 507 DA0	4005176557446	389	26 581 LSO	4005176486241	431	26 801 AL0	4005176722844	94
26 507 DCO	4005176526374	161, 389	26 582 000	4005176486258	432	26 801 BE0	4005176722813	94
26 507 DLO	4005176557453	389	26 582 A00	4005176558535	432	26 801 DA0	4005176722851	94
26 507 GLO	4005176557477	389	26 582 AL0	4005176558542	432	26 801 DCO	4005176722837	94
26 507 GNO	4005176557484	389	26 582 DCO	4005176526466	432	26 801 DLO	4005176722868	94
26 507 LSO	4005176457609	161, 389	26 582 DLO	4005176558573	432	26 801 EN0	4005176722783	94
26 508 000	4005176457593	161, 390	26 582 GNO	4005176558603	432	26 801 GLO	4005176722790	94
26 508 A00	4005176557491	390	26 582 LSO	4005176486265	432	26 801 GNO	4005176722820	94
26 508 AL0	4005176557507	161, 390	26 583 000	4005176486289	432	26 802 000	4005176722776	68, 94
26 508 DCO	4005176526367	161, 390	26 584 000	4005176486296	432	26 802 A00	4005176722875	94
26 508 DLO	4005176557538	390	26 584 LSO	4005176486302	433	26 802 AL0	4005176722905	68, 94
26 508 GNO	4005176557569	390	26 585 000	4005176486319	432	26 802 DCO	4005176722899	68, 94
26 508 LSO	4005176457616	161, 390	26 586 000	4005176486333	433	26 802 DLO	4005176722912	94
26 509 000	4005176457623	391	26 586 LSO	4005176486357	433	26 802 GNO	4005176722882	94
26 510 000	4005176457630	391	26 587 000	4005176486340	433	26 803 000	4005176723766	457
26 513 000	4005176457722	441	26 587 LSO	4005176486364	433	26 839 000	4005176754227	97
26 514 000	4005176476099	402	26 588 000	4005176486371	434	26 840 000	4005176754234	97
26 544 000	4005176478888	430	26 588 LSO	4005176486388	434	26 841 000	4005176754241	97
26 546 000	4005176479816	430	26 589 000	4005176486395	433	26 842 000	4005176754258	97
26 550 000	4005176479854	432	26 589 LSO	4005176486401	434	26 843 000	4005176754265	97
26 552 000	4005176486272	432	26 590 000	4005176486418	434	26 847 000	4005176755057	69, 96
26 553 000	4005176479885	434	26 591 000	4005176486425	435	26 847 AL0	4005176755064	69, 96
26 557 000	4005176481710	411	26 592 000	4005176486449	435	26 847 DCO	4005176755071	69, 96
26 558 000	4005176481727	411	26 592 LSO	4005176486432	435	26 850 000	4005176754456	69, 96
26 559 000	4005176481734	411	26 593 000	4005176486456	435	26 850 AL0	4005176754463	69, 96
26 560 000	4005176481741	411	26 594 000	4005176486470	435	26 850 DCO	4005176754470	69, 96
26 561 000	4005176481758	418	26 594 LSO	4005176486463	436	26 852 000	4005176758492	77
26 561 LSO	4005176482137	418	26 602 000	4005176486531	436, 481	26 852 IG0	4005176758515	77
26 562 000	4005176481765	418	26 603 000	4005176486548	436, 481	26 853 000	4005176758522	78
26 562 LSO	4005176482144	418	26 603 A00	4005176558696	436, 481	26 853 IG0	4005176758539	78
26 563 000	4005176481772	412	26 603 AL0	4005176558702	436, 481	26 854 000	4005176758546	78, 78
26 564 000	4005176481789	412	26 603 BE0	4005176558719	436, 481	26 854 EN0	4005176758553	78, 78
26 564 A00	4005176557736	412	26 603 DA0	4005176558726	436, 481	26 855 000	4005176759024	91
26 564 AL0	4005176557743	412	26 603 DLO	4005176558733	436, 481	26 856 000	4005176759031	68, 92
26 564 DLO	4005176557774	412	26 603 EN0	4005176558740	436, 481	26 857 000	4005176759055	91
26 564 GNO	4005176557804	412	26 603 GLO	4005176558757	436, 481	26 858 000	4005176759079	68, 92
26 565 000	4005176482090	412	26 603 GNO	4005176558764	436, 481	26 859 000	4005176758836	68, 92
26 566 000	4005176482106	412	26 608 000	4005176518577	390	26 860 000	4005176758843	91
26 566 A00	4005176557811	412	26 640 000	4005176530203	410	26 861 000	4005176758850	92
26 566 AL0	4005176557828	412	26 641 000	4005176530210	417	26 862 000	4005176758867	91
26 566 DCO	4005176526282	412	26 642 000	4005176530227	411	26 863 000	4005176758874	86
26 566 DLO	4005176557859	412	26 643 000	4005176530234	418	26 864 000	4005176758881	87
26 566 GNO	4005176557880	412	26 647 000	4005176533013	383	26 865 000	4005176758898	86
26 567 000	4005176482113	419	26 647 LSO	4005176533051	383	26 866 000	4005176758904	95
26 567 LSO	4005176482151	419	26 648 000	4005176533020	383	26 866 A00	4005176758911	95
26 568 000	4005176482120	418	26 648 LSO	4005176533068	383	26 866 AL0	4005176758928	95
26 568 LSO	4005176482168	418	26 649 000	4005176533037	384	26 866 BE0	4005176758935	95
26 569 000	4005176482175	418	26 652 000	4005176533044	384	26 866 DA0	4005176758942	95
26 569 EN0	4005176482182	418	26 657 000	4005176533075	385	26 866 DCO	4005176758959	95
26 570 000	4005176482199	418	26 662 000	4005176580499	422, 461	26 866 DLO	4005176758966	95
26 570 EN0	4005176482205	418	26 663 000	4005176580505	415, 460	26 866 EN0	4005176758973	95
26 574 000	4005176485916	430	26 664 000	4005176580512	416, 461	26 866 GLO	4005176758980	95
26 574 A00	4005176558450	430	26 666 000	4005176580536	422, 461	26 866 GNO	4005176758997	95
26 574 AL0	4005176558467	430	26 668 000	4005176580550	415, 460	26 867 000	4005176759000	96
26 574 DA0	4005176558481	430	26 669 000	4005176580567	416, 461	26 868 000	4005176759116	93
26 574 DCO	4005176526459	430	26 670 000	4005176580574	401	26 871 000	4005176759147	92

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
26 872 000	4005176759161	92	27 074 DCO	4005176374487	98, 477	27 519 000	4005176886485	465, 482
26 873 000	4005176759178	90	27 074 DLO	4005176427091	98, 477	27 521 000	4005176886508	454, 482
26 874 000	4005176759192	90	27 074 ENO	4005176834301	477	27 522 000	4005176886515	454, 482
26 876 000	4005176759215	93	27 074 GLO	4005176338984	98, 477	27 523 000	4005176886522	462, 483
26 877 000	4005176759222	93	27 074 GNO	4005176427084	98, 477	27 524 000	4005176886539	462, 483
26 877 00D	4005176759239	92	27 074 LSO	4005176873591	98, 477	27 530 000	4005176889219	421, 439
26 878 000	4005176759246	100	27 075 000	4005176833090	98, 477	27 531 000	4005176889486	479
26 879 000	4005176759253	100	27 076 000	4005176833106	98, 479	27 541 001	4005176451676	424, 454
26 880 000	4005176759260	100	27 102 000	4005176600074	485	27 569 000	4005176894275	386
26 883 000	4005176759291	90	27 134 000	4005176836060	420, 437	27 571 002	4005176443893	450
26 884 000	4005176759307	69, 96	27 135 000	4005176836077	420	27 571 20E	4005176443275	450
26 885 000	4005176759314	96	27 135 ENO	4005176836084	420	27 572 002	4005176443923	450
26 885 A00	4005176759321	96	27 137 000	4005176836237	473	27 573 002	4005176443947	450
26 885 AL0	4005176759338	96	27 137 001	4005176933295	469	27 574 002	4005176443916	450
26 885 DCO	4005176759345	96	27 151 000	4005176837012	479	27 575 002	4005176443930	450
26 885 DLO	4005176759352	96	27 174 001	4005176877162	386	27 576 002	4005176451560	451
26 886 000	4005176759376	96	27 180 000	4005176839306	407	27 577 002	4005176451584	451
26 887 000	4005176759383	91	27 206 000	4005176845444	484	27 578 002	4005176451386	452
26 888 000	4005176759390	90	27 220 000	4005176854118	442	27 578 20E	4005176451362	452
26 889 000	4005176759406	95	27 221 000	4005176854125	441	27 579 002	4005176451492	452
26 889 00D	4005176759413	95	27 221 001	4005176457708	441	27 580 002	4005176451515	451
26 890 000	4005176759420	91	27 222 000	4005176854132	441	27 584 002	4005176451621	452
26 892 000	4005176759451	95	27 224 000	4005176854156	442	27 588 002	4005176451669	453
26 893 000	4005176758645	95	27 225 001	4005176899508	444	27 591 001	4005176443985	423, 453
26 894 000	4005176758652	95	27 226 001	4005176899515	444	27 594 000	4005176895920	463, 478
26 895 000	4005176762185	32	27 227 001	4005176899522	444	27 595 000	4005176895937	476
26 895 AL0	4005176760778	32	27 230 001	4005176899546	443	27 596 000	4005176895944	446, 454
26 895 DA0	4005176760785	32	27 231 001	4005176899553	443	27 597 001	4005176985508	455
26 895 DCO	4005176760792	32	27 232 001	4005176899560	442	27 597 10E	4005176985409	455
26 895 GLO	4005176760808	32	27 237 000	4005176854286	422, 446	27 598 001	4005176985515	457
26 896 000	4005176758416	79	27 238 000	4005176854293	442	27 598 10E	4005176985416	457
26 896 DA0	4005176758423	79	27 239 000	4005176854323	441	27 600 001	4005176451775	456
26 896 IGO	4005176758430	79	27 239 001	4005176457715	441	27 601 10E	4005176985430	459
26 897 000	4005176758447	79	27 242 001	4005176899782	443	27 606 001	4005176444180	423, 462
26 897 DA0	4005176758454	79	27 243 001	4005176899799	443	27 608 001	4005176444029	464
26 897 IGO	4005176758461	79	27 256 001	4005176899805	443	27 609 001	4005176451898	464
26 898 000	4005176758560	78	27 265 000	4005176856983	442	27 610 001	4005176444050	424, 464
26 898 DA0	4005176758577	78	27 265 00E	4005176885693	442	27 615 002	4005176647970	394
26 898 IGO	4005176758584	78	27 266 001	4005176899812	443	27 641 000	4005176901645	387
26 899 000	4005176758607	78, 99	27 266 00E	4005176890710	443	27 644 001	4005176451720	457
26 900 000	4005176758614	78, 99	27 267 001	4005176899829	444	27 645 001	4005176451744	456
26 900 DA0	4005176758621	78, 99	27 274 000	4005176861383	438	27 646 001	4005176985522	458
26 900 IGO	4005176758638	78, 99	27 296 001	4005176896293	397	27 646 10E	4005176985423	458
26 901 000	4005176757518	77	27 296 003	4005176647963	393	27 693 000	4005176907043	477
26 901 00F	4005176757525	77	27 354 000	4005176874444	445	27 696 000	4005176907074	400
26 901 IGO	4005176757501	77	27 355 000	4005176874451	445	27 698 000	4005176907098	448
27			27 367 000	4005176875939	447	27 699 000	4005176907104	448
			27 368 000	4005176875946	447	27 700 000	4005176907111	448
27 032 001	4005176877155	387	27 369 000	4005176875953	447	27 702 000	4005176907135	449
27 055 000	4005176830433	476	27 400 000	4005176877292	447	27 703 000	4005176907142	449
27 056 000	4005176830440	476	27 406 000	4005176600166	427, 463	27 704 000	4005176907159	480
27 057 000	4005176830457	98, 479	27 421 002	4005176417924	400	27 705 000	4005176907166	422, 449
27 057 A00	4005176338953	98, 479	27 470 000	4005176882531	419	27 706 000	4005176908439	477
27 057 AL0	4005176338960	98, 479	27 470 LSO	4005176997235	419	27 706 AL0	4005176490972	477
27 057 DA0	4005176338939	98, 479	27 475 001	4005176417863	398	27 706 DCO	4005176490989	477
27 057 DCO	4005176371196	98, 479	27 475 002	4005176647840	394	27 707 000	4005176908446	480
27 057 DLO	4005176426940	98, 479	27 477 000	4005176883286	419	27 707 AL0	4005176490880	480
27 057 GLO	4005176338946	98, 479	27 478 000	4005176883293	419	27 707 DCO	4005176490897	480
27 057 GNO	4005176426933	98, 479	27 484 000	4005176885488	427	27 709 000	4005176909092	93, 426
27 058 000	4005176830464	388	27 485 000	4005176885495	427	27 711 000	4005176909115	93, 427
27 062 000	4005176831669	421, 439	27 488 000	4005176885525	426	27 786 002	4005176451508	452
27 067 000	4005176832123	421, 429	27 492 000	4005176885556	421, 447	27 787 002	4005176451522	451
27 074 000	4005176833083	98, 477	27 499 000	4005176886041	446, 482	27 790 002	4005176451614	452
27 074 A00	4005176338991	98, 477	27 500 000	4005176886058	446, 482	27 794 001	4005176451737	457
27 074 AL0	4005176339004	98, 477	27 512 001	4005176333804	466	27 795 001	4005176451751	456
27 074 BE0	4005176834325	477	27 513 001	4005176333842	466	27 796 001	4005176451850	458
27 074 DA0	4005176338977	98, 477	27 514 001	4005176333910	467	27 798 10E	4005176985447	459

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
27 799 001	4005176985539	459	28 286 000	4005176198526	429, 440	28 671 000	4005176103070	480, 639
27 803 10E	4005176985454	459	28 361 000	4005176295157	426	28 679 000	4005176116759	481
27 805 001	4005176451911	464	28 362 000	4005176295225	473	28 680 000	4005176116780	480
27 812 1L1	4005176333897	466	28 362 001	4005176933264	469	28 690 000	4005176256196	476
27 841 000	4005176916670	449, 482	28 362 A00	4005176427633	473	28 724 000	4005176812644	427
27 852 001	4005176444081	455	28 362 A01	4005176775437	469	28 778 000	4005176820526	419
27 853 001	4005176451706	458	28 362 BE1	4005176775444	469	28 789 002	4005176451843	458
27 854 001	4005176451829	458	28 362 DA0	4005176427602	473	28 796 000	4005176824296	439
27 869 001	4005176444005	417, 453	28 362 DA1	4005176775451	469	28 799 000	4005176602511	485
27 891 000	4005176921209	448	28 362 DC0	4005176386435	473	28 817 000	4005176602962	797
27 892 000	4005176921216	482	28 362 DC1	4005176775475	469	28 856 000	4005176603495	484
27 922 000	4005176923364	403	28 362 GLO	4005176427589	473	28 874 000	4005176042348	485, 631
27 923 001	4005176444074	455	28 362 GL1	4005176775468	469	28 910 000	4005176603846	789
27 924 001	4005176451690	458	28 362 KF1	4005176782596	469	28 912 000	4005176266751	80, 134
27 925 001	4005176451812	458	28 364 000	4005176295294	473	28 912 AL0	4005176467844	134, 163
27 926 001	4005176451768	456	28 364 001	4005176933271	469	28 912 DC0	4005176467905	134, 163
27 929 002	4005176451577	451	28 368 000	4005176267253	420	28 912 DL0	4005176467899	
27 932 000	4005176924231	398	28 368 00E	4005176867385	420	28 912 EN0	4005176467837	
27 936 000	4005176927058	448	28 368 LSO	4005176997242	420	28 912 GN0	4005176467875	
27 964 000	4005176929595	396	28 373 000	4005176267277	420	28 920 000	4005176603914	790
27 966 000	4005176929250	386	28 388 000	4005176295362	473	28 939 000	4005176209161	263
27 966 001	4005176532993	385	28 388 001	4005176933288	469	28 943 000	4005176209178	263, 674
27 967 000	4005176929670	387	28 388 A00	4005176427701	473	28 948 000	4005176209871	425, 440
27 968 001	4005176533006	385	28 388 A01	4005176775383	469	28 964 001	4005176877254	439
28			28 388 BE1	4005176775390	469	28 982 000	4005176829987	426
28 002 000	4005176858796	425, 440	28 388 DA0	4005176427671	473	28 988 000	4005176042805	485, 631
28 020 L01	4005176333828	466	28 388 DA1	4005176775406	469	28 990 000	4005176174025	262
28 025 000	4005176284830	472	28 388 DC0	4005176386428	473	28 991 000	4005176174032	262, 674
28 025 001	4005176933387	468	28 388 DC1	4005176775420	469	28 993 000	4005176174056	262
28 094 000	4005176601132	425, 440	28 388 GLO	4005176427657	473	28 995 000	4005176175725	262
28 105 000	4005176601217	472	28 388 GL1	4005176775413	469	29		
28 105 001	4005176933301	468	28 388 KF1	4005176782602	469	29 007 000	4005176837678	631
28 139 000	4005176601316	472	28 389 000	4005176269837	484	29 025 002	4005176519895	32, 40
28 139 001	4005176933318	468	28 401 000	4005176264474	476	29 032 000	4005176845277	54, 68
28 140 000	4005176601323	472	28 403 000	4005176264511	478	29 033 000	4005176845338	53, 67
28 140 001	4005176933325	468	28 404 000	4005176601736	425, 440	29 037 000	4005176865749	65, 76
28 142 000	4005176601330	472, 640	28 405 000	4005176264559	480, 639	29 037 001	4005176455490	52
28 142 002	4005176933332	468	28 406 000	4005176264566	481, 639	29 037 002	4005176519918	35, 41
28 143 000	4005176601347	96, 472	28 409 001	4005176933233	474	29 078 001	4005176556555	247
28 143 001	4005176933349	468	28 409 002	4005176605536	470	29 079 001	4005176556692	248
28 143 KS0	4005176842252	472, 640	28 410 001	4005176933240	474	29 080 001	4005176555961	253
28 143 KS1	4005176934179	468	28 410 002	4005176605529	470	29 081 001	4005176556081	253
28 143 LSO	4005176842269	472, 640	28 413 001	4005176933257	474	29 086 000	4005176935497	59, 59
28 143 LS1	4005176935084	468	28 413 002	4005176605512	470	29 094 000	4005176354106	630
28 145 000	4005176601354	472, 640	28 417 000	4005176264702	472	29 095 000	4005176354113	630
28 145 001	4005176933356	468	28 417 001	4005176933363	468	29 096 000	4005176354120	630
28 146 000	4005176121753	471, 474	28 419 002	4005176444128	455	29 097 003	4005176365133	210
28 150 001	4005176933196	474	28 421 002	4005176444142	455	29 097 LS3	4005176365140	210
28 150 002	4005176605598	470	28 422 002	4005176444111	455	29 098 003	4005176365225	214
28 151 001	4005176933202	474	28 429 000	4005176601910	428, 463	29 098 LS3	4005176365232	214
28 151 002	4005176605581	470	28 436 002	4005176451799	456	29 099 003	4005176365300	215
28 151 L01	4005176935091	474	28 438 001	4005176985553	457	29 099 LS3	4005176365317	215
28 151 L02	4005176775512	470	28 497 000	4005176270338	427	29 118 000	4005176412240	103, 311
28 154 001	4005176933219	474	28 541 000	4005176040528	427, 463	29 118 A00	4005176493010	311
28 154 002	4005176605574	470	28 576 000	4005176274022	426	29 118 AL0	4005176455049	103, 311
28 155 001	4005176933226	474	28 578 002	4005176444159	455	29 118 DA0	4005176492990	103, 311
28 155 002	4005176605567	470	28 587 000	4005176282966	482, 639	29 118 DC0	4005176455032	103, 311
28 158 000	4005176601606	474	28 605 000	4005176041105	478	29 118 DL0	4005176493003	311
28 158 001	4005176775543	470	28 620 000	4005176041259	481	29 118 GLO	4005176492976	103, 311
28 161 001	4005176935107	473, 639	28 621 000	4005176041273	482	29 118 GN0	4005176492983	311
28 161 002	4005176775482	470	28 622 000	4005176041297	478	29 119 000	4005176412257	104, 312
28 198 000	4005176038686	429	28 623 000	4005176031595	476	29 119 A00	4005176493089	312
28 214 003	4005176444098	455	28 626 000	4005176041358	480	29 119 AL0	4005176455063	104, 312
28 233 000	4005176868016	422, 448	28 628 000	4005176041396	481	29 119 DA0	4005176493065	104, 312
28 261 002	4005176444135	455	28 631 000	4005176019142	484	29 119 DC0	4005176455056	104, 312
28 280 004	4005176306624	458	28 634 XX0	4005176041440	484, 797	29 119 DL0	4005176493072	312
			28 636 000	4005176078606	480			

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
30 274 DC0	4005176314995	542	30 590 DC0	4005176745010	526	31 455 DC1	4005176454141	515
30 274 DL0	4005176488689	542	30 590 KF0	4005176781728	526	31 455 DL1	4005176488962	515
30 294 A00	4005176488054	548	30 591 000	4005176745034	527	31 456 001	4005176454158	520
30 294 AL0	4005176488061	548	30 609 000	4005176762208	38	31 456 DC1	4005176454165	520
30 294 DA0	4005176488498	548	30 609 AL0	4005176760822	38	31 481 001	4005176466922	559
30 294 DL0	4005176488504	548	30 609 DC0	4005176760839	38	31 482 003	4005176466984	557
30 294 GL0	4005176488078	548	30 978 000	4005176098918	646	31 483 002	4005176466809	554
30 294 GN0	4005176488085	548				31 483 DC2	4005176466816	554
30 305 001	4005176635465	562				31 491 000	4005176343308	554
30 305 DC1	4005176635472	562	31 067 001	4005176845710	566	31 491 DC0	4005176343315	554
30 309 000	4005176351235	540	31 124 002	4005176886614	558	31 498 001	4005176454172	522
30 321 DG0	4005176438219	549	31 126 004	4005176466977	557	31 498 AL1	4005176488986	522
30 321 DP0	4005176438264	549	31 127 002	4005176886669	558	31 498 DC1	4005176454189	522
30 321 DU0	4005176438257	549	31 128 001	4005176886737	556	31 498 DL1	4005176489006	522
30 321 GE0	4005176438271	549	31 128 DC1	4005176891007	556	31 535 001	4005176478550	569
30 321 HG0	4005176385742	549	31 129 001	4005176886744	555	31 536 001	4005176478567	568
30 321 MW0	4005176385728	549	31 129 DC1	4005176891021	555	31 538 001	4005176478574	569
30 321 TY0	4005176438240	549	31 159 002	4005176888106	558	31 539 000	4005176437014	519
30 321 XC0	4005176385735	549	31 161 000	4005176889158	560	31 539 DC0	4005176437021	519
30 321 YF0	4005176438233	549	31 170 000	4005176889165	561	31 541 000	4005176437038	517
30 321 YR0	4005176438226	549	31 179 000	4005176889172	560	31 541 DC0	4005176437045	517
30 328 001	4005176414107	534	31 180 000	4005176889288	559	31 543 000	4005176437052	521
30 328 DC1	4005176414114	534	31 187 001	4005176843327	567	31 543 DC0	4005176437069	521
30 340 001	4005176414893	534	31 212 003	4005176466762	554	31 552 SD1	4005176623714	578
30 340 DC1	4005176414909	534	31 214 001	4005176891090	555	31 562 SD1	4005176623721	578
30 341 001	4005176414916	535	31 230 001	4005176478277	569	31 563 SD1	4005176623738	576
30 341 AL1	4005176489303	535	31 231 001	4005176478260	569	31 564 SD1	4005176623745	577
30 341 DC1	4005176414923	535	31 232 001	4005176478253	568	31 565 SD1	4005176623752	577
30 341 DL1	4005176489327	535	31 233 001	4005176478284	568	31 571 SD1	4005176626029	576
30 348 001	4005176464973	542	31 234 001	4005176478499	569	31 572 SD1	4005176626036	576
30 362 000	4005176496479	38	31 255 000	4005176901416	551	31 574 SD1	4005176607080	574
30 362 AL0	4005176497292	38	31 255 DC0	4005176994319	551	31 575 SD1	4005176607097	574
30 362 DC0	4005176496486	38	31 302 002	4005176443343	513	31 576 SD1	4005176607103	574
30 468 000	4005176635755	562	31 302 DC2	4005176443350	513	31 577 SD1	4005176607110	575
30 503 000	4005176695698	548	31 323 002	4005176989933	509	31 578 SD1	4005176607127	575
30 503 DC0	4005176720178	548	31 323 DC2	4005176989940	509	31 580 SD1	4005176607134	575
30 503 KF0	4005176782695	549	31 325 002	4005176507274	511	31 581 SD1	4005176607141	572
30 504 000	4005176695704	549	31 325 DC2	4005176507250	511	31 582 SD1	4005176607158	572
30 504 A00	4005176720109	549	31 326 002	4005176507236	512	31 583 SD1	4005176607165	572
30 504 AL0	4005176720116	549	31 326 DC2	4005176507212	512	31 584 SD1	4005176607172	573
30 504 DA0	4005176720123	549	31 347 003	4005176443336	510	31 585 SD1	4005176607189	573
30 504 DC0	4005176720130	549	31 347 DC3	4005176446559	510	31 586 SD1	4005176607196	573
30 504 DL0	4005176720147	549	31 358 002	4005176465000	541	31 588 SD1	4005176626043	577
30 504 GL0	4005176720154	549	31 358 DC2	4005176465017	541	31 593 002	4005176521942	546
30 504 GN0	4005176720161	549	31 360 001	4005176343025	541	31 593 DC2	4005176521959	546
30 504 KF0	4005176782688	550	31 360 DC1	4005176343032	541	31 613 000	4005176521973	541
30 505 000	4005176695711	550	31 367 001	4005176478512	568	31 613 A00	4005176523601	541
30 505 A00	4005176719738	550	31 368 001	4005176478529	568	31 613 DC0	4005176521980	541
30 505 AL0	4005176719745	550	31 375 000	4005176934155	544	31 615 000	4005176523649	548
30 505 DA0	4005176719752	550	31 375 A00	4005176488610	544	31 615 A00	4005176523717	548
30 505 DC0	4005176720062	550	31 375 AL0	4005176488627	544	31 615 AL0	4005176523724	548
30 505 DL0	4005176720079	550	31 375 DA0	4005176488634	544	31 615 DA0	4005176523694	548
30 505 GL0	4005176720086	550	31 375 DC0	4005176934162	544	31 615 DC0	4005176523656	548
30 505 GN0	4005176720352	550	31 375 DL0	4005176488641	544	31 615 DL0	4005176523700	548
30 505 KF0	4005176782671	550	31 379 000	4005176938085	539	31 615 GL0	4005176523670	548
30 506 000	4005176723667	563	31 379 DC0	4005176938092	539	31 615 GN0	4005176523687	548
30 580 000	4005176744891	524	31 391 003	4005176635762	564	31 639 AP0	4005176520457	583
30 581 000	4005176744907	524	31 395 000	4005176304774	551	31 639 AT0	4005176520464	583
30 582 000	4005176744914	524	31 395 DC0	4005176304767	551	31 640 AP0	4005176520471	583
30 583 000	4005176744921	524	31 454 001	4005176454110	518	31 640 AT0	4005176520488	583
30 583 DC0	4005176744938	524	31 454 AL1	4005176488900	518	31 641 AP0	4005176521102	583
30 584 000	4005176744945	525	31 454 DC1	4005176454127	518	31 641 AT0	4005176521119	583
30 586 000	4005176744969	525	31 454 DL1	4005176488924	518	31 642 AP0	4005176521126	584
30 587 000	4005176745263	525	31 455 000	4005176323027	516	31 642 AT0	4005176521133	584
30 588 000	4005176744983	526	31 455 001	4005176454134	515	31 643 AP0	4005176521140	584
30 589 000	4005176745270	526	31 455 AL1	4005176488948	515	31 643 AT0	4005176521157	584
30 590 000	4005176745003	526	31 455 DC0	4005176323034	516	31 644 AP0	4005176521164	581

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
31 644 ATO	4005176521171	581	32 259 003	4005176466908	552	32 786 000	4005176871863	565, 644
31 645 APO	4005176521188	581	32 294 002	4005176466496	546	32 787 000	4005176871870	565, 644
31 645 ATO	4005176521195	581	32 294 DC2	4005176466502	546	32 788 000	4005176871887	647
31 646 APO	4005176521201	581	32 321 002	4005176465109	542	32 789 000	4005176871894	647
31 646 ATO	4005176521218	581	32 321 A02	4005176488733	542	32 790 000	4005176871900	647
31 647 APO	4005176521225	582	32 321 AL2	4005176488740	542	32 792 000	4005176871924	648
31 647 ATO	4005176521232	582	32 321 DA2	4005176488757	542	32 793 000	4005176871931	648
31 648 APO	4005176521249	582	32 321 DC2	4005176465116	542	32 795 000	4005176871955	647
31 648 ATO	4005176521256	582	32 321 DL2	4005176488764	542	32 823 000	4005176877995	647
31 649 APO	4005176521263	582	32 321 GN2	4005176618529	542	32 824 000	4005176874604	217
31 649 ATO	4005176521270	582	32 322 002	4005176465123	543	32 824 00L	4005176917035	217
31 650 APO	4005176521287	579	32 322 A02	4005176488818	543	32 825 00E	4005176874628	216
31 650 ATO	4005176521294	579	32 322 AL2	4005176488825	543	32 825 00L	4005176917028	216
31 651 APO	4005176521300	579	32 322 DA2	4005176488832	543	32 826 001	4005176507076	48
31 651 ATO	4005176521317	579	32 322 DC2	4005176465130	543	32 826 A01	4005176507052	48
31 652 APO	4005176521324	579	32 322 DL2	4005176488849	543	32 826 DL1	4005176506970	48
31 652 ATO	4005176521331	579	32 467 003	4005176613210	228	32 826 GN1	4005176506918	48
31 653 APO	4005176521348	580	32 467 30L	4005176644276	229	32 827 00E	4005176906565	217
31 653 ATO	4005176521355	580	32 468 003	4005176334207	208	32 830 001	4005176472749	220
31 654 APO	4005176521362	580	32 468 20E	4005176906886	200	32 831 000	4005176874703	223
31 654 ATO	4005176521379	580	32 468 20L	4005176917097	200	32 832 000	4005176874710	224
31 655 APO	4005176521386	580	32 469 20E	4005176908835	184	32 833 000	4005176874727	224
31 655 ATO	4005176521393	580	32 469 20L	4005176917110	184	32 836 000	4005176874758	222
31 656 APO	4005176521409	584	32 488 000	4005176289552	545	32 837 000	4005176874772	222
31 656 ATO	4005176521416	584	32 488 A00	4005176488771	545	32 839 000	4005176874802	222
31 680 000	4005176530487	570	32 488 AL0	4005176488788	545	32 840 000	4005176874819	222
31 688 000	4005176530333	570	32 488 DA0	4005176488795	545	32 842 000	4005176874833	560
31 693 000	4005176530371	570	32 488 DC0	4005176804939	545	32 843 002	4005176466939	559
31 706 000	4005176530449	570	32 488 DL0	4005176488801	545	32 843 20E	4005176466946	559
31 715 000	4005176564123	570	32 511 000	4005176295621	543	32 843 DC2	4005176466953	559
31 819 001	4005176843471	566	32 553 002	4005176466649	547	32 846 001	4005176506895	48
31 829 001	4005176845697	566	32 553 DC2	4005176466656	547	32 846 A01	4005176506871	48
31 831 001	4005176843280	566	32 612 003	4005176529696	152	32 846 DL1	4005176506796	48
31 868 000	4005176693113	563	32 612 30L	4005176529979	153	32 846 GN1	4005176506734	48
31 869 000	4005176693120	562	32 612 AL3	4005176585609	152	32 879 000	4005176877353	226
31 928 KF0	4005176782701	548	32 612 DC3	4005176574054	152	32 880 000	4005176877360	226
31 930 001	4005176843303	566	32 618 003	4005176529740	155	32 917 000	4005176230950	544
32			32 618 AL3	4005176585647	155	32 917 A00	4005176488696	544
32 067 000	4005176811142	544	32 618 DC3	4005176574092	155	32 917 AL0	4005176488702	544
32 109 001	4005176408373	126	32 629 002	4005176472619	193	32 917 DA0	4005176488719	544
32 109 AL1	4005176586118	126	32 659 001	4005176886713	556	32 917 DC0	4005176804946	544
32 109 DC1	4005176412691	126	32 661 003	4005176466823	555	32 917 DL0	4005176488726	544
32 114 001	4005176409103	126	32 661 DC3	4005176466830	555	32 917 KS0	4005176980640	544
32 114 DC1	4005176412714	126	32 663 003	4005176466854	554	32 918 000	4005176230967	543
32 146 001	4005176499388	46	32 663 DC3	4005176466861	554	32 918 00E	4005176866616	543
32 146 A01	4005176499456	46	32 700 001	4005176887994	196	32 918 DC0	4005176804953	543
32 146 DL1	4005176499449	46	32 750 000	4005176868238	565	32 926 003	4005176613234	230
32 146 GN1	4005176499425	46	32 752 000	4005176868252	565	32 929 003	4005176613623	233
32 154 003	4005176613258	230	32 757 001	4005176498589	46	32 950 000	4005176879838	539
32 168 000	4005176824425	543	32 757 A01	4005176499357	46	32 950 DC0	4005176879845	539
32 168 DC0	4005176824432	543	32 757 DL1	4005176499340	46	32 955 000	4005176880117	216
32 202 10L	4005176903960	191	32 757 GN1	4005176499326	46	33		
32 204 10E	4005176887345	190	32 762 000	4005176871023	642	33 155 002	4005176865947	164
32 207 001	4005176888878	190	32 763 000	4005176871030	642	33 163 003	4005176529702	153
32 208 001	4005176888908	194	32 765 000	4005176871054	642	33 183 002	4005176887499	183
32 210 001	4005176888939	194	32 766 000	4005176871061	642	33 188 003	4005176613203	229
32 211 001	4005176889028	195	32 767 000	4005176871078	643	33 190 20E	4005176887482	183
32 212 001	4005176889035	195	32 768 000	4005176871689	643	33 192 002	4005176887864	187
32 213 001	4005176888960	197	32 770 000	4005176871702	643	33 202 003	4005176635588	562
32 214 001	4005176889097	197	32 771 000	4005176871719	643	33 241 003	4005176529849	156
32 224 003	4005176635786	564	32 772 000	4005176871726	644	33 241 AL3	4005176585739	156
32 229 002	4005176887055	202	32 773 000	4005176871733	643	33 241 DC3	4005176574184	156
32 240 10E	4005176906794	191	32 774 000	4005176871740	643	33 244 002	4005176888779	186
32 240 10L	4005176903977	191	32 775 000	4005176871757	644	33 265 003	4005176613197	228
32 257 001	4005176834165	553	32 776 000	4005176871764	642	33 265 30L	4005176644269	228
32 257 002	4005176886591	552	32 778 000	4005176871788	643	33 281 003	4005176635366	563
			32 779 000	4005176871795	643			

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
33 281 30E	4005176635410	563	34 195 001	4005176926631	331	34 784 000	4005176613012	345
33 281 DC3	4005176635397	563	34 256 004	4005176456671	341	34 793 000	4005176632433	247, 253
33 300 003	4005176613456	234	34 281 001	4005176926501	331	34 796 000	4005176632464	352
33 302 003	4005176613470	235	34 430 000	4005176917981	337	34 804 000	4005176686740	162, 317
33 303 003	4005176613524	235	34 437 000	4005176918025	337	34 806 000	4005176684432	352
33 305 003	4005176613531	237	34 446 001	4005176926402	328	34 813 001	4005176698392	166
33 390 002	4005176887796	187	34 448 000	4005176919183	337	34 814 003	4005176695728	211, 339
33 395 002	4005176887802	188	34 463 001	4005176926419	327	34 816 003	4005176695742	212, 340
33 547 003	4005176529818	157	34 464 001	4005176926433	329	34 817 003	4005176695759	340
33 552 20E	4005176886300	199	34 466 001	4005176926440	330	34 818 003	4005176695766	339
33 553 003	4005176529795	157	34 469 001	4005176926396	327	34 819 004	4005176695773	342
33 553 AL3	4005176585678	157	34 484 001	4005176932519	330	34 820 004	4005176698583	342
33 553 DC3	4005176574122	157	34 487 000	4005176936234	627, 645	34 821 003	4005176698590	341
33 555 003	4005176613562	234	34 488 000	4005176940620	136, 144	34 823 003	4005176698613	341
33 556 003	4005176613609	236	34 491 000	4005176940644	333	34 824 004	4005176698620	341
33 557 003	4005176334184	208	34 497 000	4005176940675	137, 145	34 825 001	4005176698637	342
33 558 003	4005176334139	206	34 502 000	4005176940798	334	34 827 000	4005176698651	343
33 558 LS3	4005176335686	206	34 508 000	4005176941795	334	34 830 000	4005176698682	343
33 561 002	4005176886379	200	34 509 000	4005176941801	333	34 831 000	4005176698699	344
33 561 003	4005176334160	207	34 519 000	4005176998515	337	34 832 000	4005176698705	344
33 565 002	4005176887000	202	34 557 001	4005176456688	342	34 833 000	4005176698712	345
33 565 003	4005176334283	210	34 558 000	4005176310089	234, 350	34 834 000	4005176698729	345
33 565 LS3	4005176334504	210	34 562 000	4005176310102	350	34 835 000	4005176698736	345
33 569 002	4005176887734	187	34 565 001	4005176456718	351	34 838 000	4005176698767	346
33 577 003	4005176529801	156	34 566 001	4005176456701	351	35		
33 577 AL3	4005176585685	156	34 567 000	4005176310157	235, 350	35 028 000	4005176908316	34, 54
33 577 DC3	4005176574139	156	34 569 000	4005176310171	351	35 085 000	4005176207068	632
33 590 002	4005176887048	202	34 665 000	4005176351556	241, 628	35 087 000	4005176207082	632
33 590 003	4005176334306	211	34 666 000	4005176351563	629	35 107 000	4005176758706	100
33 590 LS3	4005176334511	211	34 667 000	4005176351570	242, 628	35 500 000	4005176831522	630, 630
33 591 002	4005176887123	203	34 671 000	4005176351587	629	35 604 000	4005176698774	27, 27
33 591 003	4005176334351	212	34 681 000	4005176354090	629	36		
33 591 LS3	4005176334535	212	34 705 000	4005176413285	133, 162	36 015 001	4005176929359	609
33 592 20A	4005176454288	203	34 713 000	4005176409776	318	36 016 001	4005176929366	609
33 592 30A	4005176456497	213	34 714 000	4005176409783	318	36 078 000	4005176856532	378
33 614 002	4005176887208	203	34 718 000	4005176457647	129, 157	36 194 000	4005176140921	571
33 635 003	4005176334344	214	34 719 000	4005176457654	129, 157	36 207 001	4005176929373	609
33 637 003	4005176334405	215	34 720 000	4005176457661	319	36 208 001	4005176929380	609
33 770 001	4005176828959	553	34 721 000	4005176457678	319	36 209 000	4005176207105	610, 649
33 770 002	4005176888137	552	34 725 000	4005176457081	628	36 233 000	4005176283338	649
33 772 002	4005176890796	552	34 726 000	4005176466014	323	36 249 000	4005176283345	649
33 848 001	4005176409172	128	34 727 000	4005176466021	323	36 264 001	4005176416279	595, 598
33 848 DC1	4005176412776	128	34 728 000	4005176466069	321	36 265 000	4005176893131	651
33 849 001	4005176409189	129	34 729 000	4005176466076	321	36 266 000	4005176893148	651
33 849 AL1	4005176586200	129	34 730 000	4005176466342	321	36 267 000	4005176893155	651
33 849 DC1	4005176412783	129	34 731 000	4005176466359	323	36 268 000	4005176893162	651
33 850 001	4005176409196	130	34 732 000	4005176466366	323	36 269 000	4005176893179	620
33 865 001	4005176409202	129	34 734 000	4005176466403	321	36 271 000	4005176893193	620
33 865 AL1	4005176586217	129	34 735 000	4005176466410	324	36 272 000	4005176893209	620
33 865 DC1	4005176412790	129	34 741 000	4005176481208	139, 147	36 273 000	4005176893216	621
33 961 000	4005176119972	366	34 742 000	4005176484094	316	36 274 000	4005176893223	621
33 962 000	4005176119989	366	34 743 000	4005176484100	317	36 309 000	4005176894794	378
33 963 000	4005176128387	366	34 744 000	4005176484117	317	36 315 000	4005176896590	616
33 964 000	4005176128394	366	34 765 000	4005176612022	173, 194	36 316 000	4005176896279	651
33 975 004	4005176467004	557	34 766 000	4005176612039	175, 195	36 317 000	4005176896514	650
34			34 767 000	4005176612046	223, 347	36 318 000	4005176896521	650
34 143 003	4005176309618	339	34 768 000	4005176612053	349	36 320 000	4005176896545	650
34 146 003	4005176309625	340	34 769 000	4005176612060	349	36 321 000	4005176896552	650
34 151 004	4005176456664	342	34 770 000	4005176612077	348	36 322 001	4005176595400	650
34 152 004	4005176456664	342	34 771 000	4005176612886	347	36 324 001	4005176305757	613
34 155 003	4005176310027	340	34 772 000	4005176612893	348	36 325 002	4005176318771	612
34 156 003	4005176310034	341	34 776 000	4005176612930	343	36 327 001	4005176305771	221
34 169 001	4005176926518	328	34 779 000	4005176612961	343	36 327 002	4005176695599	611
34 170 001	4005176926471	328	34 780 000	4005176612978	344	36 330 002	4005176695667	613
34 174 001	4005176926426	329	34 781 000	4005176612985	344	36 331 001	4005176305795	611
34 176 001	4005176926488	331	34 782 000	4005176612992	345			
			34 783 000	4005176613005	345			

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
36 332 000	4005176896682	615	37 060 000	4005176142901	758	37 601 SH0	4005176416071	752
36 333 000	4005176896699	615	37 063 000	4005176142185	761	37 624 000	4005176416095	35, 163
36 334 SD0	4005176896705	615	37 063 SH0	4005176142307	761	37 624 A00	4005176529078	753
36 335 SD0	4005176896712	615	37 069 000	4005176142352	761	37 624 AL0	4005176529115	35, 163
36 336 001	4005176991769	603, 616	37 078 PI0	4005176160783	730	37 624 BE0	4005176529085	753
36 337 001	4005176595417	603, 615	37 085 PI0	4005176149641	730	37 624 DA0	4005176529061	35, 753
36 338 000	4005176896743	596, 599	37 088 PI0	4005176149672	730	37 624 DC0	4005176416125	35, 163
36 339 001	4005176595424	604, 616	37 092 000	4005176145049	729	37 624 DL0	4005176529108	753
36 340 000	4005176911385	595, 599	37 093 000	4005176145070	729	37 624 EN0	4005176529122	753
36 341 000	4005176911392	595, 599	37 095 000	4005176145124	729, 805	37 624 GL0	4005176529054	35, 753
36 376 000	4005176932243	616	37 100 SH0	4005176142093	730	37 624 GN0	4005176529092	753
36 384 000	4005176982774	621	37 104 K00	4005176160844	732	37 624 P00	4005176416101	753
36 386 001	4005176311673	614	37 105 K00	4005176141904	732	37 624 SH0	4005176416118	753
36 407 001	4005176368974	595, 599	37 107 000	4005176141713	736	37 761 000	4005176213243	759
36 409 000	4005176320538	601	37 108 000	4005176141720	736	37 762 SH0	4005176213250	726
36 410 000	4005176320545	603	37 112 000	4005176141911	736	37 791 SH0	4005176217241	726
36 412 000	4005176320569	604	37 114 000	4005176141935	736	37 945 SH0	4005176256387	726
36 413 000	4005176320576	600	37 119 000	4005176144370	733	37 965 000	4005176442506	753
36 414 000	4005176320583	602	37 131 000	4005176144585	721, 733	37 973 000	4005176479021	753
36 415 000	4005176320590	605	37 132 000	4005176144608	735	37 973 DC0	4005176479052	753
36 416 001	4005176595394	605, 618	37 133 000	4005176144622	735	37 973 P00	4005176479045	753
36 421 001	4005176695612	612	37 135 000	4005176144653	736	37 973 SH0	4005176479038	753
36 422 001	4005176695636	611	37 139 000	4005176143083	735	37 998 000	4005176262586	720
36 439 001	4005176695605	613	37 141 000	4005176143113	735			
36 440 000	4005176415623	594	37 311 K00	4005176160851	732	38		
36 441 000	4005176415630	143, 594	37 321 001	4005176929496	743	38 338 000	4005176286179	722
36 441 AL0	4005176686825	143, 594	37 321 SD1	4005176929502	743	38 422 000	4005176275203	727
36 441 DC0	4005176686818	143, 594	37 324 001	4005176929526	744	38 422 20A	4005176771590	727
36 442 000	4005176415647	594	37 324 SD1	4005176929533	744	38 445 SD0	4005176282850	761
36 444 000	4005176415661	597	37 336 001	4005176929540	743	38 488 000	4005176289866	759
36 445 000	4005176415678	170, 597	37 337 001	4005176929557	743	38 496 000	4005176289958	759
36 445 A00	4005176686795	170, 597	37 338 000	4005176837920	606, 745	38 505 000	4005176290053	756
36 445 AL0	4005176686801	170, 597	37 339 000	4005176837937	747	38 505 KF0	4005176784132	757
36 445 DA0	4005176686573	170, 597	37 347 000	4005176837999	735	38 505 P00	4005176290060	756
36 445 DC0	4005176686542	170, 597	37 396 000	4005176907968	747	38 505 SH0	4005176290046	756
36 445 DL0	4005176686788	170, 597	37 419 000	4005176933806	737	38 506 000	4005176290121	756
36 445 GL0	4005176686559	170, 597	37 419 SD0	4005176933813	737	38 506 P00	4005176290138	756
36 445 GN0	4005176686566	170, 597	37 421 000	4005176935572	742	38 506 SH0	4005176290114	756
36 446 000	4005176415685	598	37 489 000	4005176167386	732	38 525 001	4005176863967	711
36 447 000	4005176416293	598	37 503 000	4005176320507	606, 744	38 526 000	4005176291050	712
36 451 000	4005176473678	246, 624	37 504 000	4005176320521	607, 738	38 528 001	4005176863943	703
36 452 000	4005176473685	624	37 535 000	4005176416019	151, 163	38 536 001	4005176863929	710
36 453 000	4005176473791	625	37 535 A00	4005176431364	752	38 539 001	4005176863912	710
36 454 000	4005176487774	614	37 535 AL0	4005176431357	151, 163	38 541 000	4005176291234	716, 718
36 455 000	4005176487781	614	37 535 BE0	4005176431340	752	38 543 000	4005176291258	717
36 456 000	4005176494758	617	37 535 DA0	4005176431333	752	38 545 000	4005176291272	717
36 457 000	4005176494765	617	37 535 DC0	4005176416040	151, 163	38 546 000	4005176291289	716
36 458 000	4005176494772	617	37 535 DL0	4005176431326	752	38 553 001	4005176863813	716
36 459 000	4005176576188	618	37 535 EN0	4005176431319	752	38 554 001	4005176863806	715
36 463 000	4005176576690	618	37 535 GL0	4005176431302	752	38 557 001	4005176863783	715
36 464 000	4005176576706	618	37 535 GN0	4005176431296	752	38 558 00M	4005176291418	712, 714
36 472 000	4005176758720	88	37 535 P00	4005176416026	752	38 559 001	4005176863776	719
36 473 000	4005176758737	88	37 535 SH0	4005176416033	752	38 562 001	4005176863752	721
36 474 000	4005176758744	88	37 547 000	4005176189425	761	38 564 000	4005176291784	758
36 475 000	4005176758751	87	37 547 P00	4005176189449	761	38 564 SH0	4005176291777	758
36 476 000	4005176758768	87	37 547 SH0	4005176189418	761	38 565 000	4005176291845	758
			37 601 000	4005176416057	134, 179	38 573 000	4005176292316	758
			37 601 A00	4005176528996	179, 752	38 573 SH0	4005176292309	758
			37 601 AL0	4005176529030	134, 179	38 574 000	4005176292385	758
			37 601 BE0	4005176529009	752	38 629 000	4005176293191	721
			37 601 DA0	4005176524288	179, 752	38 661 000	4005176294907	726
			37 601 DC0	4005176416088	134, 179	38 672 SD0	4005176296468	758
			37 601 DL0	4005176529023	179, 752	38 675 001	4005176863516	711, 718
			37 601 EN0	4005176529047	752	38 691 000	4005176815454	727
			37 601 GL0	4005176524271	179, 752	38 698 SD1	4005176929571	737
			37 601 GN0	4005176529016	179, 752	38 699 001	4005176929588	737
			37 601 P00	4005176416064	752	38 714 000	4005176828454	734, 759

37

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
38 721 001	4005176863431	706	38 860 000	4005176878084	704	39 354 SH1	4005176470448	658
38 722 001	4005176863424	706	38 861 000	4005176832284	757	39 367 000	4005176341533	746
38 732 000	4005176836114	69, 756	38 862 000	4005176832314	757	39 368 000	4005176341540	745
38 732 A00	4005176339110	756	38 862 P00	4005176832321	757	39 369 000	4005176341557	746
38 732 AL0	4005176339127	69, 756	38 862 SD0	4005176834721	757	39 374 KSO	4005176344770	702
38 732 BE0	4005176427749	756	38 862 SH0	4005176832338	757	39 374 LSO	4005176344787	702
38 732 BR0	4005176873676	756	38 863 000	4005176832345	727	39 376 000	4005176342998	713
38 732 DA0	4005176339097	756	38 868 000	4005176878091	708	39 383 000	4005176356926	602
38 732 DC0	4005176431371	69, 756	38 882 000	4005176879197	760	39 386 00H	4005176438356	675
38 732 DL0	4005176427732	756	38 885 000	4005176879609	705	39 420 000	4005176405983	686
38 732 EN0	4005176427756	756	38 888 000	4005176879630	705	39 421 000	4005176428906	686
38 732 GL0	4005176339103	756	38 915 KSO	4005176897108	754	39 422 000	4005176406195	686
38 732 GN0	4005176427725	756	38 915 LSO	4005176897115	754	39 423 000	4005176406201	679, 686
38 732 KF0	4005176784125	756	38 916 OA0	4005176896941	755	39 424 000	4005176406218	686
38 732 P00	4005176836121	756	38 947 000	4005176911217	708	39 425 000	4005176406225	687
38 732 SD0	4005176847691	755	38 948 000	4005176911224	709	39 426 000	4005176406232	687
38 732 SH0	4005176836138	756	38 957 000	4005176914409	755	39 427 000	4005176406249	688
38 733 000	4005176837289	721	38 987 000	4005176924798	726	39 428 000	4005176406256	688
38 735 000	4005176837500	730	38 994 000	4005176932335	711	39 429 000	4005176406263	688
38 736 000	4005176837517	731				39 430 000	4005176406270	689
38 748 002	4005176416323	595, 599				39 431 000	4005176406287	689
38 750 001	4005176863363	704	39 002 000	4005176936920	703	39 432 000	4005176406294	690
38 761 000	4005176841620	707	39 052 000	4005176935961	715	39 433 000	4005176406300	690
38 764 001	4005176863301	708	39 053 000	4005176935978	728	39 436 000	4005176406331	689
38 765 000	4005176846830	754	39 054 000	4005176936289	728	39 437 000	4005176406348	689
38 765 P00	4005176846847	754	39 056 000	4005176936302	728	39 438 000	4005176406355	691
38 765 SH0	4005176846854	754	39 140 000	4005176315268	718	39 439 000	4005176406362	691
38 771 000	4005176848551	759	39 201 000	4005176344947	679	39 440 000	4005176405976	686
38 772 001	4005176863288	707	39 202 000	4005176344954	680	39 462 000	4005176454608	682
38 772 20A	4005176771613	707	39 206 000	4005176344992	680	39 462 00H	4005176454615	682
38 773 000	4005176850288	707	39 206 00H	4005176418495	680	39 469 00H	4005176438363	675
38 773 20A	4005176771606	708	39 208 000	4005176345029	683	39 473 00H	4005176442643	675
38 776 SD0	4005176853555	755	39 208 00H	4005176418532	683	39 474 00H	4005176438387	675
38 778 000	4005176855269	740	39 245 00H	4005176524479	677	39 475 00H	4005176442599	675
38 779 000	4005176855306	721	39 300 000	4005176346026	695	39 476 00H	4005176442605	675
38 784 000	4005176855535	762	39 301 000	4005176346033	695	39 477 00H	4005176442612	676
38 784 P00	4005176855542	762	39 302 000	4005176346040	695	39 478 00H	4005176442629	676
38 784 SD0	4005176877407	762	39 306 000	4005176346088	695	39 479 00H	4005176442636	676
38 784 SH0	4005176855559	762	39 323 000	4005176407116	678	39 480 00H	4005176442643	676
38 786 001	4005176864025	713	39 323 00H	4005176417344	678	39 481 00H	4005176442650	676
38 787 000	4005176855689	745	39 324 000	4005176407123	679	39 482 00H	4005176442667	676
38 796 000	4005176857034	760	39 324 00H	4005176417375	679	39 483 00H	4005176442674	677
38 803 001	4005176864049	713	39 325 000	4005176407130	680	39 484 00H	4005176442698	677
38 804 000	4005176861512	762	39 327 000	4005176390104	679	39 488 000	4005176442735	677
38 804 P00	4005176861536	762	39 327 00H	4005176418341	679	39 490 000	4005176442759	677
38 804 SH0	4005176861529	762	39 328 000	4005176407161	680	39 491 000	4005176449994	688
38 805 000	4005176865596	760	39 328 00H	4005176417382	680	39 492 000	4005176450013	690
38 808 000	4005176864056	763	39 330 001	4005176468834	683	39 493 000	4005176450020	690
38 808 P00	4005176864063	763	39 331 001	4005176468827	683	39 496 000	4005176450051	692
38 808 SH0	4005176864070	763	39 332 000	4005176407208	682	39 497 000	4005176450068	691
38 809 000	4005176864681	754	39 333 000	4005176407215	682	39 500 000	4005176453861	704
38 821 000	4005176868986	755	39 335 000	4005176407239	678	39 501 000	4005176453878	705
38 827 000	4005176870477	704	39 335 00H	4005176417351	678	39 503 000	4005176454097	705
38 844 000	4005176874963	756	39 336 000	4005176407246	679	39 504 000	4005176454103	706
38 844 P00	4005176875687	756	39 336 00H	4005176417368	679	39 538 000	4005176468292	681
38 844 SH0	4005176874970	756	39 337 000	4005176407253	678	39 554 000	4005176484452	680
38 845 KSO	4005176878343	754	39 337 00H	4005176418334	678	39 564 00H	4005176485602	670
38 845 LSO	4005176878336	754	39 338 000	4005176407260	681	39 565 00H	4005176485619	670
38 845 MF0	4005176878619	754	39 338 00H	4005176418501	681	39 566 00H	4005176485626	670
38 846 KSO	4005176878268	762	39 339 000	4005176407277	682	39 567 00H	4005176485633	670
38 846 LSO	4005176878367	762	39 339 00H	4005176418525	682	39 568 00H	4005176485640	670
38 857 000	4005176875694	763	39 340 000	4005176423697	683	39 570 000	4005176484865	671
38 857 P00	4005176875663	763	39 340 00H	4005176423703	683	39 571 00H	4005176485671	671
38 857 SH0	4005176875793	763	39 346 000	4005176449673	692	39 572 00H	4005176485688	671
38 858 000	4005176876714	756	39 347 000	4005176449680	692	39 573 00H	4005176485794	671
38 858 P00	4005176876721	756	39 349 000	4005176449659	688	39 574 00H	4005176485800	672
38 858 SH0	4005176876738	756	39 351 000	4005176450006	691	39 575 00H	4005176485817	672

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
39 577 000	4005176485138	672	40 341 DL1	4005176531804	56	40 371 GL1	4005176429385	275
39 578 000	4005176485145	672	40 341 GN1	4005176531781	56	40 371 GN1	4005176429835	275
39 579 000	4005176485152	672	40 342 001	4005176531644	56	40 372 001	4005176326226	273, 281
39 581 000	4005176496011	706	40 342 A01	4005176531712	56	40 374 001	4005176326400	278
39 584 00H	4005176519161	678	40 342 DL1	4005176531705	56	40 374 A01	4005176429590	278
39 585 00H	4005176519178	678	40 342 GN1	4005176531682	56	40 374 AL1	4005176429743	278
39 596 000	4005176527494	659, 700	40 344 001	4005176323461	280	40 374 BE1	4005176430190	278
39 598 000	4005176527517	659, 701	40 344 DC1	4005176413209	280	40 374 DA1	4005176429293	278
39 603 000	4005176527562	700	40 364 001	4005176326332	276	40 374 DC1	4005176412486	278
39 604 000	4005176524486	693	40 364 A01	4005176429514	276	40 374 DL1	4005176430046	278
39 608 00H	4005176566493	670	40 364 AL1	4005176429668	276	40 374 EN1	4005176430282	278
39 609 00H	4005176566509	671	40 364 BE1	4005176430114	276	40 374 GL1	4005176429446	278
39 611 000	4005176571275	672	40 364 DA1	4005176428913	276	40 374 GN1	4005176429897	278
39 617 000	4005176571312	673	40 364 DC1	4005176412424	276	40 385 001	4005176326356	278
39 620 00H	4005176571336	673	40 364 DL1	4005176429965	276	40 385 A01	4005176429606	278
39 622 000	4005176571350	673	40 364 EN1	4005176326349	276	40 385 AL1	4005176429750	278
39 648 SH0	4005176575310	661, 693	40 364 GL1	4005176429361	276	40 385 BE1	4005176430206	278
39 651 SH0	4005176575327	661, 693	40 364 GN1	4005176429811	276	40 385 DA1	4005176429309	278
39 652 SH0	4005176575334	661, 694	40 365 001	4005176326240	274	40 385 DC1	4005176413094	278
39 693 000	4005176581281	681	40 365 A01	4005176429521	274	40 385 DL1	4005176430053	278
39 703 000	4005176583896	681	40 365 AL1	4005176429675	274	40 385 EN1	4005176430299	278
39 729 000	4005176594991	673	40 365 BE1	4005176430121	274	40 385 GL1	4005176429453	278
39 806 000	4005176636462	684	40 365 DA1	4005176428920	274	40 385 GN1	4005176429903	278
39 807 000	4005176636479	684	40 365 DC1	4005176412431	274	40 386 001	4005176326301	275
39 808 000	4005176637087	684	40 365 DL1	4005176429972	274	40 386 A01	4005176429569	275
39 809 000	4005176637094	684	40 365 EN1	4005176326257	274	40 386 AL1	4005176429712	275
39 810 000	4005176637100	684	40 365 GL1	4005176429378	274	40 386 BE1	4005176430169	275
39 811 000	4005176637117	684	40 365 GN1	4005176429828	274	40 386 DA1	4005176428968	275
39 813 000	4005176637131	685	40 366 001	4005176326264	275	40 386 DL1	4005176430015	275
39 861 000	4005176653889	685	40 366 A01	4005176429552	275	40 386 EN1	4005176430275	275
39 881 000	4005176706790	738	40 366 AL1	4005176429705	275	40 386 GL1	4005176429415	275
39 881 KF0	4005176715099	739	40 366 BE1	4005176430152	275	40 386 GN1	4005176429866	275
39 881 SH0	4005176706806	738	40 366 DA1	4005176428951	275	40 394 001	4005176326233	273, 281
39 882 000	4005176706813	739	40 366 DC1	4005176412448	275	40 394 A01	4005176429583	273
39 882 KF0	4005176715105	739	40 366 DL1	4005176430008	275	40 394 AL1	4005176429736	273, 281
39 882 SH0	4005176706820	739	40 366 EN1	4005176326271	275	40 394 BE1	4005176430183	273
39 898 000	4005176713972	689	40 366 GL1	4005176429408	275	40 394 DA1	4005176428982	273
39 910 000	4005176720444	687	40 366 GN1	4005176429859	275	40 394 DC1	4005176421532	273, 281
39 912 000	4005176720468	687	40 367 001	4005176326387	278	40 394 DL1	4005176430039	273
39 913 000	4005176720475	687	40 367 A01	4005176429620	278	40 394 EN1	4005176412646	273, 288
39 923 000	4005176724008	690	40 367 AL1	4005176429774	278	40 394 GL1	4005176429439	273
39 980 KSO	4005176770647	83	40 367 BE1	4005176430220	278	40 394 GN1	4005176429880	273
39 980 LSO	4005176754487	83	40 367 DA1	4005176429323	278	40 404 001	4005176984068	530
			40 367 DC1	4005176412455	278	40 405 001	4005176698019	529
			40 367 DL1	4005176430077	278	40 407 001	4005176328350	279
			40 367 EN1	4005176326394	278	40 407 DC1	4005176413179	279
			40 367 GL1	4005176429477	278	40 412 001	4005176984082	530
			40 367 GN1	4005176429927	278	40 421 001	4005176326325	276
			40 368 001	4005176326219	273, 281	40 421 A01	4005176429637	276
			40 369 001	4005176326196	273	40 421 AL1	4005176429781	276
			40 369 A01	4005176429576	273	40 421 BE1	4005176430237	276
			40 369 AL1	4005176429729	273	40 421 DA1	4005176429330	276
			40 369 BE1	4005176430176	273	40 421 DC1	4005176413117	276
			40 369 DA1	4005176428975	273	40 421 DL1	4005176430084	276
			40 369 DC1	4005176412462	273	40 421 EN1	4005176430305	276
			40 369 DL1	4005176430022	273	40 421 GL1	4005176429484	276
			40 369 EN1	4005176326202	273	40 421 GN1	4005176429934	276
			40 369 GL1	4005176429422	273	40 422 000	4005176890246	532
			40 369 GN1	4005176429873	273	40 423 000	4005176890253	533
			40 371 001	4005176326318	275	40 430 001	4005176984075	530
			40 371 A01	4005176429538	275	40 432 000	4005176883255	537
			40 371 AL1	4005176429682	275	40 434 001	4005176985294	532
			40 371 BE1	4005176430138	275	40 437 000	4005176885471	529
			40 371 DA1	4005176428937	275	40 438 001	4005176984105	527, 530
			40 371 DC1	4005176412479	275	40 444 001	4005176328336	274
			40 371 DL1	4005176429989	275	40 444 DC1	4005176413148	274
			40 371 EN1	4005176430268	275	40 444 EN1	4005176335501	274

40

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
40 447 001	4005176328701	274	40 653 EN1	4005176324253	288	40 794 DC1	4005176413247	277
40 447 DC1	4005176413162	274	40 654 001	4005176324352	289	40 797 001	4005176327636	277
40 447 EN1	4005176335518	274	40 654 EN1	4005176324260	289	40 799 001	4005176327971	277
40 448 001	4005176328343	274	40 655 001	4005176324338	288	40 799 DC1	4005176413216	277
40 448 DC1	4005176413155	274	40 655 EN1	4005176324246	288	40 800 001	4005176327988	276
40 448 EN1	4005176335525	274	40 656 001	4005176324383	289	40 800 A01	4005176429644	276
40 457 001	4005176327865	286	40 656 EN1	4005176324291	289	40 800 AL1	4005176429798	276
40 459 001	4005176327810	285	40 657 001	4005176324390	289	40 800 BE1	4005176430244	276
40 460 001	4005176327803	285	40 657 EN1	4005176324307	289	40 800 DA1	4005176429347	276
40 461 001	4005176327858	286	40 658 001	4005176324406	289	40 800 DC1	4005176413223	276
40 462 001	4005176327827	286	40 658 EN1	4005176324314	289	40 800 DL1	4005176430091	276
40 463 001	4005176327872	286	40 659 001	4005176324376	290	40 800 EN1	4005176430312	276
40 507 001	4005176324598	283	40 659 EN1	4005176324284	290	40 800 GL1	4005176429491	276
40 507 AL1	4005176636639	283	40 660 001	4005176324369	289	40 800 GN1	4005176429941	276
40 507 DC1	4005176636530	283	40 660 EN1	4005176324277	289	40 802 001	4005176328107	276
40 508 001	4005176324413	281	40 663 001	4005176327834	278, 286	40 802 A01	4005176429651	276
40 508 AL1	4005176636653	281	40 664 001	4005176327841	279, 287	40 802 AL1	4005176429804	276
40 508 DC1	4005176636554	281	40 684 000	4005176940088	545	40 802 BE1	4005176430251	276
40 509 001	4005176324437	282	40 684 DC0	4005176940095	545	40 802 DA1	4005176429354	276
40 509 DC1	4005176636493	282	40 687 000	4005176981838	532	40 802 DL1	4005176430107	276
40 510 001	4005176324420	282	40 688 001	4005176326288	275	40 802 EN1	4005176430329	276
40 510 AL1	4005176636578	282	40 688 A01	4005176429545	275	40 802 GL1	4005176429507	276
40 510 DC1	4005176636172	282	40 688 AL1	4005176429699	275	40 802 GN1	4005176429958	276
40 511 001	4005176324475	282	40 688 BE1	4005176430145	275	40 804 000	4005176347917	271
40 511 AL1	4005176636615	282	40 688 DA1	4005176428944	275	40 805 000	4005176347924	270
40 511 DC1	4005176636516	282	40 688 DC1	4005176413124	275	40 806 000	4005176347931	270
40 512 001	4005176324451	282	40 688 DL1	4005176429996	275	40 807 000	4005176347948	271
40 512 AL1	4005176636608	282	40 688 EN1	4005176326295	275	40 808 000	4005176347955	272
40 513 001	4005176324604	283	40 688 GL1	4005176429392	275	40 809 000	4005176347962	272
40 513 AL1	4005176636561	283	40 688 GN1	4005176429842	275	40 824 000	4005176332975	790
40 513 DC1	4005176636165	283	40 689 001	4005176326363	277	40 834 001	4005176335280	536
40 514 001	4005176324468	283	40 689 A01	4005176429613	277	40 841 001	4005176335358	536
40 514 AL1	4005176636622	283	40 689 AL1	4005176429767	277	40 842 001	4005176335365	536
40 514 DC1	4005176636523	283	40 689 BE1	4005176430213	277	40 843 000	4005176337109	533
40 535 000	4005176905490	571	40 689 DA1	4005176429316	277	40 846 001	4005176344091	279
40 535 A00	4005176489396	571	40 689 DC1	4005176413131	277	40 847 001	4005176344107	284
40 535 AL0	4005176489402	571	40 689 DL1	4005176430060	277	40 848 AL0	4005176646997	529
40 535 DA0	4005176489433	571	40 689 EN1	4005176326370	277	40 848 DL0	4005176647017	529
40 535 DC0	4005176905520	571	40 689 GL1	4005176429460	277	40 848 GN0	4005176647000	529
40 535 DL0	4005176489440	571	40 689 GN1	4005176429910	277	40 848 SD0	4005176386008	529
40 535 GL0	4005176489419	571	40 691 002	4005176674099	530	40 855 000	4005176356452	538
40 535 GN0	4005176489426	571	40 694 000	4005176985300	532	40 857 000	4005176378393	272
40 536 000	4005176905506	571	40 711 001	4005176454301	523	40 865 000	4005176378140	270
40 536 DC0	4005176905537	571	40 754 001	4005176328367	282	40 875 000	4005176745195	527, 531
40 537 000	4005176905513	571	40 755 001	4005176328374	281	40 876 000	4005176745201	527, 531
40 537 DC0	4005176905544	571	40 756 001	4005176328381	281	40 877 000	4005176745218	528, 531
40 547 001	4005176984099	529	40 757 001	4005176328497	283	40 878 000	4005176745225	528, 531
40 554 002	4005176458521	514	40 758 001	4005176328503	284	40 882 000	4005176754494	36, 55
40 564 000	4005176912740	69, 162	40 766 000	4005176347849	270	40 883 000	4005176755262	36, 55
40 564 A00	4005176491849	790	40 767 000	4005176347856	271	40 884 000	4005176754326	36
40 564 AL0	4005176491788	69, 162	40 768 000	4005176347863	270	40 884 AL0	4005176752902	36
40 564 DC0	4005176491795	69, 162	40 775 001	4005176328626	279	40 884 DA0	4005176752919	36
40 565 000	4005176912757	69, 789	40 775 DC1	4005176413186	279	40 884 DC0	4005176752926	36
40 565 AL0	4005176491696	69, 789	40 775 EN1	4005176324765	279	40 884 EN0	4005176752933	36
40 565 DC0	4005176491702	69, 789	40 776 001	4005176328633	279	40 884 GL0	4005176752940	36
40 575 002	4005176674082	530	40 776 DC1	4005176413193	279	40 885 000	4005176752957	36
40 585 001	4005176327797	285	40 777 001	4005176328640	284	40 885 AL0	4005176753961	36
40 623 001	4005176324482	283	40 778 001	4005176328657	284	40 885 DA0	4005176753978	36
40 623 AL1	4005176636646	283	40 781 000	4005176347870	271	40 885 DC0	4005176753985	36
40 623 DC1	4005176636547	283	40 782 000	4005176347887	271	40 885 EN0	4005176753992	36
40 624 001	4005176324444	282	40 783 000	4005176347894	270	40 885 GL0	4005176754005	36
40 624 AL1	4005176636585	282	40 784 000	4005176347900	271	40 886 000	4005176754012	36, 55
40 624 DC1	4005176636486	282	40 791 001	4005176323409	38, 269	40 886 AL0	4005176754517	36, 55
40 636 SD0	4005176706707	529	40 791 KS1	4005176336379	38, 269	40 886 DA0	4005176754524	36, 55
40 652 001	4005176324321	288	40 793 001	4005176327599	277	40 886 DC0	4005176754531	36, 55
40 652 EN1	4005176324239	288	40 793 DC1	4005176413230	277	40 886 EN0	4005176754548	36, 55
40 653 001	4005176324345	288	40 794 001	4005176327605	277	40 886 GL0	4005176754555	36, 55

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
40 887 000	4005176754562	37	40 946 IGO	4005176754982	82	41 036 000	4005176577178	265
40 887 AL0	4005176754579	37	40 949 000	4005176477881	722, 734	41 037 000	4005176577185	265
40 887 DA0	4005176754586	37	40 950 000	4005176478994	722, 734	41 038 000	4005176577192	265
40 887 DC0	4005176754593	37	40 954 000	4005176496844	158	41 038 A00	4005176577277	265
40 887 EN0	4005176754609	37	40 955 001	4005176531842	56	41 038 AL0	4005176577284	265
40 887 GL0	4005176754616	37	40 955 A01	4005176531910	56	41 038 BE0	4005176577215	265
40 888 000	4005176754623	37	40 955 DL1	4005176531903	56	41 038 DA0	4005176577253	265
40 888 AL0	4005176754630	37	40 955 GN1	4005176531880	56	41 038 DC0	4005176577208	265
40 888 DA0	4005176754647	37	40 956 001	4005176532146	57	41 038 DL0	4005176577260	265
40 888 DC0	4005176754654	37	40 956 A01	4005176532214	57	41 038 EN0	4005176577222	265
40 888 EN0	4005176754661	37	40 956 DL1	4005176532207	57	41 038 GL0	4005176577239	265
40 888 GL0	4005176754678	37	40 956 GN1	4005176532184	57	41 038 GN0	4005176577246	265
40 889 000	4005176754685	37	40 960 000	4005176754999	82	41 039 000	4005176577307	265
40 889 AL0	4005176754692	37	40 960 EN0	4005176755002	82	41 039 A00	4005176577383	265
40 889 DA0	4005176754708	37	40 960 IGO	4005176755019	82	41 039 AL0	4005176577390	265
40 889 DC0	4005176754715	37	40 962 000	4005176529412	533	41 039 BE0	4005176577321	265
40 889 EN0	4005176754722	37	40 963 001	4005176530913	55	41 039 DA0	4005176577369	265
40 889 GL0	4005176754739	37	40 963 A01	4005176530982	55	41 039 DC0	4005176577314	265
40 890 000	4005176754746	37	40 963 DL1	4005176530975	55	41 039 DL0	4005176577376	265
40 890 AL0	4005176754753	37	40 963 GN1	4005176530951	55	41 039 EN0	4005176577338	265
40 890 DA0	4005176754760	37	40 964 001	4005176531019	36, 55	41 039 GL0	4005176577345	265
40 890 DC0	4005176754777	37	40 965 001	4005176531125	57	41 039 GN0	4005176577352	265
40 890 EN0	4005176754784	37	40 965 A01	4005176531194	57	41 049 000	4005176577413	266
40 890 GL0	4005176754791	37	40 965 DL1	4005176531187	57	41 049 A00	4005176577499	266
40 891 000	4005176754807	37	40 965 GN1	4005176531163	57	41 049 AL0	4005176577505	266
40 891 AL0	4005176754814	37	40 966 001	4005176531224	57	41 049 BE0	4005176577437	266
40 891 DA0	4005176754821	37	40 966 A01	4005176531293	57	41 049 DA0	4005176577475	266
40 891 DC0	4005176754838	37	40 966 DL1	4005176531286	57	41 049 DC0	4005176577420	266
40 891 EN0	4005176755088	37	40 966 GN1	4005176531262	57	41 049 DL0	4005176577482	266
40 891 GL0	4005176755095	37	40 967 001	4005176531323	57	41 049 EN0	4005176577444	266
40 892 000	4005176755101	38	40 967 A01	4005176531392	57	41 049 GL0	4005176577451	266
40 892 AL0	4005176755118	38	40 967 DL1	4005176531385	57	41 049 GN0	4005176577468	266
40 892 DA0	4005176755125	38	40 967 GN1	4005176531361	57	41 056 000	4005176577529	266
40 892 DC0	4005176755132	38				41 056 A00	4005176577604	266
40 892 EN0	4005176755149	38				41 056 AL0	4005176577611	266
40 892 GL0	4005176755156	38				41 056 BE0	4005176577543	266
40 893 000	4005176755163	70	41 007 000	4005176281815	770	41 056 DA0	4005176577581	266
40 894 000	4005176755170	70	41 027 000	4005176576836	264	41 056 DC0	4005176577536	266
40 895 000	4005176754333	70	41 027 A00	4005176576911	264	41 056 DL0	4005176577598	266
40 896 000	4005176754340	70	41 027 AL0	4005176576928	264	41 056 EN0	4005176577550	266
40 897 000	4005176754357	71	41 027 BE0	4005176576850	264	41 056 GL0	4005176577567	266
40 898 000	4005176754364	71	41 027 DA0	4005176576898	264	41 056 GN0	4005176577574	266
40 899 000	4005176413896	660, 712	41 027 DC0	4005176576843	264	41 057 000	4005176577635	266
40 900 000	4005176754371	71	41 027 DL0	4005176576904	264	41 058 000	4005176577642	266
40 906 000	4005176754388	70	41 027 EN0	4005176576867	264	41 058 A00	4005176577727	266
40 907 000	4005176754395	70	41 027 GL0	4005176576874	264	41 058 AL0	4005176577734	266
40 908 000	4005176754401	82	41 027 GN0	4005176576881	264	41 058 BE0	4005176577734	266
40 908 EN0	4005176754418	82	41 028 000	4005176576942	264	41 058 DA0	4005176577703	266
40 908 IGO	4005176754425	82	41 028 A00	4005176577024	264	41 058 DC0	4005176577659	266
40 909 000	4005176754432	81	41 028 AL0	4005176577031	264	41 058 DL0	4005176577710	266
40 909 IGO	4005176754449	81	41 028 BE0	4005176576966	264	41 058 EN0	4005176577673	266
40 910 000	4005176754845	81	41 028 DA0	4005176577000	264	41 058 GL0	4005176577680	266
40 910 IGO	4005176754852	81	41 028 DC0	4005176576959	264	41 058 GN0	4005176577697	266
40 911 000	4005176416132	722, 734	41 028 DL0	4005176577017	264	41 059 000	4005176577758	267
40 915 000	4005176429262	280, 287	41 028 EN0	4005176576973	264	41 059 A00	4005176577833	267
40 920 000	4005176470646	532	41 028 GL0	4005176576980	264	41 059 AL0	4005176577840	267
40 923 000	4005176754869	81	41 028 GN0	4005176576997	264	41 059 BE0	4005176577772	267
40 923 IGO	4005176754876	81	41 029 000	4005176577055	264	41 059 DA0	4005176577819	267
40 928 000	4005176754883	81	41 035 000	4005176577062	265	41 059 DC0	4005176577765	267
40 928 EN0	4005176754890	81	41 035 A00	4005176577147	265	41 059 DL0	4005176577826	267
40 928 IGO	4005176754906	81	41 035 AL0	4005176577154	265	41 059 EN0	4005176577789	267
40 929 000	4005176754913	81	41 035 BE0	4005176577086	265	41 059 GL0	4005176577796	267
40 929 EN0	4005176754920	81	41 035 DA0	4005176577123	265	41 059 GN0	4005176577802	267
40 929 IGO	4005176754937	81	41 035 DC0	4005176577079	265	41 063 000	4005176577864	267
40 930 000	4005176754944	81	41 035 DL0	4005176577130	265	41 063 A00	4005176577949	267
40 930 IGO	4005176754968	81	41 035 EN0	4005176577093	265	41 063 AL0	4005176577956	267
40 946 000	4005176754975	82	41 035 GL0	4005176577109	265	41 063 BE0	4005176577888	267
			41 035 GN0	4005176577116	265			

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Ref. No.	EAN	Page	Ref. No.	EAN	Page
41 063 DA0	4005176577925	267	41 077 A00	4005176578700	269	45 650 IP0	4005176137228	797
41 063 DC0	4005176577871	267	41 077 AL0	4005176578717	269	45 869 000	4005176189876	780
41 063 DL0	4005176577932	267	41 077 BE0	4005176578656	269	45 882 000	4005176189883	780
41 063 EN0	4005176577895	267	41 077 DA0	4005176575587	269	45 883 000	4005176189890	781
41 063 GL0	4005176577901	267	41 077 DC0	4005176578649	269	45 885 000	4005176189913	780
41 063 GN0	4005176577918	267	41 077 DL0	4005176578694	269	45 888 000	4005176189944	781
41 064 000	4005176577970	267	41 077 EN0	4005176578663	269	45 914 XE0	4005176842054	438, 483
41 064 A00	4005176578052	267	41 077 GL0	4005176578670	269	45 937 000	4005176279683	801
41 064 AL0	4005176578069	267	41 077 GN0	4005176578687	269	45 973 001	4005176442919	471, 475
41 064 BE0	4005176577994	267	41 136 000	4005176774430	527, 530	45 984 001	4005176992056	30, 33
41 064 DA0	4005176578038	267	41 215 KF0	4005176782435	269	46		
41 064 DC0	4005176577987	267	41 216 KF0	4005176782442	266	46 048 000	4005176008283	774
41 064 DL0	4005176578045	267	41 217 KF0	4005176782459	264	46 058 000	4005176008467	794
41 064 EN0	4005176578007	267	41 218 KF0	4005176782466	264	46 278 000	4005176131868	648, 774
41 064 GL0	4005176578014	267	41 219 KF0	4005176782473	267	46 308 000	4005176131769	774
41 064 GN0	4005176578021	267	41 220 KF0	4005176782480	268	46 374 000	4005176169076	774
41 066 000	4005176578083	268	41 275 000	4005176280481	771	46 375 000	4005176169083	775
41 066 A00	4005176578168	268	42			46 386 000	4005176169410	774
41 066 AL0	4005176578175	268	42 137 000	4005176259524	731	46 575 000	4005176830099	796
41 066 BE0	4005176578106	268	42 181 000	4005176286872	729	46 580 000	4005176831867	774
41 066 DA0	4005176578144	268	42 229 000	4005176299223	793	46 914 000	4005176326424	792
41 066 DC0	4005176578090	268	42 233 000	4005176300653	732, 803	46 944 001	4005176479977	660
41 066 DL0	4005176578151	268	42 242 000	4005176804977	733	47		
41 066 EN0	4005176578113	268	42 253 000	4005176814532	729	47 025 000	4005176009549	777
41 066 GL0	4005176578120	268	42 297 PI0	4005176832048	729	47 111 000	4005176009921	776
41 066 GN0	4005176578137	268	42 303 000	4005176835391	802	47 167 000	4005176010125	778
41 067 000	4005176578199	268	42 304 000	4005176835469	802	47 175 000	4005176803895	332, 335
41 067 A00	4005176578274	268	42 305 000	4005176835490	802	47 186 000	4005176803901	778
41 067 AL0	4005176578281	268	42 314 000	4005176835636	731	47 189 000	4005176010330	792
41 067 BE0	4005176578212	268	42 320 000	4005176837487	731	47 217 000	4005176241246	776
41 067 DA0	4005176578250	268	42 327 000	4005176838705	712, 733	47 220 000	4005176241253	776
41 067 DC0	4005176578205	268	42 333 000	4005176845888	712, 733	47 262 000	4005176118722	779
41 067 DL0	4005176578267	268	42 383 000	4005176903281	775	47 282 000	4005176061592	776
41 067 EN0	4005176578229	268	42 384 000	4005176903298	775	47 310 000	4005176079238	776
41 067 GL0	4005176578236	268	42 586 SD0	4005176563430	796	47 349 000	4005176141461	776
41 067 GN0	4005176578243	268	42 587 SD0	4005176563447	796	47 364 000	4005176171819	779
41 068 000	4005176578304	268	42 593 000	4005176566417	734, 803	47 439 000	4005176811975	777
41 068 A00	4005176578380	268	42 633 000	4005176758775	89	47 450 000	4005176076190	776
41 068 AL0	4005176578397	268	42 634 000	4005176758782	89	47 483 000	4005176815409	778
41 068 BE0	4005176578328	268	42 635 000	4005176758799	89	47 532 000	4005176206795	777
41 068 DA0	4005176578366	268	42 636 000	4005176758805	89	47 533 000	4005176207181	627, 645
41 068 DC0	4005176578311	268	42 637 000	4005176758812	89	47 598 000	4005176229169	777
41 068 DL0	4005176578373	268	42 740 000	4005176230653	802	47 600 000	4005176228995	777
41 068 EN0	4005176578335	268	42 764 00M	4005176222092	803	47 780 000	4005176836541	618, 631
41 068 GL0	4005176578342	268	42 766 000	4005176222115	722	47 781 000	4005176836558	631
41 068 GN0	4005176578359	268	42 774 000	4005176221590	731	47 790 000	4005176841491	364
41 069 000	4005176578410	269	42 886 000	4005176200670	649, 793	47 885 000	4005176924729	778
41 069 A00	4005176578496	269	43			47 994 000	4005176364723	631
41 069 AL0	4005176578502	269	43 352 000	4005176832413	732	48		
41 069 BE0	4005176578434	269	43 486 000	4005176157158	731	48 051 000	4005176890024	446, 454
41 069 DA0	4005176578472	269	43 506 000	4005176157356	802	48 053 000	4005176890031	406
41 069 DC0	4005176578427	269	43 537 000	4005176157653	729	48 054 000	4005176890048	406
41 069 DL0	4005176578489	269	43 544 000	4005176157738	733, 802	48 099 000	4005176908583	798
41 069 EN0	4005176578441	269	43 617 000	4005176841163	723, 740	48 166 000	4005176923197	801
41 069 GL0	4005176578458	269	43 733 000	4005176158926	730	48 177 000	4005176924248	798
41 069 GN0	4005176578465	269	43 758 00M	4005176159121	730, 803	48 189 000	4005176928772	787
41 076 000	4005176578526	269	43 907 PI0	4005176177545	729	48 190 000	4005176928987	787
41 076 A00	4005176578601	269	43 908 000	4005176160257	732	48 191 000	4005176928994	787
41 076 AL0	4005176578618	269	45			48 293 000	4005176358593	795
41 076 BE0	4005176578540	269	45 314 000	4005176099250	646	48 349 000	4005176409851	382, 406
41 076 DA0	4005176578588	269	45 342 000	4005176129865	780	48 350 000	4005176409868	382, 406
41 076 DC0	4005176578533	269	45 346 000	4005176104572	780	48 359 000	4005176442810	775
41 076 DL0	4005176578595	269	45 363 000	4005176112324	798	48 456 000	4005176520778	39
41 076 EN0	4005176578557	269	45 459 000	4005176056444	483	48 457 000	4005176520785	39
41 076 GL0	4005176578564	269						
41 076 GN0	4005176578571	269						
41 077 000	4005176578632	269						

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page
48 458 000	4005176523793	44
48 458 AL0	4005176788475	44
48 458 DA0	4005176788468	44
48 458 DC0	4005176787249	44
48 458 GL0	4005176787256	44
48 459 000	4005176523809	44
48 459 AL0	4005176788512	44
48 459 DA0	4005176788505	44
48 459 DC0	4005176788482	44
48 459 GL0	4005176788499	44
48 460 000	4005176523816	40
48 461 000	4005176523823	40
48 462 000	4005176523830	41
48 463 000	4005176523847	41
48 464 000	4005176523854	45
48 464 AL0	4005176788550	45
48 464 DA0	4005176788543	45
48 464 DC0	4005176788529	45
48 464 GL0	4005176788536	45
48 465 000	4005176523861	45
48 465 AL0	4005176788598	45
48 465 DA0	4005176788581	45
48 465 DC0	4005176788567	45
48 465 GL0	4005176788574	45
48 466 000	4005176523878	42
48 467 000	4005176523885	42
49		
49 002 00M	4005176372193	799
49 003 000	4005176413537	365
49 024 000	4005176454196	805
49 028 000	4005176442827	778
49 113 000	4005176571398	674
49 113 SH0	4005176571404	674
49 115 000	4005176571411	674
49 510 000	4005176373329	805
49 516 000	4005176373381	805
49 526 000	4005176421129	805
49 533 000	4005176478475	696
49 533 SH0	4005176560033	696
49 534 000	4005176478482	696
49 534 SH0	4005176560040	696
64		
64 508 001	4005176984112	531
65		
65 807 000	4005176849893	789
65 807 A00	4005176467721	789
65 807 AL0	4005176467714	789
65 807 BE0	4005176467691	789
65 807 DA0	4005176467752	789
65 807 DC0	4005176442797	789
65 807 DL0	4005176467769	789
65 807 EN0	4005176467707	789
65 807 GL0	4005176467738	789
65 807 GN0	4005176467745	789
65 807 LSO	4005176849916	789
65 808 000	4005176860065	789
66		
66 791 000	4005176866562	722

GROHE REPLACEMENT PRODUCTS

New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU
13		20 658 AL0	20 021 AL3	24 168 A01	24 057 A01	24 182 001	23 799 001
13 264 001	13 264 000	20 658 DA0	20 021 DA3	24 168 AL1	24 057 AL1	24 183 001	23 379 001
13 317 001	13 317 000	20 658 DC0	20 021 DC3	24 168 DA1	24 057 DA1	24 259 000	24 067 000
13 484 000	13 341 000	20 658 GL0	20 021 GL3	24 168 DC1	24 057 DC1	24 259 IGO	24 067 IGO
13 484 DA0	13 341 DA0	20 661 000	20 164 003	24 168 DL1	24 057 DL1	24 260 000	24 068 000
13 484 IGO	13 341 IGO	20 661 AL0	20 164 AL3	24 168 GL1	24 057 GL1	24 260 DA0	24 068 DA0
13 485 000	13 299 000	20 661 DA0	20 164 DA3	24 168 GN1	24 057 GN1	24 260 IGO	24 068 IGO
13 485 AL0	13 299 AL0	20 661 DC0	20 164 DC3	24 169 001	24 092 001	24 277 000	24 071 000
13 485 DC0	13 299 DC0	20 661 EN0	20 164 EN3	24 169 A01	24 092 A01	24 277 AL0	24 071 AL0
13 486 000	13 319 000	20 661 GL0	20 164 GL3	24 169 AL1	24 092 AL1	24 277 DC0	24 071 DC0
13 486 AL0	13 319 AL0	20 662 000	20 169 003	24 169 DA1	24 092 DA1	24 279 000	24 072 000
13 486 DC0	13 319 DC0	20 662 AL0	20 169 AL3	24 169 DC1	24 092 DC1	24 279 AL0	24 072 AL0
13 487 000	13 139 003	20 662 DA0	20 169 DA3	24 169 DL1	24 092 DL1	24 279 DC0	24 072 DC0
13 487 AL0	13 139 AL3	20 662 DC0	20 169 DC3	24 169 GL1	24 092 GL1	24 340 000	24 099 000
13 487 DA0	13 139 DA3	20 662 GL0	20 169 GL3	24 169 GN1	24 092 GN1	24 340 AL0	24 099 AL0
13 487 DC0	13 139 DC3	20 664 SD0	20 609 SD0	24 170 001	32 901 001	24 340 DC0	24 099 DC0
13 487 GL0	13 139 GL3	20 665 SD0	20 614 SD0	24 170 A01	32 901 A01	24 341 000	23 029 000
		20 666 000	21 107 000	24 170 AL1	32 901 AL1	24 341 AL0	23 029 AL0
		20 666 IGO	21 107 IGO	24 170 DA1	32 901 DA1	24 341 DC0	23 029 DC0
19		21		24 170 DC1	32 901 DC1	24 342 000	23 033 000
19 309 002	19 309 000	21 144 000	21 019 003	24 170 DL1	32 901 DL1	24 342 AL0	23 033 AL0
19 315 001	24 070 000	21 144 AL0	21 019 AL3	24 170 GL1	32 901 GL1	24 342 DC0	23 033 DC0
19 316 001	19 316 000	21 144 DA0	21 019 DA3	24 170 GN1	32 901 GN1	24 344 000	23 109 000
19 317 001	24 069 000	21 144 DC0	21 019 DC3	24 171 001	23 589 001	24 344 AL0	23 109 AL0
19 334 001	19 334 000	21 144 GL0	21 019 GL3	24 171 A01	23 589 A01	24 344 DC0	23 109 DC0
19 386 002	19 386 000	21 145 000	21 022 003	24 171 AL1	23 589 AL1	24 345 000	23 112 000
19 588 001	19 588 000	21 145 AL0	21 022 AL3	24 171 DA1	23 589 DA1	24 345 AL0	23 112 AL0
19 589 001	19 589 000	21 145 DC0	21 022 DC3	24 171 DC1	23 589 DC1	24 345 DC0	23 112 DC0
19 590 001	19 590 000	21 145 DA0	21 022 DA3	24 171 DL1	23 589 DL1	24 346 000	23 114 000
		21 145 DC0	21 022 DC3	24 171 GL1	23 589 GL1	24 346 AL0	23 114 AL0
		21 145 GL0	21 022 GL3	24 171 GN1	23 589 GN1	24 346 DC0	23 114 DC0
		21 149 000	21 044 003	24 172 001	23 590 001	24 347 000	23 117 000
		21 149 AL0	21 044 AL3	24 172 A01	23 590 A01	24 347 AL0	23 117 AL0
		21 149 DA0	21 044 DA3	24 172 AL1	23 590 AL1	24 347 DC0	23 117 DC0
		21 149 DC0	21 044 DC3	24 172 DA1	23 590 DA1	24 348 000	23 119 000
		21 149 GL0	21 044 GL3	24 172 DC1	23 590 DC1	24 348 001	23 119 001
		23		24 172 DL1	23 590 DL1	24 348 AL0	23 119 AL0
		23 061 003	23 061 002	24 172 GL1	23 590 GL1	24 348 DC0	23 119 DC0
		23 127 00E	23 127 000	24 172 GN1	23 590 GN1	24 353 000	24 027 003
		23 132 00E	23 132 000	24 173 001	23 462 001	24 353 AL0	24 027 AL3
		23 135 00E	23 135 000	24 173 A01	23 462 A01	24 353 DA0	24 027 DA3
		23 374 LS3	23 709 LS3	24 173 AL1	23 462 AL1	24 353 DC0	24 027 DC3
		23 403 001	23 403 000	24 173 DA1	23 462 DA1	24 353 GL0	24 027 GL3
		23 459 003	32 764 000	24 173 DC1	23 462 DC1	24 354 000	24 065 003
		23 569 LS3	23 718 LS3	24 173 DL1	23 462 DL1	24 354 AL0	24 065 AL3
		23 570 LS3	23 719 LS3	24 173 GL1	23 462 GL1	24 354 DA0	24 065 DA3
		23 707 003	23 708 003	24 173 GN1	23 462 GN1	24 354 DC0	24 065 DC3
		23 710 003	33 561 003	24 174 001	32 628 001	24 354 GL0	24 065 GL3
		23 715 003	23 716 003	24 174 A01	32 628 A01	24 355 000	24 066 003
		23 980 003	23 293 000	24 174 AL1	32 628 AL1	24 355 AL0	24 066 AL3
		23 980 003	23 294 000	24 174 DA1	32 628 DA1	24 355 DA0	24 066 DA3
		23 980 003	32 870 000	24 174 DC1	32 628 DC1	24 355 DC0	24 066 DC3
		23 981 003	32 871 000	24 174 DL1	32 628 DL1	24 355 GL0	24 066 GL3
		24		24 174 GL1	32 628 GL1	24 356 000	24 096 003
		24 048 LS3	24 046 LS3	24 174 GN1	32 628 GN1	24 356 AL0	24 096 AL3
		24 049 LS3	24 047 LS3	24 175 001	32 898 001	24 356 DA0	24 096 DA3
		24 068 DA0	19 948 DA0	24 176 001	23 463 001	24 356 DC0	24 096 DC3
		24 160 001	32 147 000	24 177 001	23 541 001	24 356 GL0	24 096 GL3
		24 167 001	24 058 001	24 178 001	32 935 001	24 357 000	24 134 003
		24 167 A01	24 058 A01	24 178 A01	32 935 A01	24 357 AL0	24 134 AL3
		24 167 AL1	24 058 AL1	24 178 AL1	32 935 AL1	24 357 DA0	24 134 DA3
		24 167 DA1	24 058 DA1	24 178 DA1	32 935 DA1	24 357 DC0	24 134 DC3
		24 167 DC1	24 058 DC1	24 178 DC1	32 935 DC1	24 357 GL0	24 134 GL3
		24 167 DL1	24 058 DL1	24 178 DL1	32 935 DL1	24 358 000	24 135 003
		24 167 GL1	24 058 GL1	24 178 GL1	32 935 GL1	24 358 AL0	24 135 AL3
		24 167 GN1	24 058 GN1	24 178 GN1	32 935 GN1	24 358 DA0	24 135 DA3
		24 168 001	24 057 001	24 179 001	23 797 001	24 358 DC0	24 135 DC3
				24 180 001	23 591 001	24 358 GL0	24 135 GL3
				24 181 001	23 798 001	24 359 000	24 138 003

GROHE REPLACEMENT PRODUCTS

New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU
24 359 AL0	24 138 AL3	25 250 001	33 624 001	26 859 000	26 065 000	27 615 002	27 615 001
24 359 DA0	24 138 DA3	25 250 A01	33 624 A01	26 860 000	26 070 000	28	
24 359 DC0	24 138 DC3	25 250 AL1	33 624 AL1	26 861 000	26 071 000		
24 359 GL0	24 138 GL3	25 250 DA1	33 624 DA1	26 862 000	26 259 000	28 025 001	28 025 000
24 362 000	32 042 003	25 250 DC1	33 624 DC1	26 863 000	26 373 001	28 105 001	28 105 000
24 362 AL0	32 042 AL3	25 250 DL1	33 624 DL1	26 864 000	26 374 000	28 139 001	28 139 000
24 362 DA0	32 042 DA3	25 250 GL1	33 624 GL1	26 865 000	26 376 001	28 140 001	28 140 000
24 362 DC0	32 042 DC3	25 250 GN1	33 624 GN1	26 866 000	26 465 000	28 142 002	28 142 000
24 362 GL0	32 042 GL3	25 251 001	19 578 001	26 866 A00	26 465 A00	28 143 001	28 143 000
24 363 000	32 043 003	25 251 A01	19 578 A01	26 866 AL0	26 465 AL0	28 143 KS1	28 143 KS0
24 363 AL0	32 043 AL3	25 251 AL1	19 578 AL1	26 866 BE0	26 465 BE0	28 143 LS1	28 143 LS0
24 363 DA0	32 043 DA3	25 251 DA1	19 578 DA1	26 866 DA0	26 465 DA0	28 145 001	28 145 000
24 363 DC0	32 043 DC3	25 251 DC1	19 578 DC1	26 866 DC0	26 465 DC0	28 150 002	28 150 001
24 363 GL0	32 043 GL3	25 251 DL1	19 578 DL1	26 866 DL0	26 465 DL0	28 151 002	28 151 001
24 364 000	32 108 003	25 251 GL1	19 578 GL1	26 866 EN0	26 465 EN0	28 151 L02	28 151 L01
24 364 AL0	32 108 AL3	25 251 GN1	19 578 GN1	26 866 GL0	26 465 GL0	28 154 002	28 154 001
24 364 DA0	32 108 DA3	25 252 001	33 636 001	26 866 GN0	26 465 GN0	28 155 002	28 155 001
24 364 DC0	32 108 DC3	25 252 A01	33 636 A01	26 867 000	26 467 000	28 158 001	28 158 000
24 364 GL0	32 108 GL3	25 252 AL1	33 636 AL1	26 868 000	26 469 000	28 161 002	28 161 001
24 365 000	32 647 003	25 252 DA1	33 636 DA1	26 871 000	27 271 000	28 362 001	28 362 000
24 365 AL0	32 647 AL3	25 252 DC1	33 636 DC1	26 872 000	27 285 000	28 362 A01	28 362 A00
24 365 DA0	32 647 DA3	25 252 DL1	33 636 DL1	26 873 000	27 286 000	28 362 BE1	28 362 BE0
24 365 DC0	32 647 DC3	25 252 GL1	33 636 GL1	26 874 000	27 467 000	28 362 DA1	28 362 DA0
24 365 GL0	32 647 GL3	25 252 GN1	33 636 GN1	26 876 000	27 479 000	28 362 DC1	28 362 DC0
24 366 000	32 650 003	25 268 000	25 010 003	26 877 000	27 480 000	28 362 GL1	28 362 GL0
24 366 AL0	32 650 AL3	25 268 AL0	25 010 AL3	26 878 000	27 621 000	28 364 001	28 364 000
24 366 DA0	32 650 DA3	25 268 DA0	25 010 DA3	26 879 000	27 623 000	28 388 001	28 388 000
24 366 DC0	32 650 DC3	25 268 DC0	25 010 DC3	26 880 000	27 625 000	28 388 A01	28 388 A00
24 366 GL0	32 650 GL3	25 268 GL0	25 010 GL3	26 883 000	27 863 000	28 388 BE1	28 388 BE0
24 367 000	32 652 003	25 272 000	25 044 003	26 884 000	27 884 001	28 388 DA1	28 388 DA0
24 367 AL0	32 652 AL3	25 272 AL0	25 044 AL3	26 885 000	27 888 000	28 388 DC1	28 388 DC0
24 367 DA0	32 652 DA3	25 272 DA0	25 044 DA3	26 885 A00	27 888 A00	28 388 GL1	28 388 GL0
24 367 DC0	32 652 DC3	25 272 DC0	25 044 DC3	26 885 AL0	27 888 AL0	28 409 002	28 409 001
24 367 GL0	32 652 GL3	25 272 EN0	25 044 EN3	26 885 DC0	27 888 DC0	28 410 002	28 410 001
24 368 000	32 653 003	25 272 GL0	25 044 GL3	26 885 DL0	27 888 DL0	28 413 002	28 413 001
24 368 AL0	32 653 AL3	26		26 885 GN0	27 888 GN0	28 417 001	28 417 000
24 368 DA0	32 653 DA3			26 886 000	27 889 000	28 680 000	28 678 000
24 368 DC0	32 653 DC3	26 075 001	26 075 000	26 887 000	27 938 001	29	
24 368 EN0	32 653 EN3	26 114 002	26 114 001	26 888 000	27 939 001		
24 368 GL0	32 653 GL3	26 241 001	26 241 000	26 889 000	28 034 000	29 025 002	29 025 000
24 369 000	23 303 000	26 334 001	26 334 000	26 890 000	28 308 000	29 192 001	19 408 001
24 369 DA0	23 303 DA0	26 335 001	26 335 000	26 892 000	28 348 000	29 192 A01	19 408 A01
24 369 IG0	23 303 IG0	26 346 001	26 346 000	26 893 000	28 389 000	29 192 AL1	19 408 AL1
24 370 000	23 310 000	26 362 LN1	26 362 LN0	26 894 000	28 690 000	29 192 DA1	19 408 DA1
24 370 IG0	23 310 IG0	26 370 A00	27 693 A00	26 895 000	26 003 003	29 192 DC1	19 408 DC1
24 371 000	23 313 000	26 801 BE0	27 251 BE0	26 895 AL0	26 003 AL3	29 192 DL1	19 408 DL1
24 371 IG0	23 313 IG0	26 801 DA0	27 251 DA0	26 895 DA0	26 003 DA3	29 192 GL1	19 408 GL1
24 372 000	23 315 000	26 801 EN0	27 251 EN0	26 895 DC0	26 003 DC3	29 192 GN1	19 408 GN1
24 372 IG0	23 315 IG0	26 801 GL0	27 251 GL0	26 895 GL0	26 003 GL3	29 193 001	19 967 001
24 373 000	23 316 000	26 839 000	26 328 000	26 896 000	27 969 000	29 193 A01	19 967 A01
24 373 IG0	23 316 IG0	26 840 000	26 329 000	26 896 DA0	27 969 DA0	29 193 AL1	19 967 AL1
24 374 000	23 317 000	26 841 000	26 332 000	26 896 IG0	27 969 IG0	29 193 DA1	19 967 DA1
24 374 IG0	23 317 IG0	26 842 000	26 333 000	26 897 000	27 970 000	29 193 DC1	19 967 DC1
24 375 000	23 318 000	26 847 000	27 706 000	26 897 DA0	27 970 DA0	29 193 DL1	19 967 DL1
24 375 IG0	23 318 IG0	26 847 AL0	27 706 AL0	26 897 IG0	27 970 IG0	29 193 GL1	19 967 GL1
25		26 847 DC0	27 706 DC0	26 898 000	27 974 000	29 193 GN1	19 967 GN1
		26 850 000	27 707 000	26 898 DA0	27 974 DA0	29 396 000	19 069 003
25 222 001	32 754 002	26 850 AL0	27 707 AL0	26 898 IG0	27 974 IG0	29 396 AL0	19 069 AL3
25 241 003	32 783 000	26 850 DC0	27 707 DC0	26 899 000	27 978 000	29 396 DA0	19 069 DA3
25 242 003	32 780 000	26 852 000	26 037 001	26 900 000	27 986 000	29 396 DC0	19 069 DC3
25 248 001	23 491 001	26 852 IG0	26 037 IG0	26 900 DA0	27 986 DA0	29 396 GL0	19 069 GL3
25 248 A01	23 491 A01	26 853 000	26 038 000	26 900 IG0	27 986 IG0	29 397 000	19 088 003
25 248 AL1	23 491 AL1	26 853 IG0	26 038 IG0	26 901 000	27 993 000	29 397 AL0	19 088 AL3
25 248 DA1	23 491 DA1	26 854 000	26 473 000	26 901 IG0	27 993 IG0	29 397 DA0	19 088 DA3
25 248 DC1	23 491 DC1	26 854 EN0	26 473 EN0	27		29 397 DC0	19 088 DC3
25 248 DL1	23 491 DL1	26 855 000	26 042 000			27 137 001	27 137 000
25 248 GL1	23 491 GL1	26 856 000	26 054 000	27 296 003	27 296 002	29 398 000	19 796 000
25 248 GN1	23 491 GN1	26 857 000	26 060 000	27 473 002	27 473 001	29 398 AL0	19 796 AL0
25 249 001	33 628 001	26 858 000	26 064 000			29 398 DC0	19 796 DC0

GROHE REPLACEMENT PRODUCTS

New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU	New Professional / SPA exclusive SKU	Old SKU
29 399 000	19 798 000	30 609 AL0	30 362 AL0	36 475 000	36 371 000	40 889 DC0	40 309 DC3
29 399 AL0	19 798 AL0	30 609 DC0	30 362 DC0	36 476 000	36 397 000	40 889 EN0	40 309 EN3
29 399 DC0	19 798 DC0	30 619 000	30 567 000			40 889 GL0	40 309 GL3
29 402 000	19 781 000	30 978 000	20 025 000	38		40 890 000	40 312 003
29 402 AL0	19 781 AL0	31		38 422 20A	38 422 10A	40 890 AL0	40 312 AL3
29 402 DC0	19 781 DC0	31 170 000	31 159 002	38 525 20A	38 526 10A	40 890 DA0	40 312 DA3
29 403 000	19 783 000	31 391 003	33 772 002	38 528 20A	38 528 10A	40 890 DC0	40 312 DC3
29 403 AL0	19 783 AL0	31 481 001	31 126 004	38 661 20A	38 761 10A	40 890 EN0	40 312 EN3
29 403 DC0	19 783 DC0	31 481 001	31 482 003	38 721 20A	38 721 10A	40 890 GL0	40 312 GL3
29 405 000	19 787 001	31 481 001	31 482 003	38 761 20A	38 868 10A	40 891 000	40 313 003
29 405 AL0	19 787 AL1	31 794 000	33 982 002	38 772 20A	38 661 10A	40 891 AL0	40 313 AL3
29 405 DC0	19 787 DC1	31 886 000	31 593 002	38 772 20A	38 772 10A	40 891 DA0	40 313 DA3
29 406 000	19 918 003	31 886 DC0	31 593 DC2	38 773 20A	38 773 10A	40 891 DC0	40 313 DC3
29 406 AL0	19 918 AL3	31 892 000	31 615 000	38 860 20A	38 860 10A	40 891 EN0	40 313 EN3
29 406 DA0	19 918 DA3	31 892 DC0	31 615 DC0	38 868 20A	38 525 10A	40 891 GL0	40 313 GL3
29 406 DC0	19 918 DC3	32				40 892 000	40 314 003
29 406 GL0	19 918 GL3	32 146 001	32 146 000	39		40 892 AL0	40 314 AL3
29 407 000	19 922 003	32 221 003	32 221 002	39 577 000	39 576 000	40 892 DA0	40 314 DA3
29 407 AL0	19 922 AL3	32 468 003	23 567 003	39 972 000	38 809 000	40 892 DC0	40 314 DC3
29 407 DA0	19 922 DA3	32 757 001	32 757 000	39 973 000	38 824 000	40 892 EN0	40 314 EN3
29 407 DC0	19 922 DC3	32 825 00E	32 825 000	39 980 KSO	39 374 KSO	40 892 GL0	40 314 GL3
29 407 GL0	19 922 GL3	32 826 001	32 826 000	39 980 LSO	39 374 LSO	40 893 000	40 493 000
29 408 000	19 923 003	32 843 002	33 975 004	40		40 894 000	40 494 000
29 408 AL0	19 923 AL3	32 843 002	33 975 40D	40 279 001	40 279 000	40 895 000	40 496 000
29 408 DA0	19 923 DA3	32 846 001	32 846 000	40 284 001	40 284 000	40 896 000	40 497 000
29 408 DC0	19 923 DC3	33		40 306 003	40 363 000	40 897 000	40 498 000
29 408 GL0	19 923 GL3	33 190 20E	33 190 002	40 339 001	40 339 000	40 898 000	40 499 000
29 410 000	19 287 003	33 202 003	33 202 002	40 340 001	40 340 000	40 900 000	40 500 000
29 410 AL0	19 287 AL3	33 281 DC3	33 281 DC2	40 341 001	40 341 000	40 906 000	40 503 000
29 410 DA0	19 287 DA3	33 552 20E	33 552 002	40 342 001	40 342 000	40 907 000	40 504 000
29 410 GL0	19 287 GL3	33 558 LS3	23 707 LS3	40 364 DC1	40 344 DC1	40 908 000	40 625 000
29 411 000	29 069 000	33 565 LS3	23 720 LS3	40 365 DC1	40 344 DC1	40 908 EN0	40 625 EN0
29 412 000	29 072 000	33 590 LS3	23 722 LS3	40 366 DC1	40 344 DC1	40 908 IGO	40 625 IGO
29 413 000	29 073 000	33 591 LS3	23 726 LS3	40 882 000	40 254 003	40 909 000	40 626 000
29 414 000	29 074 000	34		40 883 000	40 256 003	40 909 IGO	40 626 IGO
29 415 000	19 919 000	34 813 001	34 294 001	40 884 000	40 304 003	40 910 000	40 627 000
29 416 000	19 929 000	34 814 003	34 143 003	40 884 AL0	40 304 AL3	40 910 IGO	40 627 IGO
29 416 DA0	19 929 DA0	34 815 003	34 147 003	40 884 DA0	40 304 DA3	40 923 000	40 628 000
29 416 IGO	19 929 IGO	34 816 003	34 155 003	40 884 DC0	40 304 DC3	40 923 IGO	40 628 IGO
29 417 000	19 930 000	34 817 003	34 146 003	40 884 EN0	40 304 EN3	40 928 000	40 629 000
29 417 IGO	19 930 IGO	34 819 004	34 152 004	40 884 GL0	40 304 GL3	40 928 EN0	40 629 EN0
29 418 000	19 936 000	34 820 004	34 151 004	40 885 000	40 305 003	40 928 IGO	40 629 IGO
29 418 IGO	19 936 IGO	34 823 003	34 156 003	40 885 AL0	40 305 003	40 929 000	40 630 000
29 419 000	19 942 000	34 825 001	34 557 001	40 885 DA0	40 305 AL3	40 929 EN0	40 630 EN0
29 419 IGO	19 942 IGO	34 827 000	34 776 000	40 885 DC0	40 305 DC3	40 929 IGO	40 630 IGO
29 420 000	19 944 000	34 828 000	34 777 000	40 885 EN0	40 305 EN3	40 930 000	40 631 000
29 420 DA0	19 944 DA0	34 830 000	34 779 000	40 885 GL0	40 305 GL3	40 930 IGO	40 631 IGO
29 420 IGO	19 944 IGO	34 831 000	34 780 000	40 886 000	40 306 003	40 946 000	40 632 000
30		34 834 000	34 783 000	40 886 AL0	40 306 AL3	40 946 IGO	40 632 IGO
30 026 002	30 026 DC2	34 835 000	34 784 000	40 886 DA0	40 306 DA3	40 960 000	40 633 000
30 193 000	31 124 002	34 836 000	34 785 000	40 886 DC0	40 306 DC3	40 960 EN0	40 633 EN0
30 194 000	31 127 002	35		40 886 EN0	40 306 EN3	40 960 IGO	40 633 IGO
30 580 000	33 251 000	35 107 000	35 034 000	40 886 GL0	40 306 GL3	40 963 001	40 278 000
30 581 000	31 303 000	35 604 000	35 600 000	40 887 000	40 307 003	42	
30 582 000	30 382 000	36		40 887 AL0	40 307 AL3	42 633 000	42 429 000
30 583 000	30 499 000	36 325 002	36 325 001	40 887 DA0	40 307 DA3	42 634 000	47 837 000
30 583 DC0	30 382 DC0	36 327 002	36 327 001	40 887 DC0	40 307 DC3	42 635 000	47 867 000
30 584 000	30 383 000	36 330 002	36 330 001	40 887 EN0	40 307 EN3	42 636 000	47 868 000
30 586 000	30 385 000	36 421 001	36 421 000	40 887 GL0	40 307 GL3	42 637 000	47 877 000
30 587 000	30 386 000	36 422 001	36 422 000	40 888 000	40 308 003		
30 588 000	30 387 000	36 439 001	36 439 000	40 888 AL0	40 308 AL3		
30 589 000	31 721 000	36 472 000	36 359 000	40 888 DA0	40 308 DA3		
30 590 000	31 721 DC0	36 473 000	36 360 000	40 888 DC0	40 308 DC3		
30 590 DC0	31 722 000	36 474 000	36 367 000	40 888 EN0	40 308 EN3		
30 590 KFO	31 723 000			40 888 GL0	40 308 GL3		
30 591 000	30 393 000			40 889 000	40 309 003		
30 609 000	30 362 000			40 889 AL0	40 309 AL3		
				40 889 DA0	40 309 DA3		

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
00			13 487 DC0		250	19 409 AL1		80	20 189 GN2		72
00 798 000		3920	13 487 GL0		250	19 409 DC1		80	20 193 002		80
06			13 540 000		644	19 446 002		72	20 193 A02		72
06 188 000		800	13 927 000		2500	19 446 A02		72	20 193 DL2		72
06 765 000		1000	13 928 000		1485	19 446 DL2		72	20 193 GN2		72
07			13 929 000		1725	19 446 GN2		72	20 201 000	12	144
07 000 000		810	13 952 000		1485	19 470 000		600	20 203 000	16	432
07 025 000		1485	13 960 000		960	19 506 002	12	144	20 205 000	36	576
07 052 000		795	14			19 506 003	12	144	20 208 002	9	54
07 146 000		1485	14 014 000		146	19 506 LS3	12	144	20 216 001	9	54
07 182 000		465	14 048 000		280	19 507 002	12	144	20 296 001		88
07 264 00M		1165	14 053 00M		1960	19 507 003	12	144	20 299 001		88
07 341 000		521	14 055 000		1960	19 507 LS3	12	144	20 301 003		100
07 587 000		1960	14 056 000		1120	19 571 002	10	120	20 304 001		100
07 659 000		465	14 056 000		1120	19 571 003	10	120	20 351 000	9	54
08			14 057 000		1120	19 571 LS3	10	120	20 351 AL0		60
08 915 000		1960	14 058 000		2160	19 573 002		80	20 351 DC0		60
10			14 074 000		19	19 575 001	10	120	20 393 001	16	256
10 099 00M		3920	14 116 00M		1000	19 576 002		24	20 404 001	32	512
12			14 117 00M		1960	19 577 001		28	20 421 001	24	288
12 051 000		720	14 917 000		50	19 577 AL1		28	20 421 10M	6	72
12 140 000		1000	14 926 002	30	120	19 577 DC1		28	20 422 001	24	288
12 400 000		1500	18			19 577 EN1		28	20 575 000	24	288
12 433 000		1960	18 608 001		384	19 590 001		250	20 619 000		45
12 435 000		1000	18 700 000	34	272	19 590 A01		250	20 619 DA0		45
12 693 000		1120	18 862 000		1960	19 590 DL1		250	20 619 IG0		45
13			18 862 000		1960	19 590 GN1		250	20 622 000		45
13 034 000		252	18 968 001		112	19 808 001		1155	20 622 IG0		45
13 071 000		380	18 968 A01	7	140	19 809 001		1155	20 623 000		45
13 220 000		3100	18 968 DL1	7	140	19 830 000		1155	20 623 IG0		45
13 255 001	26	312	18 968 GN1	7	140	19 831 000		1155	20 624 000		45
13 261 000	26	312	19			19 840 000		1155	20 624 IG0		45
13 262 000	26	312	19 025 000		792	19 841 000		795	20 626 000		45
13 264 001		80	19 309 002		80	19 895 000	10	120	20 626 AL0		45
13 276 002	26	312	19 309 A02		72	19 895 AL0		80	20 626 DC0		45
13 278 002		324	19 309 DL2		72	19 897 001		28	20 627 000		45
13 280 001	26	312	19 309 GN2		72	19 897 AL1		28	20 627 AL0		45
13 281 001	26	312	19 315 001		72	19 897 DC1		28	20 627 DC0		45
13 303 000	26	312	19 315 A01		72	19 910 000	70	1120	20 628 000		80
13 303 AL0		338	19 315 A01		72	19 952 000		512	20 628 AL0		80
13 303 DC0		338	19 315 DL1		72	19 952 A00		512	20 628 DC0		80
13 304 000	26	312	19 315 GN1		72	19 952 AL0		512	20 629 000		80
13 317 001		60	19 316 001		28	19 952 BE0		512	20 629 AL0		80
13 317 A01		60	19 316 A01		28	19 952 DA0		512	20 629 DC0		80
13 317 DL1		60	19 316 DL1		28	19 952 DC0		512	20 634 SD0		14
13 317 GN1		60	19 316 GN1		28	19 952 DL0		512	20 635 SD0		14
13 378 000	45	720	19 317 001		72	19 952 EN0		512	20 643 000		60
13 380 000	36	576	19 317 A01		72	19 952 GL0		512	20 643 AL0		60
13 383 001		250	19 317 DL1		72	19 952 GN0		512	20 643 DA0		60
13 383 DC1		250	19 317 GN1		72	19 954 000		1725	20 643 DC0		60
13 404 003		250	19 317 DL1		72	19 965 001		28	20 643 GL0		60
13 404 DC3		250	19 332 000		336	19 966 000		28	20 649 000		60
13 448 003	12	144	19 334 001		600	19 968 000		80	20 649 AL0		60
13 484 000		250	19 334 A01		600	19 969 000		80	20 649 DA0		60
13 484 DA0		250	19 334 DL1		600	19 974 002		80	20 649 DC0		60
13 484 IG0		250	19 334 GN1		600	19 976 001		28	20 649 GL0		60
13 485 000		80	19 345 001	12	144	19 997 000		80	20 658 000		290
13 485 AL0		80	19 346 001	12	144	19 998 000		80	20 658 AL0		290
13 485 DC0		80	19 380 002		72	20			20 658 DA0		290
13 487 000		390	19 380 A02		72	20 186 001	24	384	20 658 DC0		290
13 487 AL0		250	19 380 DL2		72	20 187 000		66	20 658 GL0		290
13 487 DA0		390	19 380 GN2		72	20 188 001		66	20 661 000		120
			19 381 000		80	20 188 001		66	20 661 AL0		120
			19 382 000		183	20 188 A01		66	20 661 DA0		120
			19 382 000		183	20 188 DL1		66	20 661 DC0		120
			19 383 000		183	20 188 GN1		66	20 661 EN0		120
			19 386 002		80	20 189 002		80	20 661 GL0		120
			19 386 A02		72	20 189 A02		72	20 662 000		120
			19 386 DL2		72	20 189 DL2		72	20 662 AL0		120
			19 386 GN2		72						
			19 409 001		80						

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
20 662 DA0		120	23 137 000		290	23 445 ALO		148	23 790 001		160
20 662 DC0		120	23 138 000		200	23 445 DC0		128	23 791 001		110
20 662 GL0		120	23 140 000		92	23 446 000		128	23 791 AL1		111
20 664 SD0		14	23 140 ALO		92	23 447 000		128	23 791 DC1		111
20 665 SD0		14	23 140 DC0		92	23 448 002		128	23 792 001		9
20 666 000		60	23 141 000		60	23 449 002		128	23 792 AL1		9
20 666 IGO		60	23 145 000		95	23 450 001	12	96	23 792 DC1		9
21			23 145 ALO		95	23 451 001	12	96	23 792 EN1		9
21 144 000		48	23 145 DC0		72	23 456 003	8	128	23 843 003		39
21 144 AL0		48	23 147 001		10	23 480 001		96	23 843 DC3		39
21 144 DA0		48	23 200 000		145	23 537 003		112	23 844 003		39
21 144 DC0		48	23 200 002		120	23 559 001	16	192	23 845 003		28
21 144 GL0		48	23 296 001		60	23 564 003	16	192	23 846 003		9
21 145 000		48	23 296 DC1		60	23 567 003	16	192	23 846 AL3		9
21 145 AL0		48	23 302 000		192	23 569 003		112	23 846 DC3		9
21 145 DA0		48	23 319 000		175	23 570 003	4	48	23 851 003		42
21 145 DC0		48	23 322 003	11	132	23 570 LS3	4	48	23 851 AL3		42
21 145 GL0		48	23 323 003	11	132	23 571 000		92	23 851 DC3		42
21 149 000		48	23 324 003	8	128	23 602 001	6	96	23 856 001		20
21 149 AL0		48	23 325 000	12	144	23 604 001	6	96	23 856 A01		20
21 149 DA0		48	23 327 000	12	96	23 633 001	12	144	23 856 DL1		20
21 149 DC0		48	23 327 KW0	11	132	23 635 001	12	144	23 856 GN1		20
21 149 GL0		48	23 328 001	16	192	23 654 000		100	23 870 003		128
21 375 001	140		23 330 001	16	192	23 656 000		100	23 871 003		42
21 390 001	64		23 331 001	16	192	23 657 000		100	23 871 AL3		42
22			23 335 001	16	192	23 658 000		100	23 871 DC3		42
22 012 000	64	1024	23 337 001	16	192	23 661 000		60	23 872 003		42
22 012 AL0	64	1024	23 338 001	16	192	23 664 000		100	23 873 003		42
22 012 DC0	64	1024	23 372 003	11	132	23 665 000		144	23 877 001	16	192
22 013 000	64	1024	23 373 20E	16	192	23 666 000		60	23 878 001	16	192
22 016 00M	16	192	23 374 003	16	192	23 667 001		20	23 879 001	16	192
22 017 00M	16	192	23 374 20E	16	192	23 672 001		20	23 883 001	16	192
22 018 000	200	3200	23 374 LS3	16	192	23 672 AL1		21	23 885 001	16	192
22 023 000	200	3200	23 376 00E	16	192	23 672 DC1		21	23 886 001	16	192
22 029 000	100	1600	23 377 00E	16	192	23 707 003	16	192	23 887 001	16	192
22 032 000	100	1600	23 378 00E	16	192	23 707 LS3	16	192	23 891 001		112
22 033 000	72	1152	23 380 10E	16	192	23 708 003	16	192	23 894 001	16	192
22 035 000	72	1152	23 382 20E	160		23 709 003	16	192	23 895 001	16	192
22 037 000	144	2304	23 384 20E	164		23 709 LS3	16	192	23 896 001	16	192
22 043 000	144	2304	23 385 10E	16	192	23 715 003	16	192	23 899 001	16	192
22 046 000	100	1600	23 387 20E	16	192	23 716 003	16	192	23 911 001		112
22 053 000	144	2304	23 389 20E	164		23 718 003		112	23 917 001	16	192
22 054 001	16	192	23 390 00E	200		23 718 LS3	6	72	23 920 001	4	48
22 115 000		300	23 392 00E	200		23 719 003	4	48	23 921 000	4	48
22 917 000		960	23 393 30E	11	132	23 719 LS3	4	48	23 922 003	11	132
22 939 000	72	1152	23 394 30E	11	132	23 720 003	16	192	23 923 003	11	132
22 940 000	72	1152	23 395 30E	11	132	23 720 LS3	16	192	23 924 003	11	132
22 958 00M		168	23 396 00E	12	96	23 722 003	12	96	23 925 000	16	192
23			23 403 001		20	23 722 LS3	12	96	23 926 000	12	96
23 037 002	16	192	23 403 A01		20	23 725 003		60	23 927 000	16	192
23 039 002	24	288	23 403 DL1		20	23 726 003	6	72	23 928 000	12	96
23 043 003		67	23 403 GN1		20	23 726 LS3	6	72	23 929 003	16	192
23 048 003		28	23 405 001		60	23 730 003		60	23 930 003	16	192
23 049 002		160	23 405 AL1		64	23 739 002		74	23 931 001	16	192
23 051 002		290	23 405 DC1		64	23 741 001		10	23 932 001	12	96
23 054 003		74	23 406 000		60	23 741 DC1		10	23 933 001		67
23 055 002		100	23 406 ALO		64	23 743 003		112	23 958 003		39
23 058 003		10	23 406 DC0		64	23 751 000	16	192	23 959 003		39
23 060 001	10	120	23 425 000		100	23 752 000	16	192	23 965 003	11	132
23 106 001		108	23 427 000		100	23 753 000		112	23 967 003	11	132
23 106 AL1	8	96	23 428 000		60	23 754 000	16	192	23 968 003	11	132
23 106 DC1		120	23 429 000		92	23 755 000	12	144	23 969 003	8	128
23 127 00E		200	23 430 000		138	23 756 000	6	96	23 970 003		112
23 132 00E		200	23 431 000		60	23 757 001	5	60	23 971 003	4	48
23 135 000		60	23 432 000		60	23 760 001		112	23 972 001	16	192
23 135 00E		60	23 444 001		80	23 761 001	16	192	23 975 003		39
			23 444 AL1		80	23 762 001	16	192	23 976 003	8	128
			23 444 DC1		80	23 763 001		112	23 980 003	8	128
			23 445 000		128	23 764 001	16	192	23 981 003	8	128

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
23 982 003	4	48	24 155 DC0		72	24 174 DL1		96	24 355 DA0		72
23 983 003	4	48	24 160 001		39	24 174 GL1		96	24 355 DC0		72
23 984 003		72	24 160 A01		39	24 174 GN1		96	24 355 GL0		72
23 985 003		72	24 160 DL1		39	24 175 001	14	168	24 356 000		72
23 986 003		72	24 160 GN1		39	24 176 001		96	24 356 AL0		72
23 987 003		72	24 167 001		72	24 176 KF1		96	24 356 DA0		72
23 988 003		72	24 167 A01		72	24 177 001		96	24 356 DC0		72
23 989 003		72	24 167 AL1		72	24 177 KF1		96	24 356 GL0		72
24			24 167 DA1		72	24 178 001	16	192	24 357 000		72
24 036 000		100	24 167 DC1		72	24 178 A01	16	192	24 357 AL0		72
24 042 003		72	24 167 DL1		72	24 178 AL1	16	192	24 357 DA0		72
24 043 003	12	72	24 167 GL1		72	24 178 DA1	16	192	24 357 DC0		72
24 044 000		72	24 167 GN1		72	24 178 DC1	16	192	24 357 GL0		72
24 045 000		72	24 167 KF1		72	24 178 DL1	16	192	24 358 000		72
24 046 003		72	24 168 001		72	24 178 GL1	16	192	24 358 AL0		72
24 046 LS3		72	24 168 A01		72	24 178 GN1	16	192	24 358 DA0		72
24 047 003		72	24 168 AL1		72	24 179 001	8	96	24 358 DC0		72
24 047 LS3		72	24 168 DA1		72	24 180 001		176	24 358 GL0		72
24 048 003		72	24 168 DC1		72	24 183 001	14	168	24 359 000		72
24 048 LS3		72	24 168 DL1		72	24 192 003	8	128	24 359 AL0		72
24 049 003		72	24 168 DL1		72	24 193 001	8	128	24 359 DA0		72
24 049 LS3		72	24 168 GL1		72	24 259 000		72	24 359 DC0		72
24 051 002		72	24 168 GN1		72	24 259 IGO		72	24 359 GL0		72
24 052 002		72	24 169 001		72	24 260 000		72	24 362 000		48
24 053 001		72	24 169 A01		72	24 260 DA0		72	24 362 AL0		42
24 054 001		72	24 169 AL1		72	24 260 IGO		72	24 362 DA0		48
24 055 002		72	24 169 DA1		72	24 277 000		72	24 362 DC0		48
24 056 002		72	24 169 DC1		72	24 277 AL0		72	24 362 GL0		48
24 059 003		72	24 169 DL1		72	24 277 DC0		72	24 363 000		48
24 059 AL3		72	24 169 GL1		72	24 279 000		72	24 363 AL0		42
24 059 DC3		72	24 169 GN1		72	24 279 AL0		72	24 363 DA0		48
24 060 003		72	24 170 001		66	24 279 DC0		72	24 363 DC0		48
24 060 AL3		72	24 170 A01		66	24 340 000		72	24 363 GL0		48
24 060 DC3		72	24 170 AL1		66	24 340 AL0		72	24 364 000		20
24 061 000		72	24 170 DA1		66	24 340 DC0		72	24 364 AL0		20
24 061 AL0		72	24 170 DC1		66	24 341 000		100	24 364 DA0		20
24 062 000		72	24 170 DL1		66	24 341 AL0		100	24 364 DC0		20
24 062 AL0		72	24 170 GL1		66	24 341 DC0		100	24 364 GL0		20
24 062 DC0		72	24 170 GN1		66	24 342 000		128	24 365 000		48
24 063 001		72	24 170 KF1		66	24 342 AL0		128	24 365 AL0		42
24 063 AL1		72	24 171 001		164	24 342 DC0		128	24 365 DA0		48
24 063 DC1		72	24 171 A01		164	24 344 000		24	24 365 DC0		42
24 064 001		72	24 171 AL1		164	24 344 AL0		24	24 365 GL0		48
24 064 AL1		72	24 171 DA1		164	24 344 DC0		24	24 366 000		40
24 064 DC1		72	24 171 DC1		164	24 345 000		24	24 366 AL0		40
24 075 000		72	24 171 DL1		164	24 345 AL0		24	24 366 DA0		40
24 076 000		72	24 171 GL1		164	24 345 DC0		24	24 366 DC0		40
24 077 000		72	24 171 GN1		164	24 346 000		45	24 366 GL0		40
24 078 000		72	24 172 001		164	24 346 AL0		45	24 367 000		40
24 079 000		72	24 172 A01		164	24 346 DC0		45	24 367 AL0		40
24 080 000		72	24 172 AL1		164	24 347 000		128	24 367 DA0		40
24 093 003		72	24 172 DA1		164	24 347 AL0		128	24 367 DC0		40
24 093 AL3		72	24 172 DC1		164	24 347 DC0		128	24 367 GL0		40
24 093 DC3		72	24 172 DL1		164	24 348 000		8	24 368 000		8
24 094 000		72	24 172 GL1		164	24 348 001		8	24 368 AL0		8
24 094 AL0		72	24 172 GN1		164	24 348 AL0		8	24 368 DA0		8
24 094 DC0		72	24 172 KF1		164	24 348 DC0		8	24 368 DC0		8
24 095 001		72	24 173 001		96	24 353 000		20	24 368 EN0		8
24 095 AL1		72	24 173 A01		96	24 353 AL0		20	24 368 GL0		8
24 095 DC1		72	24 173 AL1		96	24 353 DA0		20	24 369 000		100
24 153 000		72	24 173 DA1		96	24 353 DC0		20	24 369 DA0		100
24 153 AL0		72	24 173 DC1		96	24 353 GL0		20	24 369 IGO		100
24 153 DC0		72	24 173 DL1		96	24 354 000		72	24 370 000		100
24 154 000		72	24 173 GL1		96	24 354 AL0		72	24 370 IGO		100
24 154 AL0		72	24 173 GN1		96	24 354 DA0		72	24 371 000		45
24 154 DC0		72	24 174 001		96	24 354 DC0		72	24 371 IGO		45
24 155 000		72	24 174 A01		96	24 354 GL0		72	24 372 000		100
24 155 AL0		72	24 174 AL1		96	24 355 000		72	24 372 IGO		100
			24 174 DA1		96	24 355 AL0		72	24 373 000		49
			24 174 DC1		96						

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
24 373 IG0		49	25 252 GL1		66	26 187 000		16	26 477 A00		20
24 374 000		49	25 252 GN1		66	26 223 001		25	26 477 AL0		20
24 374 IG0		49	25 252 KF1		66	26 224 001		10	26 477 DA0		20
24 375 000		8	25 268 000		40	26 243 000		16	26 477 DC0		20
24 375 IG0		8	25 268 AL0		40	26 250 000		10	26 477 DL0		20
24 395 KF1	16	192	25 268 DA0		40	26 250 LSO		10	26 477 GL0		20
25			25 268 DC0		40	26 254 000		12	26 477 GN0		20
25 098 003	6	36	25 268 GL0		40	26 254 LSO		12	26 477 LSO		20
25 102 000	9	54	25 272 000		8	26 256 000		26	26 479 000		20
25 104 000	9	54	25 272 AL0		8	26 257 000		42	26 479 A00		20
25 105 003	6	36	25 272 DA0		8	26 264 001		120	26 479 AL0		20
25 109 000	9	54	25 272 DC0		8	26 267 001		350	26 479 DC0		20
25 113 000	9	54	25 272 EN0		8	26 302 001		16	26 479 DL0		20
25 128 000	9	54	25 272 GL0		8	26 308 001		382	26 479 GN0		20
25 129 000	9	54	25 450 001		193	26 330 001		382	26 479 LSO	1	12
25 132 003	6	36	25 452 001		193	26 334 000		300	26 481 000		20
25 133 003	6	36	25 460 10A		95	26 334 001		300	26 481 A00		20
25 136 000	9	54	26			26 335 000		300	26 481 AL0		20
25 137 000	9	54	26 050 001		637	26 335 001		300	26 481 DC0		20
25 216 001	6	36	26 051 001		637	26 346 000		300	26 481 DL0		20
25 217 001	6	36	26 052 000		84	26 346 001		300	26 481 GN0		20
25 219 001		12	26 056 000		42	26 352 000	40	240	26 481 LSO	1	12
25 221 001		28	26 060 000		62	26 353 000	40	240	26 483 000		310
25 221 A01		28	26 062 000		84	26 354 000	40	240	26 484 000		292
25 221 DL1		28	26 063 000		84	26 355 ILO	40	240	26 507 000		10
25 221 GN1		28	26 066 000		42	26 356 ILO	40	240	26 507 A00		10
25 222 001		9	26 066 A00		42	26 357 000	20	120	26 507 AL0		10
25 222 A01		9	26 066 AL0		42	26 358 000		132	26 507 DA0		10
25 222 DL1		9	26 066 DA0		42	26 361 000		10	26 507 DC0		10
25 222 GN1		9	26 066 DC0		42	26 361 LSO		10	26 507 DL0		10
25 227 000		8	26 066 DL0		42	26 363 000		16	26 507 GL0		10
25 231 001	6	36	26 066 DLO		42	26 370 000	75	900	26 507 GN0		10
25 232 001	6	36	26 066 GL0		42	26 381 001		28	26 507 LSO		10
25 241 003	6	96	26 066 GN0		42	26 383 000		16	26 508 000		10
25 242 003	6	96	26 067 000		42	26 385 000		1960	26 508 A00		10
25 243 003	6	96	26 067 A00		42	26 405 000		132	26 508 AL0		10
25 244 003	6	96	26 067 AL0		42	26 406 001		132	26 508 DC0		10
25 248 001		9	26 067 DA0		42	26 408 000		93	26 508 DLO		10
25 248 A01		9	26 067 DC0		42	26 409 000		93	26 508 GN0		10
25 248 AL1		9	26 067 DL0		42	26 410 000		93	26 508 LSO		10
25 248 DA1		9	26 067 DLO		42	26 412 000		93	26 509 000		10
25 248 DC1		9	26 067 GL0		42	26 413 000		90	26 510 000		16
25 248 DL1		9	26 067 GN0		42	26 414 000		90	26 513 000		375
25 248 GL1		9	26 070 000		62	26 443 000		6	26 514 000		16
25 248 GN1		9	26 071 000		62	26 443 LSO		6	26 544 000		408
25 249 001		56	26 073 000		60	26 446 000		6	26 546 000		64
25 250 001		66	26 075 001		10	26 446 LSO		6	26 550 000		408
25 250 A01		66	26 075 A00	1	10	26 449 000		100	26 552 000		408
25 250 AL1		66	26 075 AL0	1	10	26 450 000		12	26 553 000		332
25 250 DA1		66	26 075 DA0	1	10	26 450 LSO		12	26 557 000		45
25 250 DC1		66	26 075 DC0	1	10	26 455 000		52	26 558 000		45
25 250 DL1		66	26 075 DL0	1	10	26 457 000		52	26 559 000		45
25 250 GL1		66	26 075 GL0	1	10	26 458 000		52	26 560 000		45
25 250 GN1		66	26 075 GN0	1	10	26 459 000		52	26 561 000		45
25 250 KF1		66	26 082 002		480	26 459 000		52	26 561 LSO		44
25 251 001		28	26 083 002		100	26 460 000		52	26 562 000		45
25 251 A01		28	26 084 002		132	26 461 000		52	26 562 LSO		45
25 251 AL1		28	26 085 001		480	26 468 000		120	26 563 000		45
25 251 DA1		28	26 086 001		100	26 472 000		60	26 564 000		45
25 251 DC1		28	26 087 000		16	26 474 EN0	4	120	26 564 AL0		45
25 251 DL1		28	26 089 001		350	26 475 000		20	26 564 DLO		45
25 251 GL1		28	26 090 001		350	26 475 A00		20	26 564 DL0		45
25 252 001		66	26 130 001		480	26 475 AL0		20	26 564 GN0		45
25 252 A01		66	26 145 000		136	26 475 DA0		20	26 565 000		45
25 252 AL1		66	26 146 000		136	26 475 DC0		20	26 566 000		45
25 252 DA1		66	26 146 LSO		133	26 475 DLO		20	26 566 AL0		10
25 252 DC1		66	26 161 001		480	26 475 GL0		20	26 566 DC0		10
25 252 DL1		66	26 162 001		100	26 475 GN0		20	26 566 DLO		10
			26 164 001		132	26 475 LSO		20	26 566 GN0		10
			26 171 000		28	26 477 000		20	26 567 000		45

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
26 567 LS0		45	26 657 000		16	27 057 000		1400	27 470 LS0		56
26 568 000		45	26 662 000		66	27 057 A00		180	27 475 001		23
26 568 LS0		43	26 663 000		66	27 057 AL0		180	27 475 002		23
26 569 000		45	26 664 000		66	27 057 DA0		180	27 477 000		60
26 570 000		45	26 666 000		66	27 057 DCO		180	27 478 000		60
26 574 000		408	26 668 000		66	27 057 DL0		1400	27 484 000		240
26 574 A00		408	26 669 000		66	27 057 GL0		180	27 485 000		275
26 574 AL0		408	26 670 000		16	27 057 GN0		180	27 488 000		279
26 574 DA0		408	26 681 000		66	27 058 000		16	27 492 000		93
26 574 DCO		408	26 682 000		66	27 062 000		320	27 499 000		156
26 574 DL0		408	26 683 000		66	27 067 000		800	27 500 000		102
26 574 GL0		408	26 685 000		66	27 074 000		1400	27 512 001	150	900
26 574 GN0		408	26 687 000		66	27 074 A00		180	27 513 001	40	240
26 574 LS0		408	26 688 000		66	27 074 AL0		180	27 514 001	20	120
26 575 000		64	26 689 000		16	27 074 BE0		1120	27 519 000		165
26 578 000		44	26 691 000		27	27 074 DA0		180	27 521 000		175
26 578 LS0		44	26 723 000		10	27 074 DCO		180	27 522 000		108
26 579 LS0		44	26 801 000	12	192	27 074 DL0		180	27 523 000		175
26 580 000		132	26 801 A00	12	192	27 074 EN0		180	27 524 000		108
26 580 LS0		132	26 801 AL0	12	192	27 074 GL0		180	27 530 000		99
26 581 000		132	26 801 BE0	12	192	27 074 GN0		180	27 531 000		183
26 581 LS0		132	26 801 DA0	12	192	27 074 LS0		1400	27 541 001		156
26 582 000		408	26 801 DCO	12	192	27 075 000		300	27 569 000		16
26 582 A00		408	26 801 DL0	12	192	27 076 000		1400	27 571 002		480
26 582 AL0		408	26 801 EN0	12	192	27 102 000		315	27 571 20E		480
26 582 DCO		408	26 801 GL0	12	192	27 134 000		114	27 572 002		480
26 582 DL0		408	26 801 GN0	12	192	27 135 000		114	27 573 002		480
26 582 GN0		408	26 802 000	12	192	27 135 EN0	5	96	27 574 002		480
26 582 LS0		408	26 802 A00	12	192	27 137 000		300	27 575 002		480
26 583 000		64	26 802 AL0	12	192	27 137 001		300	27 576 002		100
26 584 000		64	26 802 DCO	12	192	27 151 000		300	27 577 002		100
26 584 LS0		64	26 802 DL0	12	192	27 174 001	1	4	27 578 002		100
26 585 000		64	26 802 GN0	12	192	27 180 000		1485	27 578 20E		100
26 586 000		44	26 803 000		100	27 206 000		520	27 579 002		100
26 586 LS0		44	26 839 000		576	27 220 000		375	27 580 002		100
26 587 000		44	26 840 000		168	27 221 000		375	27 584 002		132
26 587 LS0		44	26 841 000	10	120	27 221 001		375	27 588 002		132
26 588 000		132	26 842 000		1280	27 222 000		375	27 591 001		637
26 588 LS0		132	26 843 000	10	120	27 224 000		375	27 594 000		1960
26 589 000		132	26 847 000	80	1280	27 225 001		50	27 595 000		1000
26 589 LS0		132	26 847 AL0	80	1280	27 226 001		50	27 596 000		380
26 590 000		332	26 847 DCO	80	1280	27 227 001		50	27 597 001		480
26 591 000		64	26 850 000	80	1280	27 230 001		100	27 597 10E		480
26 592 000		64	26 850 AL0	80	1280	27 231 001		100	27 598 001		100
26 592 LS0		64	26 850 DCO	80	1280	27 232 001		100	27 598 10E		100
26 593 000		44	26 863 000		1	27 237 000		432	27 600 001		100
26 594 000		44	26 865 000		5	27 238 000		375	27 601 10E		132
26 594 LS0		44	26 866 000		864	27 239 000		375	27 606 001		637
26 602 000		182	26 866 A00		864	27 239 001		375	27 608 001		480
26 603 000		119	26 867 000		864	27 242 001		100	27 609 001		100
26 603 A00		80	26 878 000		165	27 243 001		100	27 610 001		637
26 603 AL0		80	26 879 000		840	27 256 001		90	27 615 002		14
26 603 BE0		80	26 880 000		297	27 265 000		375	27 641 000		25
26 603 DA0		80	26 895 000		40	27 265 00E		375	27 644 001		100
26 603 DL0		80	26 895 AL0		40	27 266 001		100	27 645 001		100
26 603 EN0		80	26 895 DA0		40	27 266 00E		100	27 646 001		50
26 603 GL0		80	26 895 DCO		40	27 267 001		50	27 646 10E		50
26 603 GN0		80	26 895 GL0		40	27 274 000		160	27 693 000	80	1280
26 608 000		10	26 896 000		800	27 296 001		16	27 696 000		16
26 640 000		45	26 896 DA0		800	27 296 003		14	27 698 000		900
26 641 000		45	26 896 IGO		800	27 354 000		132	27 699 000		900
26 642 000		45	26 897 000		342	27 355 000		132	27 700 000		38
26 643 000		45	26 897 DA0		342	27 367 000		1080	27 702 000		156
26 647 000		10	26 897 IGO		342	27 368 000		50	27 703 000		156
26 647 LS0		10				27 369 000		159	27 704 000	80	1280
26 648 000		10				27 400 000		486	27 705 000		189
26 648 LS0	1	10	27 032 001		16	27 406 000		231	27 706 000	80	1280
26 649 000		10	27 055 000	152	1824	27 421 002		14	27 706 AL0	80	1280
26 652 000		10	27 056 000		1960	27 470 000		62	27 706 DCO	80	1280

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
27 707 000	80	1280	28 155 002		300	28 623 000		1000	29 119 AL0		72
27 707 AL0	80	1280	28 158 000		216	28 626 000		1000	29 119 DA0		72
27 707 DC0	80	1280	28 158 001		300	28 628 000		1000	29 119 DC0		72
27 709 000		300	28 161 001	200	200	28 631 000		660	29 119 DL0		72
27 711 000	25	450	28 161 002		300	28 634 XX0		624	29 119 GL0		72
27 786 002		100	28 198 000		800	28 636 000		465	29 119 GN0		72
27 787 002		100	28 214 003		480	28 671 000		930	29 120 000		72
27 790 002		50	28 233 000		93	28 679 000		1000	29 121 000		72
27 794 001		100	28 261 002		480	28 680 000		1000	29 121 A00		72
27 795 001		100	28 280 004		100	28 690 000		1000	29 121 AL0		72
27 796 001		50	28 286 000		1400	28 724 000		660	29 121 DA0		72
27 798 10E		132	28 361 000		150	28 778 000		26	29 121 DC0		72
27 799 001		132	28 362 000		300	28 789 002		50	29 121 DL0		72
27 803 10E		132	28 362 001		300	28 796 000		420	29 121 GL0		72
27 805 001		132	28 362 A00		315	28 799 000		1960	29 121 GN0		72
27 812 IL1	40	240	28 362 A01		300	28 817 000		1485	29 122 000		72
27 841 000		90	28 362 BE1		300	28 856 000		660	29 122 A00		72
27 852 001		480	28 362 DA0		315	28 874 000		3920	29 122 AL0		72
27 853 001		100	28 362 DA1		300	28 910 000		175	29 122 BE0		72
27 854 001		50	28 362 DC0		216	28 912 000		192	29 122 DA0		72
27 869 001		350	28 362 DC1		300	28 912 AL0		160	29 122 DC0		72
27 891 000		58	28 362 GL0		315	28 912 DC0		160	29 122 DL0		72
27 892 000		135	28 362 GL1		300	28 912 DL0		160	29 122 EN0		60
27 922 000		16	28 364 000		300	28 912 EN0		192	29 122 GL0		72
27 923 001		480	28 364 001		300	28 912 GN0		160	29 122 GN0		72
27 924 001		100	28 368 000		93	28 920 000		369	29 123 000		72
27 925 001		50	28 368 00E		93	28 939 000		80	29 123 A00		72
27 926 001		100	28 368 LS0		84	28 943 000		60	29 123 AL0		72
27 929 002		100	28 373 000		93	28 948 000		360	29 123 DL0		72
27 932 000		16	28 388 000		300	28 964 001		80	29 123 GN0		72
27 936 000		58	28 388 001		300	28 982 000		136	29 124 000		72
27 964 000		16	28 388 A00		315	28 988 000		4500	29 124 A00		72
27 966 000		10	28 388 A01		300	28 990 000		72	29 124 AL0		72
27 966 001		10	28 388 BE1		300	28 991 000		66	29 124 DC0		72
27 967 000	1	16	28 388 DA0		315	28 993 000		62	29 124 DL0		72
27 968 001		10	28 388 DA1		300	28 995 000		14	29 124 GN0		72
			28 388 DC0		216				29 125 000		72
			28 388 DC1		300				29 126 000		72
			28 388 GL0		315	29 007 000	80	3360	29 126 A00		72
28 002 000		1100	28 388 GL1		300	29 025 002		168	29 126 AL0		72
28 020 L01	150	900	28 389 000		4900	29 032 000		1165	29 126 DC0		72
28 025 000		300	28 401 000		576	29 033 000		407	29 126 DL0		72
28 025 001		300	28 403 000		700	29 037 000		8	29 126 GN0		72
28 094 000		1725	28 404 000		500	29 037 001		8	29 127 000		72
28 105 000		300	28 405 000		465	29 037 002		8	29 127 A00		72
28 105 001		300	28 406 000		1000	29 078 001		60	29 127 AL0		72
28 139 000		300	28 409 001		300	29 079 001		60	29 127 DC0		72
28 139 001		300	28 409 002		300	29 080 001		60	29 127 DL0		72
28 140 000		300	28 410 001		300	29 081 001		60	29 127 GN0		72
28 140 001		300	28 410 002		300	29 086 000		60	29 150 LS0		72
28 142 000		216	28 413 001		300	29 094 000		140	29 151 LS0		72
28 142 002		300	28 413 002		300	29 095 000		140	29 152 LS0		72
28 143 000		300	28 417 000		300	29 096 000		183	29 153 LS0		72
28 143 001		300	28 417 001		300	29 097 003	10	120	29 156 LS0		72
28 143 KS0		315	28 419 002		480	29 097 LS3	10	120	29 157 LS0		72
28 143 KS1		300	28 421 002		480	29 098 003	12	144	29 158 LS0		72
28 143 LS0		315	28 422 002		480	29 098 LS3	12	144	29 176 001		72
28 143 LS1		300	28 429 000		2400	29 099 003	12	144	29 176 A01		72
28 145 000		300	28 436 002		100	29 099 LS3	12	144	29 176 DL1		72
28 145 001		300	28 438 001		100	29 118 000		72	29 176 GN1		72
28 146 000		303	28 497 000		250	29 118 A00		72	29 181 002		72
28 150 001		300	28 541 000		227	29 118 AL0		72	29 181 A02		72
28 150 002		300	28 576 000		279	29 118 DA0		72	29 181 DL2		72
28 151 001		300	28 578 002		480	29 118 DC0		72	29 181 GN2		72
28 151 002		300	28 587 000		50	29 118 DL0		72	29 192 001		228
28 151 L01		300	28 605 000		700	29 118 GL0		72	29 192 A01		228
28 151 L02		300	28 620 000		157	29 118 GN0		72	29 192 AL1		228
28 154 001		300	28 621 000		98	29 119 000		72	29 192 DA1		228
28 154 002		300	28 622 000		700	29 119 A00		72	29 192 DC1		228
28 155 001		300									

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
29 192 DL1		228	29 416 DA0		80	30 341 001	1	4	31 232 001		93
29 192 GL1		228	29 416 IG0		80	30 341 AL1	1	4	31 233 001		93
29 192 GN1		228	29 417 000		80	30 341 DC1	1	4	31 234 001		93
29 192 KF1		228	29 417 IG0		80	30 341 DL1	1	4	31 255 000		30
29 193 001		148	29 418 000		28	30 348 001		66	31 255 DC0	4	24
29 193 A01		148	29 418 IG0		28	30 362 000		48	31 302 002	1	4
29 193 AL1		148	29 420 000		396	30 362 AL0		48	31 302 DC2	1	4
29 193 DA1		148	29 420 DA0		396	30 362 DC0		48	31 323 002	1	4
29 193 DC1		148	29 420 IG0		396	30 468 000		68	31 323 DC2	1	4
29 193 DL1		148	29 507 KF0		72	30 503 000		40	31 325 002	1	4
29 193 GL1		148	29 508 KF0		72	30 503 DC0		40	31 325 DC2	1	4
29 193 GN1		148	29 800 000		1165	30 503 KF0		40	31 326 002	1	4
29 303 003		80	29 801 000		1165	30 504 000	8	48	31 326 DC2	1	4
29 303 AL3		80	29 802 000		1165	30 504 A00	8	48	31 347 003	1	4
29 303 DC3		80	29 804 000		875	30 504 AL0	8	48	31 347 DC3	1	4
29 306 003		80	29 805 000		693	30 504 DA0	8	48	31 358 002		44
29 307 003		28	29 811 000		1165	30 504 DC0	8	48	31 358 DC2		44
29 307 AL3		28	29 813 000		1165	30 504 DL0	8	48	31 360 001		44
29 307 DC3		28	29 904 LSO		72	30 504 GL0	8	48	31 360 DC1		44
29 337 003	10	120				30 504 GN0	8	48	31 367 001		93
29 338 003	10	120				30 504 KF0	8	48	31 368 001		93
29 396 000		240	30 008 001		1280	30 505 000	8	48	31 375 000	8	64
29 396 AL0		240	30 058 001	1	4	30 505 A00	8	48	31 375 A00	8	64
29 396 DA0		240	30 058 AL1	1	4	30 505 AL0	8	48	31 375 AL0	8	64
29 396 DC0		240	30 058 DC1	1	4	30 505 DA0	8	48	31 375 DA0	8	64
29 396 GL0		240	30 058 DL1	1	4	30 505 DC0	8	48	31 375 DC0		72
29 397 000		240	30 060 001	1	4	30 505 DL0	8	48	31 375 DL0	8	64
29 397 AL0		240	30 064 001	30	480	30 505 GL0	8	48	31 379 000		17
29 397 DA0		240	30 098 001		780	30 505 GN0	8	48	31 379 DC0		17
29 397 DC0		240	30 193 000		108	30 505 KF0	8	48	31 391 003	9	54
29 397 GL0		576	30 193 DC0		108	30 506 000		108	31 395 000	2	16
29 398 000		480	30 195 000		52	30 580 000	4	32	31 395 DC0		16
29 398 AL0		480	30 199 000		108	30 581 000		17	31 454 001	1	4
29 398 DC0		480	30 208 000		52	30 582 000		17	31 454 AL1	1	4
29 399 000		576	30 219 002		39	30 583 000	4	32	31 454 DC1	1	4
29 399 AL0		576	30 219 DC2		39	30 583 DC0		32	31 454 DL1	1	4
29 399 DC0		576	30 221 002		96	30 584 000		17	31 455 000		4
29 402 000		80	30 260 003		158	30 586 000		9	31 455 001		4
29 402 AL0		80	30 273 001		52	30 587 000		7	31 455 AL1	1	4
29 402 DC0		80	30 273 DC1		52	30 588 000	4	32	31 455 DC0	1	4
29 403 000		80	30 274 000		72	30 589 000		17	31 455 DC1	1	4
29 403 AL0		80	30 274 A00		72	30 590 000		32	31 455 DL1	1	4
29 403 DC0		80	30 274 AL0		72	30 590 DC0		32	31 456 001		4
29 405 000		28	30 274 DA0		72	30 590 KF0		32	31 456 DC1		4
29 405 AL0		28	30 274 DC0		72	30 591 000		19	31 481 001		72
29 405 DC0		28	30 274 DL0		72	30 609 000		48	31 482 003		72
29 406 000		120	30 294 A00		40	30 609 AL0		48	31 483 002		72
29 406 AL0		120	30 294 AL0		40	30 609 DC0		48	31 483 DC2		66
29 406 DA0		120	30 294 DA0		40	30 978 000		198	31 491 000		40
29 406 DC0		120	30 294 DL0		40				31 491 DC0		40
29 406 GL0		120	30 294 GL0		40				31 498 001		4
29 407 000		28	30 294 GN0		40	31 067 001		143	31 498 AL1	1	4
29 407 AL0		28	30 305 001		108	31 124 002		108	31 498 DC1		4
29 407 DA0		28	30 305 DC1		108	31 126 004		72	31 498 DL1	1	4
29 407 DC0		28	30 309 000		74	31 127 002		74	31 535 001		93
29 407 GL0		28	30 321 DG0		100	31 128 001		108	31 536 001		93
29 408 000		28	30 321 DP0		39	31 128 DC1		108	31 538 001		93
29 408 AL0		28	30 321 DU0		100	31 129 001		52	31 539 000		4
29 408 DA0		28	30 321 GE0		100	31 129 DC1		52	31 539 DC0	1	4
29 408 DC0		28	30 321 HG0		100	31 159 002		108	31 541 000		4
29 408 GL0		28	30 321 MW0		100	31 161 000		68	31 541 DC0		4
29 410 000		120	30 321 TY0		100	31 170 000		108	31 543 000		4
29 410 AL0		120	30 321 XC0		100	31 179 000		88	31 543 DC0		4
29 410 DA0		120	30 321 YF0		100	31 180 000		74	31 552 SD1		7
29 410 DC0		120	30 321 YR0		100	31 187 001		228	31 562 SD1		7
29 410 GL0		120	30 328 001	1	4	31 212 003		72	31 563 SD1		7
29 415 000		28	30 328 DC1	1	4	31 214 001		52	31 564 SD1		7
29 415 IG0		28	30 340 001	1	4	31 230 001		93	31 565 SD1		7
29 416 000		80	30 340 DC1	1	4	31 231 001		93	31 571 SD1		7

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
31 572 SD1		7	31 829 001		143	32 612 30L		128	32 880 000		60
31 574 SD1		8	31 831 001		143	32 612 AL3		148	32 917 000	8	64
31 575 SD1		10	31 868 000		158	32 612 DC3		148	32 917 A00	8	64
31 576 SD1		8	31 869 000		108	32 618 003		20	32 917 AL0	8	64
31 577 SD1		8	31 928 KF0		60	32 618 AL3		20	32 917 DA0	8	64
31 578 SD1		8	31 930 001		68	32 618 DC3		20	32 917 DC0		72
31 580 SD1		4				32 629 002		67	32 917 DL0	8	64
31 581 SD1		4				32 659 001		108	32 917 KS0	8	64
31 582 SD1		4	32 067 000		72	32 661 003		60	32 918 000	8	64
31 583 SD1		6	32 109 001		160	32 661 DC3		60	32 918 00E		72
31 584 SD1		4	32 109 AL1		160	32 663 003		66	32 918 DC0		72
31 585 SD1		4	32 109 DC1		148	32 663 DC3		66	32 926 003	11	132
31 586 SD1		4	32 114 001		128	32 700 001	6	72	32 929 003	8	128
31 588 SD1		7	32 114 DC1		144	32 750 000		108	32 950 000		17
31 593 002		60	32 146 001		39	32 752 000		96	32 950 DC0		17
31 593 DC2		60	32 146 A01		39	32 757 001		39	32 955 000	10	120
31 613 000		60	32 146 DL1		39	32 757 A01		39			
31 613 A00		60	32 146 GN1		39	32 757 DL1		39			
31 613 DC0		60	32 154 003	11	132	32 757 GN1		39			
31 615 000		60	32 168 000	8	64	32 762 000	16	192	33 155 002		85
31 615 A00		60	32 168 DC0		72	32 763 000	16	192	33 163 003		128
31 615 AL0		60	32 202 10L	16	192	32 765 000		128	33 183 002		176
31 615 DA0		60	32 204 10E	16	192	32 766 000		128	33 188 003	8	128
31 615 DC0		60	32 207 001	24	288	32 767 000		92	33 190 20E		160
31 615 DL0		60	32 208 001	16	192	32 768 000		92	33 192 002		108
31 615 GL0		60	32 210 001	12	144	32 770 000		92	33 202 003		60
31 615 GN0		60	32 211 001	6	72	32 771 000		92	33 241 003		39
31 639 AP0		3	32 212 001	9	54	32 772 000		63	33 241 AL3		39
31 639 AT0		4	32 213 001		60	32 773 000		63	33 241 DC3		39
31 640 AP0		3	32 214 001		60	32 774 000		92	33 244 002		200
31 640 AT0		3	32 224 003	9	54	32 775 000		60	33 265 003	11	132
31 641 AP0		3	32 229 002	6	96	32 776 000		92	33 265 30L	8	128
31 641 AT0		3	32 240 10E	16	192	32 778 000		92	33 281 003		158
31 642 AP0		3	32 240 10L	16	192	32 779 000		92	33 281 30E		158
31 642 AT0		4	32 257 001		73	32 786 000		96	33 281 DC3		158
31 643 AP0		3	32 257 002	11	66	32 787 000		108	33 300 003	6	96
31 643 AT0		3	32 259 003		60	32 788 000		128	33 302 003	9	54
31 644 AP0		3	32 294 002		39	32 789 000		128	33 303 003	6	72
31 644 AT0		3	32 294 DC2		39	32 790 000		128	33 305 003		60
31 645 AP0		3	32 321 002		66	32 792 000		40	33 390 002		92
31 645 AT0		4	32 321 A02		66	32 793 000		60	33 395 002		48
31 646 AP0		3	32 321 AL2		66	32 795 000		69	33 547 003		56
31 646 AT0		3	32 321 DA2		66	32 823 000		63	33 552 20E	16	192
31 647 AP0		3	32 321 DC2		66	32 824 000	16	192	33 553 003		66
31 647 AT0		3	32 321 DL2		66	32 824 00L	16	192	33 553 AL3		66
31 648 AP0		5	32 321 GN2	8	64	32 825 00E	16	192	33 553 DC3		66
31 648 AT0		5	32 322 002		66	32 825 00L	16	192	33 555 003	12	144
31 649 AP0		3	32 322 A02		66	32 826 001		51	33 556 003		60
31 649 AT0		4	32 322 AL2		66	32 826 A01		51	33 557 003	16	192
31 650 AP0		6	32 322 DA2		66	32 826 DL1		51	33 558 003	16	192
31 650 AT0		6	32 322 DC2		66	32 826 GN1		51	33 558 LS3	16	192
31 651 AP0		5	32 322 DL2		66	32 827 00E	16	192	33 561 002	10	120
31 651 AT0		5	32 467 003	11	132	32 830 001		67	33 561 003	10	120
31 652 AP0		3	32 467 30L	8	128	32 831 000	6	96	33 565 002	10	120
31 652 AT0		3	32 468 003	16	192	32 832 000		60	33 565 003	16	192
31 653 AP0		6	32 468 20E	16	192	32 833 000	6	96	33 565 LS3	16	192
31 653 AT0		6	32 468 20L	16	192	32 836 000		108	33 569 002		115
31 654 AP0		6	32 469 20E		176	32 837 000	6	96	33 577 003		49
31 654 AT0		6	32 469 20L		176	32 839 000	16	192	33 577 AL3		49
31 655 AP0		5	32 488 000	8	64	32 840 000	16	192	33 577 DC3		49
31 655 AT0		5	32 488 A00		64	32 842 000		108	33 590 002	6	96
31 656 AP0		5	32 488 AL0	8	64	32 843 002		60	33 590 003	12	96
31 656 AT0		8	32 488 DA0	8	64	32 843 20E		60	33 590 LS3	12	96
31 680 000		88	32 488 DC0		72	32 843 DC2		60	33 591 002	6	96
31 688 000	11	88	32 488 DL0		72	32 846 001		51	33 591 003	6	72
31 693 000	11	88	32 511 000		72	32 846 A01		51	33 591 LS3	6	96
31 706 000	11	88	32 553 002		39	32 846 DL1		51	33 592 20A		60
31 715 000	11	88	32 553 DC2		39	32 846 GN1		51	33 592 30A		60
31 819 001		143	32 612 003		128	32 879 000		60	33 614 002		108
									33 635 003		60

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
37 547 P00		450	38 574 000		240	38 857 SH0		40	39 349 000		9
37 547 SH0		430	38 629 000		50	38 858 000		240	39 351 000		12
37 601 000		240	38 661 000		20	38 858 P00		240	39 354 SH1		2
37 601 A00		240	38 672 SD0		240	38 858 SH0		240	39 367 000		36
37 601 AL0		240	38 675 001		8	38 860 000		11	39 368 000		105
37 601 BE0		240	38 691 000		35	38 861 000		240	39 369 000		50
37 601 DA0		240	38 698 SD1		96	38 862 000		240	39 374 KS0		5
37 601 DC0		240	38 699 001		50	38 862 P00		200	39 374 LS0		5
37 601 DL0		240	38 721 001		11	38 862 SD0		200	39 376 000		11
37 601 EN0		240	38 722 001		11	38 862 SH0		240	39 383 000	10	50
37 601 GL0		240	38 732 000		240	38 863 000		22	39 386 00H		10
37 601 GN0		240	38 732 A00		240	38 868 000		12	39 420 000		18
37 601 P00		240	38 732 AL0		240	38 882 000	28	2240	39 421 000		12
37 601 SH0		240	38 732 BE0		240	38 885 000		12	39 422 000		21
37 624 000		240	38 732 BR0		240	38 888 000		10	39 423 000		18
37 624 A00		240	38 732 DA0		240	38 915 KS0		100	39 424 000		27
37 624 AL0		240	38 732 DC0		240	38 915 LS0		100	39 425 000		30
37 624 BE0		240	38 732 DL0		240	38 916 OA0		180	39 426 000		30
37 624 DA0		240	38 732 EN0		240	38 947 000		10	39 427 000		12
37 624 DC0		240	38 732 GL0		240	38 948 000		12	39 428 000		9
37 624 DL0		240	38 732 GN0		240	38 957 000	10	400	39 429 000		9
37 624 EN0		240	38 732 KF0		240	38 987 000		20	39 430 000		12
37 624 GL0		240	38 732 P00		240	38 994 000		11	39 431 000		12
37 624 GN0		240	38 732 SD0		240				39 432 000		12
37 624 P00		240	38 732 SH0		240				39 433 000		12
37 624 SH0		240	38 733 000	25	400	39 002 000		11	39 436 000		60
37 761 000		500	38 735 000		200	39 052 000		12	39 437 000		24
37 762 SH0		45	38 736 000		220	39 053 000		80	39 438 000		12
37 791 SH0		40	38 748 002		11	39 054 000		80	39 439 000		12
37 945 SH0		45	38 750 001		11	39 056 000		6480	39 440 000		21
37 965 000		240	38 761 000		12	39 140 000		5	39 462 000		4
37 973 000		240	38 764 001		11	39 201 000		30	39 462 00H		4
37 973 DC0		240	38 765 000		240	39 202 000		20	39 469 00H		10
37 973 P00		240	38 765 P00		240	39 206 000		12	39 473 00H		16
37 973 SH0		240	38 765 SH0		240	39 206 00H		12	39 474 00H		18
37 998 000		60	38 771 000		500	39 208 000		12	39 475 00H		10
			38 772 001		11	39 208 00H		12	39 476 00H		10
			38 772 20A		11	39 245 00H		12	39 477 00H		16
38 338 000		800	38 773 000		12	39 300 000		20	39 478 00H		18
38 422 000		35	38 773 20A		12	39 301 000		20	39 479 00H		16
38 422 20A		35	38 776 SD0		240	39 302 000		20	39 480 00H		18
38 445 SD0		430	38 778 000		100	39 306 000		20	39 481 00H		20
38 505 000		240	38 779 000		200	39 323 000		12	39 482 00H		24
38 505 KF0		240	38 784 000		40	39 323 00H		12	39 483 00H		22
38 505 P00		240	38 784 P00		40	39 324 000		27	39 484 00H		6
38 505 SH0		240	38 784 SD0		40	39 324 00H		27	39 488 000	7	84
38 506 000		240	38 786 001		11	39 325 000		30	39 490 000		24
38 506 P00		240	38 787 000		120	39 327 000		36	39 491 000		12
38 506 SH0		240	38 796 000		100	39 327 00H		36	39 492 000	7	84
38 525 001		10	38 803 001		11	39 328 000		12	39 493 000	7	84
38 526 000		12	38 804 000		40	39 328 00H		12	39 496 000		4
38 528 001		11	38 804 P00		40	39 330 001	7	84	39 497 000		12
38 536 001		11	38 805 000		100	39 331 001	7	84	39 500 000		11
38 539 001		11	38 808 000		800	39 332 000		24	39 501 000		11
38 541 000		12	38 808 P00		40	39 333 000		18	39 503 000		11
38 543 000		12	38 808 SH0		500	39 335 000		12	39 504 000		11
38 545 000		11	38 809 000		200	39 335 00H		12	39 538 000		12
38 546 000		11	38 821 000		200	39 336 000		14	39 554 000		6
38 553 001		11	38 827 000		11	39 336 00H		14	39 564 00H		12
38 554 001		12	38 844 000		240	39 337 000		18	39 565 00H		16
38 557 001		12	38 844 P00		240	39 337 00H		12	39 566 00H		8
38 558 00M	20	700	38 844 SH0		240	39 338 000		6	39 567 00H		12
38 559 001		25	38 845 KS0		140	39 338 00H		6	39 568 00H		16
38 562 001		72	38 845 LS0		140	39 339 000		12	39 570 000		33
38 564 000		140	38 845 MF0		200	39 339 00H		12	39 571 00H		12
38 564 SH0		140	38 846 KS0		200	39 340 000		12	39 572 00H		6
38 565 000		200	38 846 LS0		200	39 340 00H		12	39 573 00H		8
38 573 000		240	38 857 000		40	39 346 000		4	39 574 00H		16
38 573 SH0		240	38 857 P00		40	39 347 000		4	39 575 00H		8

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
39 577 000	7	84	40 342 001	20	160	40 374 A01	7	56	40 457 001	40	480
39 578 000		24	40 342 A01	20	160	40 374 AL1	7	56	40 459 001	20	240
39 579 000		24	40 342 DL1	20	160	40 374 BE1	7	56	40 460 001	28	168
39 581 000		11	40 342 GN1	20	160	40 374 DA1	7	56	40 461 001	70	1120
39 584 00H		12	40 344 001	10	40	40 374 DC1	7	56	40 462 001	6	24
39 585 00H		8	40 344 DC1	10	40	40 374 DL1	7	56	40 463 001	7	56
39 596 000		8	40 364 001	70	1120	40 374 EN1	7	56	40 507 001	40	480
39 598 000		8	40 364 A01	70	1120	40 374 GL1	7	56	40 507 AL1		320
39 603 000		8	40 364 AL1	70	1120	40 374 GN1	7	56	40 507 DC1		320
39 604 000		4	40 364 BE1	70	1120	40 385 001	24	288	40 508 001	57	912
39 608 00H		22	40 364 DA1	70	1120	40 385 A01	24	288	40 508 AL1		960
39 609 00H		30	40 364 DC1	70	1120	40 385 AL1	24	288	40 508 DC1		960
39 611 000		1	40 364 DL1	70	1120	40 385 BE1	24	288	40 509 001	21	168
39 617 000		12	40 364 EN1	70	1120	40 385 DA1	24	288	40 509 DC1		54
39 620 00H		12	40 364 GL1	70	1120	40 385 DC1	24	288	40 510 001	34	272
39 622 000		1	40 364 GN1	70	1120	40 385 DL1	24	288	40 510 AL1		272
39 648 SH0		32	40 365 001	18	216	40 385 EN1	24	288	40 510 DC1		272
39 651 SH0		4	40 365 A01	18	216	40 385 GL1	24	288	40 511 001	70	1120
39 652 SH0		4	40 365 AL1	18	216	40 385 GN1	24	288	40 511 AL1	70	1120
39 693 000		6	40 365 BE1	18	216	40 386 001	25	100	40 511 DC1	70	1120
39 703 000		8	40 365 DA1	18	216	40 386 A01	25	100	40 512 001	7	28
39 729 000		1	40 365 DC1	18	216	40 386 AL1	25	100	40 512 AL1		28
39 806 000		45	40 365 DL1	18	216	40 386 BE1	25	100	40 513 001	7	56
39 807 000		35	40 365 EN1	18	216	40 386 DA1	25	100	40 513 AL1	6	36
39 808 000		24	40 365 GL1	18	216	40 386 DL1	25	100	40 513 DC1	6	36
39 809 000		12	40 365 GN1	18	216	40 386 EN1	25	100	40 514 001	15	180
39 810 000		18	40 366 001	24	192	40 386 GL1	25	100	40 514 AL1		240
39 811 000		6	40 366 A01	24	192	40 386 GN1	25	100	40 514 DC1		240
39 813 000	7	168	40 366 AL1	24	192	40 394 001	21	336	40 535 000	18	216
39 861 000		54	40 366 BE1	24	192	40 394 A01	21	336	40 535 A00	18	216
39 881 000		60	40 366 DA1	24	192	40 394 AL1	21	336	40 535 ALO	18	216
39 881 KF0		55	40 366 DC1	24	192	40 394 BE1	21	336	40 535 DA0	18	216
39 881 SH0		60	40 366 DL1	24	192	40 394 DA1	21	336	40 535 DC0	18	216
39 882 000		60	40 366 EN1	24	192	40 394 DC1	21	336	40 535 DLO	18	216
39 882 KF0		60	40 366 GL1	24	192	40 394 DL1	21	336	40 535 GLO	18	216
39 882 SH0		60	40 366 GN1	24	192	40 394 EN1	21	336	40 535 GN0	18	216
39 898 000	7	126	40 367 001	24	384	40 394 GL1	21	336	40 536 000	18	216
39 910 000		16	40 367 A01	24	384	40 394 GN1	21	336	40 536 DC0	18	216
39 912 000		60	40 367 AL1	24	384	40 404 001		296	40 537 000	18	216
39 913 000		72	40 367 BE1	24	384	40 405 001		140	40 537 DC0	18	216
39 923 000	7	168	40 367 DA1	24	384	40 407 001	6	48	40 547 001		296
39 980 KS0		5	40 367 DC1	24	384	40 407 DC1	6	48	40 554 002	1	4
39 980 LS0		5	40 367 DL1	24	384	40 412 001		147	40 564 000		192
			40 367 EN1	24	384	40 421 001	24	288	40 564 A00		144
			40 367 GL1	24	384	40 421 A01	24	288	40 564 ALO		144
			40 367 GN1	24	384	40 421 AL1	24	288	40 564 DC0		144
40 278 001	42	504	40 368 001	60	720	40 421 BE1	24	288	40 565 000		1120
40 278 A01	42	504	40 369 001	50	800	40 421 DA1	24	288	40 565 ALO	20	480
40 278 DL1	42	504	40 369 A01	50	800	40 421 DC1	24	288	40 565 DC0	20	480
40 278 GN1	42	504	40 369 AL1	50	800	40 421 DL1	24	288	40 575 002		296
40 279 001	28	336	40 369 BE1	50	800	40 421 EN1	24	288	40 585 001	72	864
40 279 A01	28	336	40 369 DA1	50	800	40 421 GL1	24	288	40 623 001	60	960
40 279 DL1	28	336	40 369 DC1	50	800	40 421 GN1	24	288	40 623 AL1		960
40 279 GN1	28	336	40 369 DL1	50	800	40 422 000		162	40 623 DC1		960
40 284 001	56	896	40 369 EN1	50	800	40 423 000		100	40 624 001	21	252
40 284 A01	56	896	40 369 GL1	50	800	40 430 001		200	40 624 AL1		240
40 284 DL1	56	896	40 369 GN1	50	800	40 432 000		32	40 624 DC1		252
40 284 GN1	56	896	40 371 001	20	240	40 434 001		480	40 636 SD0	120	1440
40 339 001	27	162	40 371 A01	20	240	40 437 000		60	40 652 001	90	720
40 339 A01	27	162	40 371 AL1	20	240	40 438 001		120	40 652 EN1	90	720
40 339 DL1	27	162	40 371 BE1	20	240	40 444 001	24	288	40 653 001	24	144
40 339 GN1	27	162	40 371 DA1	20	240	40 444 DC1	24	288	40 653 EN1	24	144
40 340 001	5	30	40 371 DC1	20	240	40 444 EN1	24	288	40 654 001	20	80
40 340 A01	5	30	40 371 DL1	20	240	40 447 001	32	384	40 654 EN1	20	80
40 340 DL1	5	30	40 371 EN1	20	240	40 447 DC1	32	384	40 655 001	24	144
40 340 GN1	5	30	40 371 GL1	20	240	40 447 EN1	32	384	40 655 EN1	24	144
40 341 001	20	160	40 371 GN1	20	240	40 448 001	18	288	40 656 001	70	1120
40 341 A01	20	160	40 372 001	75	900	40 448 DC1	18	288	40 656 EN1	70	1120
40 341 DL1	20	160	40 374 001	7	56	40 448 EN1	18	288	40 657 001	30	480
40 341 GN1	20	160									

40

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
40 657 EN1	30	480	40 800 DL1	6	24	40 889 AL0	42	168	40 963 DL1	20	320
40 658 001	7	56	40 800 EN1	6	24	40 889 DA0	42	168	40 963 GN1	20	320
40 658 EN1	7	56	40 800 GL1	6	24	40 889 DC0	42	168	40 964 001	72	1152
40 659 001	60	480	40 800 GN1	6	24	40 889 EN0	42	168	40 965 001	8	64
40 659 EN1	60	480	40 802 001	15	120	40 889 GL0	42	168	40 965 A01	8	64
40 660 001	6	24	40 802 A01	15	120	40 890 000	70	1120	40 965 DL1	8	64
40 660 EN1	6	24	40 802 AL1	15	120	40 890 AL0	70	1120	40 965 GN1	8	64
40 663 001	24	144	40 802 BE1	15	120	40 890 DA0	70	1120	40 966 001	10	120
40 664 001	24	288	40 802 DA1	15	120	40 890 DC0	70	1120	40 966 A01	10	120
40 684 000		1725	40 802 DL1	15	120	40 890 EN0	70	1120	40 966 DL1	10	120
40 684 DC0		1725	40 802 EN1	15	120	40 890 GL0	70	1120	40 966 GN1	10	120
40 687 000		162	40 802 GL1	15	120	40 891 000	40	480	40 967 001	6	72
40 688 001	20	240	40 802 GN1	15	120	40 891 AL0	40	480	40 967 A01	6	72
40 688 A01	20	240	40 804 000	6	36	40 891 DA0	40	480	40 967 DL1	6	72
40 688 AL1	20	240	40 805 000	36	324	40 891 DC0	40	480	40 967 GN1	6	72
40 688 BE1	20	240	40 806 000	40	960	40 891 EN0	40	480			
40 688 DA1	20	240	40 807 000	8	224	40 891 GL0	40	480			
40 688 DC1	20	240	40 808 000		120	40 892 000	7	56	41		
40 688 DL1	20	240	40 809 000	12	240	40 892 AL0	7	56	41 007 000	45	1200
40 688 EN1	20	240	40 824 000		1000	40 892 DA0	7	56	41 027 000	70	1120
40 688 GL1	20	240	40 834 001		18	40 892 DC0	7	56	41 027 A00	70	1120
40 688 GN1	20	240	40 841 001		200	40 892 EN0	7	56	41 027 AL0	70	1120
40 689 001	24	384	40 842 001		27	40 892 GL0	7	56	41 027 BE0	70	1120
40 689 A01	24	384	40 843 000		189	40 893 000		256	41 027 DA0	70	1120
40 689 AL1	24	384	40 846 001	8	64	40 895 000		96	41 027 DC0	70	1120
40 689 BE1	24	384	40 847 001	8	64	40 896 000		90	41 027 DL0	70	1120
40 689 DA1	24	384	40 848 AL0	28	336	40 897 000		600	41 027 EN0	70	1120
40 689 DC1	24	384	40 848 DL0	28	336	40 899 000		48	41 027 GL0	70	1120
40 689 DL1	24	384	40 848 GN0	28	336	40 900 000	1	12	41 027 GN0	70	1120
40 689 EN1	24	384	40 848 SD0	28	336	40 906 000		72	41 028 000	24	288
40 689 GL1	24	384	40 855 000		8	40 908 000	36	432	41 028 A00	24	288
40 689 GN1	24	384	40 857 000	10	40	40 908 EN0	36	432	41 028 AL0	24	288
40 691 002		224	40 865 000	30	378	40 908 IGO	36	432	41 028 BE0	24	288
40 694 000	120	1440	40 876 000		100	40 909 000	16	256	41 028 DA0	24	288
40 711 001		4	40 877 000		17	40 909 IGO	16	256	41 028 DC0	24	288
40 754 001	24	288	40 878 000		13	40 910 000	12	192	41 028 DL0	24	288
40 755 001	32	384	40 882 000	80	960	40 910 IGO	12	192	41 028 EN0	24	288
40 756 001	18	288	40 883 000	60	720	40 911 000		168	41 028 GL0	24	288
40 757 001	6	48	40 884 000	50	800	40 915 000	375	3000	41 028 GN0	24	288
40 758 001	7	42	40 884 AL0	50	800	40 920 000	18	648	41 029 000	80	960
40 766 000	24	576	40 884 DA0	50	800	40 923 000	16	256	41 035 000	24	384
40 767 000		256	40 884 DC0	50	800	40 923 IGO	16	256	41 035 A00	24	384
40 768 000	16	192	40 884 EN0	50	800	40 928 000	15	120	41 035 AL0	24	384
40 775 001	10	40	40 884 GL0	50	800	40 928 EN0	15	120	41 035 BE0	24	384
40 775 DC1	10	40	40 885 000	40	480	40 928 IGO	15	120	41 035 DA0	24	384
40 775 EN1	10	40	40 885 AL0	40	480	40 929 000	20	320	41 035 DC0	24	384
40 776 001	10	40	40 885 DA0	40	480	40 929 EN0	20	320	41 035 DL0	24	384
40 776 DC1	10	40	40 885 DC0	40	480	40 929 IGO	22	320	41 035 EN0	24	384
40 777 001	7	42	40 885 EN0	40	480	40 930 000	72	1440	41 035 GL0	24	384
40 778 001	7	42	40 885 GL0	40	480	40 930 IGO	72	1440	41 035 GN0	24	384
40 781 000		240	40 886 000	30	480	40 946 000	18	72	41 036 000	18	288
40 782 000		240	40 886 AL0	30	480	40 946 IGO	18	72	41 037 000	30	360
40 783 000	30	360	40 886 DA0	30	480	40 949 000		60	41 038 000	12	144
40 784 000		200	40 886 DC0	30	480	40 950 000		190	41 038 A00	12	144
40 791 001	125	1000	40 886 EN0	30	480	40 954 000		400	41 038 AL0	12	144
40 791 KS1	125	1000	40 886 GL0	30	480	40 955 001	14	224	41 038 BE0	12	144
40 793 001	15	120	40 887 000	34	204	40 955 A01	14	224	41 038 DA0	12	144
40 793 DC1	15	120	40 887 AL0	34	204	40 955 DL1	14	224	41 038 DC0	12	144
40 794 001	15	90	40 887 DA0	34	204	40 955 GN1	14	224	41 038 DL0	12	144
40 794 DC1	15	90	40 887 DC0	34	204	40 956 001	8	128	41 038 EN0	12	144
40 797 001	5	10	40 887 EN0	34	204	40 956 A01	8	128	41 038 GL0	12	144
40 799 001	10	80	40 887 GL0	34	204	40 956 DL1	8	128	41 038 GN0	12	144
40 799 DC1	10	80	40 888 000	28	224	40 956 GN1	8	128	41 039 000	70	1120
40 800 001	6	24	40 888 AL0	28	224	40 960 000	16	256	41 039 A00	70	1120
40 800 A01	6	24	40 888 DA0	28	224	40 960 EN0	16	256	41 039 AL0	70	1120
40 800 AL1	6	24	40 888 DC0	28	224	40 960 IGO	16	256	41 039 BE0	70	1120
40 800 BE1	6	24	40 888 EN0	28	224	40 962 000	30	1200	41 039 DA0	70	1120
40 800 DA1	6	24	40 888 GL0	28	224	40 963 001	20	320	41 039 DC0	70	1120
40 800 DC1	6	24	40 889 000	42	168	40 963 A01	20	320	41 039 DL0	70	1120
									41 039 EN0	70	1120

GROHE PACKAGING INDEX

Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet	Product no.	Carton	Pallet
41 039 GL0	70	1120	41 066 DL0	3	18	42 297 PI0		128	47 310 000		1000
41 039 GN0	70	1120	41 066 EN0	3	18	42 303 000		240	47 349 000		1960
41 049 000	70	1120	41 066 GL0	3	18	42 304 000		240	47 364 000		1960
41 049 A00	70	1120	41 066 GN0	3	18	42 305 000		240	47 439 000		1120
41 049 AL0	70	1120	41 067 000	24	384	42 314 000		200	47 450 000		2000
41 049 BE0	70	1120	41 067 A00	24	384	42 320 000		200	47 483 000		560
41 049 DA0	70	1120	41 067 AL0	24	384	42 327 000		150	47 532 000		2160
41 049 DC0	70	1120	41 067 BE0	24	384	42 333 000		600	47 533 000		432
41 049 DL0	70	1120	41 067 DA0	24	384	42 383 000	26	832	47 598 000		576
41 049 EN0	70	1120	41 067 DC0	24	384	42 384 000	26	832	47 600 000		576
41 049 GL0	70	1120	41 067 DL0	24	384	42 586 SD0	25	1400	47 780 000		1400
41 049 GN0	70	1120	41 067 EN0	24	384	42 587 SD0	25	1400	47 781 000		1400
41 056 000	15	120	41 067 GL0	24	384	42 593 000		300	47 790 000		500
41 056 A00	15	120	41 067 GN0	24	384	42 766 000		320	47 885 000		1960
41 056 AL0	15	120	41 068 000	36	576	42 774 000		200	47 994 000	75	1350
41 056 BE0	15	120	41 068 A00	36	576	42 886 000		183	48		
41 056 DA0	15	120	41 068 AL0	36	576	43			48 051 000		3920
41 056 DC0	15	120	41 068 BE0	36	576	43 352 000		300	48 053 000		170
41 056 DL0	15	120	41 068 DA0	36	576	43 486 000	50	300	48 054 000		45
41 056 EN0	15	120	41 068 DC0	36	576	43 506 000		200	48 099 000		880
41 056 GL0	15	120	41 068 DL0	36	576	43 537 000		500	48 166 000		260
41 056 GN0	15	120	41 068 EN0	36	576	43 544 000		1400	48 177 000		1000
41 057 000		200	41 068 GL0	36	576	43 733 000		250	48 189 000	50	1600
41 058 000	18	72	41 068 GN0	36	576	43 758 00M		150	48 190 000	50	1600
41 058 A00	18	72	41 069 000	36	576	43 907 PI0	20	120	48 191 000	50	1600
41 058 AL0	18	72	41 069 A00	36	576	43 908 000		210	48 293 000		300
41 058 BE0	18	72	41 069 AL0	36	576	45			48 349 000		50
41 058 DA0	18	72	41 069 BE0	36	576	45 314 000		1000	48 350 000	1	18
41 058 DC0	18	72	41 069 DA0	36	576	45 342 000		1485	48 359 000		600
41 058 DL0	18	72	41 069 DC0	36	576	45 346 000		1485	49		
41 058 EN0	18	72	41 069 DL0	36	576	45 363 000		6380	49 002 00M		3920
41 058 GL0	18	72	41 069 EN0	36	576	45 459 000		1725	49 003 000		1200
41 058 GN0	18	72	41 069 GL0	36	576	45 650 IP0		1000	49 024 000		200
41 059 000	21	252	41 069 GN0	36	576	45 869 000		510	49 028 000		1400
41 059 A00	21	252	41 076 000	8	48	45 882 000		3600	49 113 000		80
41 059 AL0	21	252	41 076 A00	8	48	45 883 000		3920	49 113 SH0		80
41 059 BE0	21	252	41 076 AL0	8	48	45 885 000		2100	49 115 000		150
41 059 DA0	21	252	41 076 BE0	8	48	45 888 000		500	49 510 000		3200
41 059 DC0	21	252	41 076 DA0	8	48	45 914 XE0		400	49 516 000		2000
41 059 DL0	21	252	41 076 DC0	8	48	45 937 000		6720	49 526 000		864
41 059 EN0	21	252	41 076 DL0	8	48	45 973 001		480	49 533 000		109
41 059 GL0	21	252	41 076 EN0	8	48	45 984 001		60	49 533 SH0		218
41 059 GN0	21	252	41 076 GL0	8	48	46			49 534 000	24	109
41 063 000	20	240	41 076 GN0	8	48	46 048 000		2100	49 534 SH0	109	218
41 063 A00	20	240	41 077 000	12	72	46 058 000		1088	64		
41 063 AL0	20	240	41 077 A00	12	72	46 278 000		1960	64 508 001	24	480
41 063 BE0	20	240	41 077 AL0	12	72	46 308 000		4900	65		
41 063 DA0	20	240	41 077 BE0	12	72	46 374 000		1960	65 807 000		480
41 063 DC0	20	240	41 077 DA0	12	72	46 375 000		6300	65 807 A00		1280
41 063 DL0	20	240	41 077 DC0	12	72	46 386 000		1400	65 807 AL0		1280
41 063 DL0	20	240	41 077 DL0	12	72	46 575 000		660	65 807 BE0		1280
41 063 EN0	20	240	41 077 EN0	12	72	46 580 000		1960	65 807 DA0		1280
41 063 GL0	20	240	41 077 GL0	12	72	46 914 000	200	12000	65 807 DC0		1280
41 063 GN0	20	240	41 077 GN0	12	72	46 944 001		270	65 807 DLO		1280
41 064 000	8	128	41 215 KF0		48	47			65 807 EN0		1280
41 064 A00	8	128	41 216 KF0	70	1120	47 025 000		250	65 807 GL0		1280
41 064 AL0	8	128	41 217 KF0	70	1120	47 111 000		800	65 807 GN0		1280
41 064 BE0	8	128	41 218 KF0	24	288	47 167 000		1960	65 807 LSO		720
41 064 DA0	8	128	41 219 KF0	20	240	47 175 000		700	65 808 000		320
41 064 DC0	8	128	41 220 KF0	36	576	47 186 000		700	66		
41 064 DL0	8	128	41 225 000	20	1000	47 189 000		1960	66 791 000		120
41 064 EN0	8	128	42			47 217 000		720			
41 064 GL0	8	128	42 137 000		200	47 220 000		800			
41 064 GN0	8	128	42 181 000		320	47 262 000		1000			
41 066 000	3	18	42 229 000		1960	47 282 000		2160			
41 066 A00	3	18	42 233 000		800						
41 066 AL0	3	18	42 242 000		600						
41 066 BE0	3	18	42 253 000		200						
41 066 DA0	3	18									
41 066 DC0	3	18									

LIXIL MAKES BETTER HOMES

A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**



Visit us:



GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_01/2023 – Copyright by GROHE

PART OF **LIXIL**