

Master Group

■ Fiber Glass Horizontal Cyl. Tanks

Master Tanks Manufactured With High Quality Food Grade Imported Materials



- Hygienic Water Storage Tank
- Light Weight But Stronger
- Inside Coating with Tissue
- No Leakage No Crackness
- Special Brass Fiment
- After Sales Service
- Corrosion Proof
- Easy to Install
- Termite Proof
- Germs Free
- Algae Free
- Odourless



Code	Approx Capacity In US GLN	Approx Length	Approx Width	Approx Height	Value
1H00	60	34"	26"	26"	
1H01	100	44"	31"	30"	
1H02	150	49"	35"	34"	
1H03	200	61"	35"	34"	
1H04	250	61"	38"	38"	
1H05	300	71"	39"	38"	
1H06	400	72"	47"	48"	
1H07	500	88"	47"	48"	
1H08	650	92"	53"	50"	
1H09	750	94"	56"	54"	
1H10	1000	108"	60"	60"	
1H11	1500	120"	69"	69"	
1H12	2000	138"	76"	75"	
1H13	2500	134"	88"	81"	
1H14	5000	228"	96"	86"	
1H15	6750	220"	102"	102"	
1H16	7500	246"	102"	102"	
1H17	10000	300"	102"	102"	

Complete Range of Overhead & Underground Storage Tanks

Master Group

Fiber Glass Vertical Tanks

- Hygienic Water Storage Tank
- Light Weight But Stronger
- Inside Coating with Tissue
- No Leakage No Crackness
- Special Brass Fitment
- After Sales Service
- Corrosion Proof
- Easy to Install
- Termite Proof
- Germs Free
- Algae Free
- Odourless

1V01 to 1V13 Outside Finish



1V14 to 1V19 Inside Finish



Code	Approx Capacity In US GLN	Approx Width	Approx Height	Value
1V01	100	Dia. 30"	38"	
1V02	150	Dia. 33"	47"	
1V03	200	Dia. 35"	54"	
1V04	250	Dia. 38"	58"	
1V05	300	Dia. 40"	64"	
1V06	400	Dia. 44"	66"	
1V07	500	Dia. 48"	72"	
1V09	750	Dia. 54"	84"	
1V10	1000	Dia. 60"	90"	
1V11	1500	Dia. 68"	102"	
1V12	2000	Dia. 76"	108"	
1V13	2500	Dia. 84"	114"	
1V14	3000	Dia. 94"	102"	
1V15	3500	Dia. 94"	116"	
1V16	4000	Dia. 120"	94"	
1V17	5000	Dia. 120"	116"	
1V18	7500	Dia. 138"	126"	
1V19	10000	Dia. 138"	166"	

Fiber Glass Tanks are Valuable for a Wide Range of Uses & Applications

1L01 & 1L02

Outside Finish



1L03 to 1L14

Outside Finish



- Hygienic Water Storage Tank
- Light Weight But Stronger
- Inside Coating with Tissue
- No Leakage No Crackness
- Special Brass Fitment
- After Sales Service
- Corrosion Proof
- Easy to Install
- Termite Proof
- Germs Free
- Algae Free
- Odourless

Code	Approx Capacity In US GLN	Approx Length	Approx Width	Approx Height	Value
1L01	100	43"	33"	18"	
1L02	150	57"	33"	18"	
1L03	75	39"	27"	19"	
1L04	100	51"	25"	20"	
1L05	135	50"	38"	20"	
1L06	150	61"	33"	20"	
1L07	175	62"	38"	20"	
1L08	200	72"	36"	19"	
1L09	225	62"	36"	24"	
1L10	100	38"	38"	20"	
1L11	200	48"	48"	20"	
1L12	125	61"	26"	20"	
1L13	250	60"	48"	20"	
1L14	300	72"	48"	20"	

Long Lasting Durability